Available online at www.sciencedirect.com
SCIENCE DIRECT®
Remote Sensing of Environment 88 (2003) 483–496
Remote Sensing of Environment
www.elsevier.com/locate/rse

Author Index for Volumes 84–88

Alexeyev, V.: *See* Dong, J.
Allgöwer, B.: *See* Riaño, D.
Anderson, M.C.: *See* Kustas, W.P.
Anderson, M.C.: *See* French, A.N.
Andréfouët, S.: *See* Hochberg, E.J.
Andréfouët, S., Kramer, P., Torres-Pulliza, D., Joyce, K.E., Hochberg, E.J., Garza-Pérez, R., Mumby, P.J., Riegl, B., Yamano, H., White, W.H., Zubia, M., Brock, J.C., Phinn, S.R., Naseer, A., Hatcher, B.G. and Muller-Karger, F.E.: Multi-site evaluation of IKONOS data for classification of tropical coral reef environments 88:128
Andre, R.G.: *See* Masuoka, P.M.
Aranda, J.M.: *See* Briz, S.
Araujo, L.S.: *See* Santos, J.R.
Arkin, Y.: *See* Sarti, F.
Arnold, C.: *See* Hoffhine Wilson, E.
Arthur-Hartranft, S.T., Carlson, T.N. and Clarke, K.C. Satellite and ground-based microclimate and hydrologic analyses coupled with a regional urban growth model 86:385
Asner, G.P., Bustamante, M.M.C. and Townsend, A.R.Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon 87:507
Asner, G.P. and Warner, A.S.Canopy shadow in IKONOS satellite observations of tropical forests and savannas 87:521
Asner, G.P.: *See* Hurtt, G.
Atkinson, M.J.: *See* Hochberg, E.J.

Bach, H.: *See* Verhoef, W.
Badran, F.: *See* Niang, A.
Baldridge, B.: *See* Zanoni, V.
Baldridge, B.: *See* Ryan, R.
Ballester, M.V.R., Victoria, D.d.C., Krusche, A.V., Coburn, R., Victoria, R.L., Richey, J.E., Logsdon, M.G., Mayorga, E. and Matricardi, E.: A remote sensing/GIS-based physical template to understand the biogeochemistry of the Ji-Paraná river basin (Western Amazônia) 87:429
Balzter, H., Skinner, L., Luckman, A. and Brooke, R.: Estimation of tree growth in a conifer plantation over 19 years from multi-satellite L-band SAR 84:184
Balzter, H.: *See* Wagner, W.
Bannari, A.: *See* Champagne, C.M.
Barbosa, C.C.F.: *See* Hess, L.L.
Baret, F.: *See* Combal, B.
Baret, F.: *See* Steven, M.D.
Baret, F.: *See* Moreau, S.
Barillé, L.: *See* Méléder, V.
Barnett, A.C.: *See* Klein, A.G.
Barrett, D.J.: *See* Lu, H.
Bates, P.D.: *See* Horritt, M.S.
Batista, G.T.: *See* Numata, I.
Batistella, M.: *See* Lu, D.
Bauer, M.E.: *See* Sawaya, K.E.
Bayr, K.J.: *See* Hall, D.K.
Bégué, A.: *See* Luquet, D.
Bellingeri, D.: *See* Colombo, R.
Ben-Asher, J.: *See* Daniels, J.
Berger, M.: *See* Wigneron, J.-P.
Bernier, M.: *See* Magagi, R.
Berterretche, M.: *See* Cohen, W.B.
Bertrand, C.: *See* Clerbaux, N.
Bertrand, C., Clerbaux, N., Ipe, A. and Gonzalez, L.: Estimation of the 2002 Mount Etna eruption cloud radiative forcing from Meteosat-7 data 87:257
Beyer, H.G.: *See* Hammer, A.
Bindlish, R., Jackson, T.J., Wood, E., Gao, H., Starks, P., Bosch, D. and Lakshmi, V.: Soil moisture estimates from TRMM Microwave Imager observations over the Southern United States 85:507
Bindschadler, R.A.: *See* Hall, D.K.
Birk, R.J., Stanley, T., Snyder, G.I., Hennig, T.A., Fladeland, M.M. and Policelli, F.: Government programs for research and operational uses of commercial remote sensing data 88:3
Blaes, X. and Defourny, P.: Retrieving crop parameters based on tandem ERS 1/2 interferometric coherence images 88:374
Blank, T.A.: *See* Schuerger, A.C.
Blonski, S.: *See* Ryan, R.
Blumberg, D.G.: *See* Daniels, J.
Bogaert, J.: *See* Tian, Y.
Boles, S.: *See* Xiao, X.
Borde, R. and Verdebout, J.: Remote sensing of aerosols optical thickness over various sites using SeaWiFS or VEGETATION and ground measurements 86:42
Bosch, D.: *See* Bindlish, R.

doi:10.1016/S0034-4257(03)00325-0

Boschetti, L., Brivio, P.A. and Gregoire, J.M.: The use of Meteosat and GMS imagery to detect burned areas in tropical environments 85:78
Bosseno, R.: *See* Moreau, S.
Bottai, L.: *See* Maselli, F.
Bourgeau-Chavez, L.L.: *See* Kasischke, E.S.
Bowen, H.: *See* Dial, G.
Boyd, D.S.: *See* Foody, G.M.
Bradshaw, C.J.A.: *See* Sumner, M.D.
Brandtberg, T., Warner, T.A., Landenberger, R.E. and McGraw, J.B.: Detection and analysis of individual leaf-off tree crowns in small footprint, high sampling density lidar data from the eastern deciduous forest in North America 85:290
Braswell, B.: *See* Xiao, X.
Braswell, B.H., Hagen, S.C., Frolking, S.E. and Salas, W.A.: A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region 87:243
Braswell, R.: *See* Hurtt, G.
Brezonik, P.L.: *See* Sawaya, K.E.
Brim Box, J.: *See* Gillies, R.R.
Briottet, X.: *See* Miesch, C.
Brivio, P.A.: *See* Boschetti, L.
Briz, S., de Castro, A.J., Aranda, J.M., Meléndez, J. and López, F.: Reduction of false alarm rate in automatic forest fire infrared surveillance systems 86:19
Brock, J.C.: *See* Andréfouët, S.
Brondízio, E.S.: *See* Hurtt, G.
Brooke, R.: *See* Balzter, H.
Brown de Colstoun, E.C., Story, M.H., Thompson, C., Commisso, K., Smith, T.G. and Irons, J.R.: National Park vegetation mapping using multitemporal Landsat 7 data and a decision tree classifier 85:316
Bruce, L.M.: *See* Koger, C.H.
Brunzell, S.: *See* Kasischke, E.S.
Bryant, R., Qi, J., Moran, M.S. and Ni, W.: Comparison of BRDF models with a fuzzy inference system for correction of bidirectional effects 88:221
Bryant, R.G.: *See* Rainey, M.P.
Buermann, W.: *See* Dong, J.
Buermann, W.: *See* Shabanov, N.V.
Buermann, W.: *See* Wang, Y.
Burrage, D.M., Heron, M.L., Hacker, J.M., Miller, J.L., Stieglitz, T.C., Steinberg, C.R. and Prytz, A.: Structure and influence of tropical river plumes in the Great Barrier Reef: application and performance of an airborne sea surface salinity mapping system 85:204
Bursik, M.I.: *See* Hooper, D.M.
Bustamante, M.M.C.: *See* Asner, G.P.

Cabot, F.: *See* Miesch, C.
Calvet, J.-C.: *See* Wigneron, J.-P.
Calvin, W.M.: *See* Vaughan, R.G.
Capelle, G.: *See* Richards, J.T.
Capelle, G.A.: *See* Schuerger, A.C.
Cardellach, E., Ruffini, G., Pino, D., Rius, A., Komjathy, A. and Garrison, J.L.: Mediterranean Balloon Experiment: ocean wind speed sensing from the stratosphere, using GPS reflections 88:351
Cardille, J.A. and Foley, J.A.: Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data 87:551
Cardoso, M.: *See* Hurtt, G.
Carlson, G.C.: *See* Zimble, D.A.
Carlson, T.N.: *See* Arthur-Hartranft, S.T.
Carnec, C.: *See* Raucoules, D.
Carrère, V.: *See* Méléder, V.
Carvalho, C.J.R.: *See* Hurtt, G.
Casady, G.M.: *See* Seelan, S.K.
Caselles, V.: *See* Coll, C.
Cavalieri, D.J.: *See* Markus, T.
Chadwick, O.A.: *See* Numata, I.
Champagne, C.M., Staenz, K., Bannari, A., McNairn, H. and Deguise, J.-C.: Validation of a hyperspectral curve-fitting model for the estimation of plant water content of agricultural canopies 87:148
Chanzy, A.: *See* Pardé, M.
Chapman, B.: *See* Siqueira, P.
Chappelle, E.W.: *See* Corp, L.A.
Chen, J.M., Liu, J., Leblanc, S.G., Lacaze, R. and Roujean, J.-L.: Multi-angular optical remote sensing for assessing vegetation structure and carbon absorption 84:516
Chen, M.: *See* Liang, S.
Chessel, D.: *See* Ollier, S.
Chien, J.Y.L.: *See* Hall, D.K.
Choi, T.: *See* Ryan, R. 8837
Chomko, R.M., Gordon, H.R., Maritorena, S. and Siegel, D.A.: Simultaneous retrieval of oceanic and atmospheric parameters for ocean color imagery by spectral optimization: a validation 84:208
Chopping, M.J., Rango, A., Havstad, K.M., Schiebe, F.R., Ritchie, J.C., Schmugge, T.J., French, A.N., Su, L., McKee, L. and Davis, M.R.: Canopy attributes of desert grassland and transition communities derived from multiangular airborne imagery 85:339
Chopping, M.J.: *See* Steven, M.D.
Chorowicz, J.: *See* Sarti, F.
Chuvieco, E.: *See* Riaño, D.
Civco, D.L.: *See* Hoffhine Wilson, E.
Claborn, D.M.: *See* Masuoka, P.M.
Clapham Jr., W.B.: Continuum-based classification of remotely sensed imagery to describe urban sprawl on a watershed scale 86:322
Clark, R.N.: *See* Kokaly, R.F.
Clarke, K.C.: *See* Arthur-Hartranft, S.T.
Clarke, K.C.: *See* Herold, M.
Clay, M.: *See* Wilson, J.S.

Clerbaux, N., Dewitte, S., Gonzalez, L., Bertrand, C., Nicula, B. and Ipe, A.: Outgoing longwave flux estimation: improvement of angular modelling using spectral information 85:389
Clerbaux, N.: *See* Bertrand, C.
Clouvel, P.: *See* Luquet, D.
Coan, M.: *See* Helder, D.
Cobby, D.M.: *See* Horritt, M.S.
Coburn, R.: *See* Ballester, M.V.R.
Cohen, W.B., Maiersperger, T.K., Gower, S.T. and Turner, D.P.: An improved strategy for regression of biophysical variables and Landsat ETM+ data 84:561
Cohen, W.B., Maiersperger, T.K., Yang, Z., Gower, S.T., Turner, D.P., Ritts, W.D., Berterretche, M. and Running, S.W.: Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products 88:233
Cohen, W.B.: *See* Morisette, J.T.
Cohen, W.B.: *See* Turner, D.P.
Coll, C., Caselles, V., Valor, E. and Rubio, E.: Validation of temperature-emissivity separation and split-window methods from TIMS data and ground measurements 85:232
Colombo, R., Bellingeri, D., Fasolini, D. and Marino, C.M.: Retrieval of leaf area index in different vegetation types using high resolution satellite data 86:120
Combal, B., Baret, F., Weiss, M., Trubuil, A., Macé, D., Pragnère, A., Myneni, R., Knyazikhin, Y. and Wang, L.: Retrieval of canopy biophysical variables from bidirectional reflectanceUsing prior information to solve the ill-posed inverse problem 84:1
Commisso, K.: *See* Brown de Colstoun, E.C.
Corp, L.A., McMurtrey, J.E., Middleton, E.M., Mulchi, C.L., Chappelle, E.W. and Daughtry, C.S.T.: Fluorescence sensing systems: In vivo detection of biophysical variations in field corn due to nitrogen supply 86:470
Couteron, P.: *See* Ollier, S.
Crean, K.A.: *See* Hu, J.
Cridland, S.W.: *See* Holm, A.McR.
Crowley, J.K.: *See* Mars, J.C.
Crowley, J.K., Hubbard, B.E. and Mars, J.C.: Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data 87:345
Csillag, F.: *See* Davidson, A.
Cunha, T.: *See* Sarti, F.
Cutler, M.E.J.: *See* Foody, G.M.

Daniels, J., Blumberg, D.G., Vulfson, L.D., Kotlyar, A.L., Freiliker, V., Ronen, G. and Ben-Asher, J.: Microwave remote sensing of physically buried objects in the Negev Desert: implications for environmental research 86:243
Daughtry, C.S.T.: *See* Corp, L.A.
Daughtry, C.S.T.: *See* Liang, S.
Daughtry, C.S.T.: *See* Nagler, P.L.
Dauzat, J.: *See* Luquet, D.
Davenport, I.J.: *See* Horritt, M.S.
Davids, C. and Tyler, A.N.: Detecting contamination-induced tree stress within the Chernobyl exclusion zone 85:30
Davidson, A. and Csillag, F.: A comparison of three approaches for predicting C4 species cover of northern mixed grass prairie 86:70
Davidson, E.A.: *See* Vieira, I.C.G.
Davidson, M.: *See* Wagner, W.
Davis, B.: *See* Hodgson, M.E.
Davis, M.R.: *See* Chopping, M.J.
Davis, P.: *See* Morisette, J.T.
Davis, P.E.: *See* Goward, S.N.
Davis, R.E.: *See* Painter, T.H.
De Almeida, A.S.: *See* Vieira, I.C.G.
De Bruin, S.: *See* Magnussen, S.
De Castro, A.J.: *See* Briz, S.
Dechambre, M.: *See* Zribi, M.
Defourny, P.: *See* Blaes, X.
Deguise, J.-C.: *See* Champagne, C.M.
Del Frate, F., Ferrazzoli, P. and Schiavon, G.: Retrieving soil moisture and agricultural variables by microwave radiometry using neural networks 84:174
Dennison, P.E. and Roberts, D.A.: Endmember selection for multiple endmember spectral mixture analysis using endmember average RMSE 87:123
Dennison, P.E., Roberts, D.A., Thorgusen, S.R., Regelbrugge, J.C., Weise, D. and Lee, C.: Modeling seasonal changes in live fuel moisture and equivalent water thickness using a cumulative water balance index 88:442
Dennison, P.E. and Roberts, D.A.: The effects of vegetation phenology on endmember selection and species mapping in southern California chaparral 87:295
Derksen, C., Walker, A. and Goodison, B.: A comparison of 18 winter seasons of in situ and passive microwave-derived snow water equivalent estimates in Western Canada 88:271
Descloitres, J.: *See* Giglio, L.
Despain, D.G.: *See* Kokaly, R.F.
Dewitte, S.: *See* Clerbaux, N.
Dey, S. and Singh, R.P.: Comparison of chlorophyll distributions in the northeastern Arabian Sea and southern Bay of Bengal using IRS-P4 Ocean Color Monitor data 85:424
Di Benedetto, J.A.: *See* Schuerger, A.C.
Di Girolamo, L.: Generalizing the definition of the bi-directional reflectance distribution function 88:480
Dial, G., Bowen, H., Gerlach, F., Grodecki, J. and Oleszczuk, R.: IKONOS satellite, imagery, and products 88:23
Diner, D.J.: *See* Hu, J.
DiPietro, D.: *See* Underwood, E.
Dobrowski, S.: *See* Zarco-Tejada, P.J.

Donald, G.E.: *See* Hill, M.J.
Dong, J., Kaufmann, R.K., Myneni, R.B., Tucker, C.J., Kauppi, P.E., Liski, J., Buermann, W., Alexeyev, V. and Hughes, M.K.: Remote sensing estimates of boreal and temperate forest woody biomass: carbon pools, sources, and sinks 84:393
Dong, J.: *See* Shabanov, N.V.
Dozier, J.: *See* Painter, T.H.
D'Sa, E.J. and Miller, R.L.: Bio-optical properties in waters influenced by the Mississippi River during low flow conditions 84:538
Dugan, J.P. and Piotrowski, C.C.: Surface current measurements using airborne visible image time series 84:309
Dunn, A.L.: *See* Turner, D.P.
Durieux, L., Machado, L.A.T. and Laurent, H.: The impact of deforestation on cloud cover over the Amazon arc of deforestation 86:132
Dutra, L.V.: *See* Santos, J.R.

Edwards, A.J.: *See* Mumby, P.J.
Elfouhaily, T.: *See* Zuffada, C.
Ellis, J.: *See* Yu, F.
Elvidge, C.D.: *See* Milesi, C.
Engdahl, M.: *See* Pulliainen, J.
Estève, P.: *See* Gastellu-Etchegorry, J.P.
Evans, D.L.: *See* Zimble, D.A.
Evans, M.D.: *See* Schuerger, A.C.

Fang, H.: *See* Liang, S.
Fang, H., Liang, S. and Kuusk, A.: Retrieving leaf area index using a genetic algorithm with a canopy radiative transfer model 85:257
Fasolini, D.: *See* Colombo, R.
Fearon, M.G.: *See* Hurtt, G.
Feng, J., Rivard, B. and Sánchez-Azofeifa, A.: The topographic normalization of hyperspectral data: implications for the selection of spectral end members and lithologic mapping 85:221
Fensholt, R. and Sandholt, I.: Derivation of a shortwave infrared water stress index from MODIS near- and shortwave infrared data in a semiarid environment 87:111
Ferrazzoli, P.: *See* Del Frate, F.
Ferrazzoli, P.: *See* Wigneron, J.-P.
Ferreira, L.G., Yoshioka, H., Huete, A. and Sano, E.E.: Seasonal landscape and spectral vegetation index dynamics in the Brazilian Cerrado: An analysis within the Large-Scale Biosphere–Atmosphere Experiment in Amazônia (LBA) 87:534
Fily, M., Royer, A., Goïta, K. and Prigent, C.: A simple retrieval method for land surface temperature and fraction of water surface determination from satellite microwave brightness temperatures in sub-arctic areas 85:328
Firestone, L.: *See* SouzaJr., C.
Fladeland, M.M.: *See* Birk, R.J.
Fleming, D.: *See* Goward, S.N.
Fletcher, R.: *See* Goward, S.N.
Foley, J.A.: *See* Cardille, J.A.
Foody, G.M., Boyd, D.S. and Cutler, M.E.J.: Predictive relations of tropical forest biomass from Landsat TM data and their transferability between regions 85:463
Foody, G.M.: Geographical weighting as a further refinement to regression modelling: An example focused on the NDVI–rainfall relationship 88:283
Franklin, S.E.: *See* Skakun, R.S.
Freiliker, V.: *See* Daniels, J.
Freitas, C.C.: *See* Santos, J.R.
French, A.N.: *See* Chopping, M.J.
French, A.N.: *See* Kustas, W.P.
French, A.N., Norman, J.M. and Anderson, M.C.: A simple and fast atmospheric correction for spaceborne remote sensing of surface temperature 87:326
Friedl, M.A.: *See* Zhang, X.
Frison, P.L.: *See* Jarlan, L.
Frolking, S.: *See* Xiao, X.
Frolking, S.E.: *See* Braswell, B.H.

Gama, F.F.: *See* Santos, J.R.
Gamon, J.A.: *See* Rahman, A.F.
Gamon, J.A.: *See* Sims, D.A.
Gao, F.: *See* Zhang, X.
Gao, F., Schaaf, C.B., Strahler, A.H., Jin, Y. and Li, X.: Detecting vegetation structure using a kernel-based BRDF model 86:198
Gao, H.: *See* Bindlish, R.
Gao, J.: *See* Zha, Y.
Garrison, J.L.: *See* Cardellach, E.
Garrity, C., Lubin, D., Kern, S. and Pedersen, L.T.: Corrigendum to "Linescan camera evaluation of SSM/I 85.5 GHz sea ice retrieval"[Remote Sens. Environ. 83 (2002) 472–487] 84:321
Garza-Pérez, R.: *See* Andréfouët, S.
Gascon, F.: *See* Gastellu-Etchegorry, J.P.
Gaska, P.: *See* Helder, D.
Gastellu-Etchegorry, J.P., Gascon, F. and Estève, P.: An interpolation procedure for generalizing a look-up table inversion method 87:55
Gastil, M.: *See* Hess, L.L.
Gaveau, D.: *See* Wagner, W.
Gelpi, C.G. and Norris, K.E.: Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface 87:99
Gerard, P.D.: *See* Zimble, D.A.
Gerlach, F.: *See* Dial, G.
Giglio, L., Descloitres, J., Justice, C.O. and Kaufman, Y.J.: An Enhanced Contextual Fire Detection Algorithm for MODIS 87:273

Gillespie, A.R.: *See* Kay, J.E.
Gillies, R.R., Brim Box, J., Symanzik, J. and Rodemaker, E.J.: Effects of urbanization on the aquatic fauna of the Line Creek watershed, Atlanta—a satellite perspective 86:411
Gilmanov, T.G.: *See* Wylie, B.K.
Gilvear, D.J.: *See* Rainey, M.P.
Glenn, E.P.: *See* Nagler, P.L.
Gluck, M.: *See* Wagner, W.
Goetz, S.J., Wright, R.K., Smith, A.J., Zinecker, E. and Schaub, E.: IKONOS imagery for resource management: Tree cover, impervious surfaces, and riparian buffer analyses in the mid-Atlantic region 88:195
Goïta, K.: *See* Fily, M.
Goldstein, N.C.: *See* Herold, M.
Gonzalez, L.: *See* Bertrand, C.
Gonzalez, L.: *See* Clerbaux, N.
Goodison, B.: *See* Derksen, C.
Gopal, S.: *See* Ju, J.
Gordon, H.R.: *See* Chomko, R.M.
Gordon, S.W.: *See* Masuoka, P.M.
Gougeon, F.A.: *See* Leckie, D.G.
Goward, S.N., Davis, P.E., Fleming, D., Miller, L. and Townshend, J.R.: Empirical comparison of Landsat 7 and IKONOS multispectral measurements for selected Earth Observation System (EOS) validation sites 88:80
Goward, S.N., Townshend, J.R.G., Zanoni, V., Policelli, F., Stanley, T., Ryan, R., Holekamp, K., Underwood, L., Pagnutti, M. and Fletcher, R.: Acquisition of earth science remote sensing observations from commercial sources: lessons learned from the Space Imaging IKONOS example 88:209
Gower, S.T.: *See* Cohen, W.B.
Gower, S.T.: *See* Turner, D.P.
Grado, S.C.: *See* Zimble, D.A.
Green, R.O.: *See* Painter, T.H.
Gregoire, J.M.: *See* Boschetti, L.
Grey, W.M.F., Luckman, A.J. and Holland, D.: Mapping urban change in the UK using satellite radar interferometry 87:16
Grippa, M. and Woodhouse, I.H.: Retrieval of bare soil and vegetation parameters from wind scatterometer measurements over three different climatic regions 84:16
Grodecki, J.: *See* Dial, G.
Gross, L.: *See* Niang, A.
Gu, X.F.: *See* Luquet, D.
Gu, X.F.: *See* Moreau, S.
Guerin, C.: *See* Zribi, M.
Guerrero, J.B.: *See* Vieira, I.C.G.
Guikema, J.A.: *See* Richards, J.T.
Guild, L.: *See* Hurtt, G.

Hacker, J.M.: *See* Burrage, D.M.
Hagen, S.: *See* Hurtt, G.
Hagen, S.C.: *See* Braswell, B.H.
Hall, D.K., Bayr, K.J., Schöner, W., Bindschadler, R.A. and Chien, J.Y.L.: Consideration of the errors inherent in mapping historical glacier positions in Austria from the ground and space (1893–2001) 86:566
Hallikainen, M.: *See* Pulliainen, J.
Häme, T.: *See* Wang, Y.
Hammer, A., Heinemann, D., Hoyer, C., Kuhlemann, R., Lorenz, E., Müller, R. and Beyer, H.G.: Solar energy assessment using remote sensing technologies 86:423
Hansen, G.B.: *See* Kay, J.E.
Hansen, M.: *See* Morisette, J.T.
Hansen, P.M. and Schjoerring, J.K.: Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression 86:542
Harris, A.R.: *See* Merchant, C.J.
Hatcher, B.G.: *See* Andréfouët, S.
Havstad, K.M.: *See* Chopping, M.J.
Hayasaka, T.: *See* Iwabuchi, H.
Heiler, M.: *See* Keuchel, J.
Heinemann, D.: *See* Hammer, A.
Heinert, N.J.: *See* Sawaya, K.E.
Helder, D., Coan, M., Patrick, K. and Gaska, P.: IKONOS geometric characterization 88:69
Helder, D.L.: *See* Ryan, R.
Henderson, B.G., Theiler, J. and Villeneuve, P.: The polarized emissivity of a wind-roughened sea surface: A Monte Carlo model 88:453
Hennig, T.A.: *See* Birk, R.J.
Henry, P.: *See* Miesch, C.
Herold, M., Goldstein, N.C. and Clarke, K.C.: The spatiotemporal form of urban growth: measurement, analysis and modeling 86:286
Heron, M.L.: *See* Burrage, D.M.
Hess, L.L., Melack, J.M., Novo, E.M.L.M., Barbosa, C.C.F. and Gastil, M.: Dual-season mapping of wetland inundation and vegetation for the central Amazon basin 87:404
Hetrick, S.: *See* Hurtt, G.
Hiernaux, P.: *See* Jarlan, L.
Hill, J.: *See* Hostert, P.
Hill, M.J. and Donald, G.E.: Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series 84:367
Hillard, U., Sridhar, V., Lettenmaier, D.P. and McDonald, K.C.: Assessing snowmelt dynamics with NASA scatterometer (NSCAT) data and a hydrologic process model 86:52
Hindell, M.A.: *See* Sumner, M.D.
Hochberg, E.J., Atkinson, M.J. and Andréfouët, S.: Spectral reflectance of coral reef bottom-types worldwide and implications for coral reef remote sensing 85:159
Hochberg, E.J. and Atkinson, M.J.: Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra 85:174
Hochberg, E.J.: *See* Andréfouët, S.

Hodges, J.C.F.: *See* Zhang, X.
Hodgson, M.E., Jensen, J.R., Schmidt, L., Schill, S. and Davis, B.: An evaluation of LIDAR- and IFSAR-derived digital elevation models in leaf-on conditions with USGS Level 1 and Level 2 DEMs 84:295
Hoffhine Wilson, E., Hurd, J.D., Civco, D.L., Prisloe, M.P. and Arnold, C.: Development of a geospatial model to quantify, describe and map urban growth 86:275
Hoffman, S.: *See* Shabanov, N.V.
Høgda, K.A.: *See* Tømmervik, H.
Holekamp, K.: *See* Pagnutti, M.
Holekamp, K.: *See* Goward, S.N.
Holland, D.: *See* Grey, W.M.F.
Holm, A.McR., Cridland, S.W. and Roderick, M.L.: The use of time-integrated NOAA NDVI data and rainfall to assess landscape degradation in the arid shrubland of Western Australia 85:145
Hooper, D.M., Bursik, M.I. and Webb, F.H.: Application of high-resolution, interferometric DEMs to geomorphic studies of fault scarps, Fish Lake Valley, Nevada–California, USA 84:255
Horritt, M.S., Mason, D.C., Cobby, D.M., Davenport, I.J. and Bates, P.D.: Waterline mapping in flooded vegetation from airborne SAR imagery 85:271
Hosford, S.: *See* Raucoules, D.
Hostert, P., Röder, A. and Hill, J.: Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands 87:183
Hoyer, C.: *See* Hammer, A.
Hu, J.: *See* Wang, Y.
Hu, J., Tan, B., Shabanov, N., Crean, K.A., Martonchik, J.V., Diner, D.J., Knyazikhin, Y. and Myneni, R.B.: Performance of the MISR LAI and FPAR algorithm: a case study in Africa 88:324
Hubbard, B.E.: *See* Crowley, J.K. 87345
Huet, S.: *See* Pardé, M.
Huete, A.: *See* Ferreira, L.G.
Huete, A.: *See* Zhang, X.
Hughes, M.K.: *See* Dong, J.
Hunt Jr., R.: *See* Liang, S.
Hurd, J.D.: *See* Hoffhine Wilson, E.
Hurtt, G., Xiao, X., Keller, M., Palace, M., Asner, G.P., Braswell, R., Brondízio, E.S., Cardoso, M., Carvalho, C.J.R., Fearon, M.G., Guild, L., Hagen, S., Hetrick, S., Moore III, B., Nobre, C., Read, J.M., Sá, T., Schloss, A., Vourlitis, G. and Wickel, A.J.: IKONOS imagery for the Large Scale Biosphere–Atmosphere Experiment in Amazonia (LBA) 88:111

Inoue, Y.: *See* Nagler, P.L.
Ipe, A.: *See* Bertrand, C.
Ipe, A.: *See* Clerbaux, N.
Irons, J.R.: *See* Brown de Colstoun, E.C.
Ishimoto, H.: *See* Masuda, K.
Ivanoff, A.: *See* Markus, T.
Iwabuchi, H. and Hayasaka, T.: A multi-spectral non-local method for retrieval of boundary layer cloud properties from optical remote sensing data 88:294

Jackson, T.J.: *See* Bindlish, R.
Jarlan, L., Mazzega, P., Mougin, E., Lavenu, F., Marty, G., Frison, P.L. and Hiernaux, P.:Mapping of Sahelian vegetation parameters from ERS scatterometer data with an evolution strategies algorithm 87:72
Jelinski, D.: *See* Thomas, V.
Jensen, J.R.: *See* Hodgson, M.E.
Ji, L. and Peters, A.J.: Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices 87:85
Jiang, J.: *See* Zha, Y.
Jin, Y.: *See* Gao, F.
Johnson, D.A.: *See* Wylie, B.K.
Joyce, K.E.: *See* Andréfouët, S.
Ju, J., Kolaczyk, E.D. and Gopal, S.: Gaussian mixture discriminant analysis and sub-pixel land cover characterization in remote sensing 84:550
Justice, C.O.: *See* Giglio, L.

Kammoun, B.: *See* Zribi, M.
Kamykowski, D. and Zentara, S.-J.: Can phytoplankton community structure be inferred from satellite-derived sea surface temperature anomalies calculated relative to nitrate depletion temperatures? 86:444
Kang, S., Running, S.W., Lim, J.-H., Zhao, M., Park, C.-R. and Loehman, R.: A regional phenology model for detecting onset of greenness in temperate mixed forests, Korea: an application of MODIS leaf area index 86:232
Karnieli, A.: *See* Sarti, F.
Kasischke, E.S., Smith, K.B., Bourgeau-Chavez, L.L., Romanowicz, E.A., Brunzell, S. and Richardson, C.J.: Effects of seasonal hydrologic patterns in south Florida wetlands on radar backscatter measured from ERS-2 SAR imagery 88:423
Kaufman, Y.J.: *See* Giglio, L.
Kaufmann, R.K.: *See* Dong, J.
Kauppi, P.E.: *See* Dong, J.
Kawamura, H.: *See* Tang, D.
Kawamura, H.: *See* Luis, A.J.
Kay, J.E., Gillespie, A.R., Hansen, G.B. and Pettit, E.C.: Spatial relationships between snow contaminant content, grain size, and surface temperature from multispectral images of Mt. Rainier, Washington (USA) 86:216
Keller, M.: *See* Hurtt, G.
Keller, M.: *See* Roberts, D.A.
Kelly, M.: *See* Pagnutti, M.
Kennedy, R.E.: *See* Morisette, J.T.
Kern, S.: *See* Garrity, C.
Kerr, Y.: *See* Pardé, M.
Kester, D.R.: *See* Tang, D.

Keuchel, J., Naumann, S., Heiler, M. and Siegmund, A.: Automatic land cover analysis for Tenerife by supervised classification using remotely sensed data 86:530
Kharuk, V.I.: *See* Sun, G.
Kim, H.-C.: *See* Masuoka, P.M.
King, C.: *See* Raucoules, D.
King, D.J.: *See* Lévesque, J.
Klein, A.G. and Barnett, A.C.: Validation of daily MODIS snow cover maps of the Upper Rio Grande River Basin for the 2000–2001 snow year 86:162
Klein, T.A.: *See* Masuoka, P.M.
Klemas, V.V.: *See* Pan, J.
Knyazikhin, Y.: *See* Combal, B.
Knyazikhin, Y.: *See* Hu, J.
Knyazikhin, Y.: *See* Shabanov, N.V.
Knyazikhin, Y.: *See* Tian, Y.
Knyazikhin, Y.: *See* Wang, Y.
Koger, C.H., Bruce, L.M., Shaw, D.R. and Reddy, K.N.: Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*) 86:108
Kokaly, R.F., Despain, D.G., Clark, R.N. and Livo, K.E.: Mapping vegetation in Yellowstone National Park using spectral feature analysis of AVIRIS data 84:437
Kolaczyk, E.D.: *See* Ju, J.
Komjathy, A.: *See* Cardellach, E.
Kotlyar, A.L.: *See* Daniels, J.
Kovacs, K.: *See* Sun, G.
Kramer, P.: *See* Andréfouët, S.
Krusche, A.V.: *See* Ballester, M.V.R.
Kuhlemann, R.: *See* Hammer, A.
Kustas, W.P., Norman, J.M., Anderson, M.C. and French, A.N.: Estimating subpixel surface temperatures and energy fluxes from the vegetation index–radiometric temperature relationship 85:429
Kuusk, A.: *See* Fang, H.

Laca, E.: *See* Wylie, B.K.
Lacaze, R.: *See* Chen, J.M.
Lafleur, P.: *See* Thomas, V.
Laguette, S.: *See* Seelan, S.K.
Lakshmi, V.: *See* Bindlish, R.
Landenberger, R.E.: *See* Brandtberg, T.
Launeau, P.: *See* Méléder, V.
Laurent, H.: *See* Durieux, L.
Lavenu, F.: *See* Jarlan, L.
Le Hégarat-Mascle, S.: *See* Zribi, M.
Le Mouelic, S.: *See* Raucoules, D.
Le Toan, T.: *See* Moreau, S.
Le Toan, T.: *See* Wagner, W.
Leblanc, S.G.: *See* Chen, J.M.
Leckie, D.G., Gougeon, F.A., Walsworth, N. and Paradine, D.: Stand delineation and composition estimation using semi-automated individual tree crown analysis 85:355
Lee, C.: *See* Dennison, P.E.
Lee, G.: *See* Zanoni, V.
Lee, M.-A.: *See* Tang, D.
Legrésy, B.: *See* Papa, F.
Leonidas, F.C.: *See* Numata, I.
Lettenmaier, D.P.: *See* Hillard, U.
Lévesque, J. and King, D.J.: Spatial analysis of radiometric fractions from high-resolution multispectral imagery for modelling individual tree crown and forest canopy structure and health 84:589
Li, X.: *See* Gao, F.
Lian, J.: *See* Tang, D.
Liang, S., Shuey, C.J., Russ, A.L., Fang, H., Chen, M., Walthall, C.L., Daughtry, C.S.T. and HuntJr., R.L: Narrowband to broadband conversions of land surface albedo: II. Validation 84:25
Liang, S.: *See* Fang, H.
Lim, J.-H.: *See* Kang, S.
Liski, J.: *See* Dong, J.
Liu, J.: *See* Chen, J.M.
Liu, W.T.: *See* Pan, J.
Liu, Y.: *See* Zha, Y.
Livo, K.E.: *See* Kokaly, R.F.
Loehman, R.: *See* Kang, S.
Logsdon, M.G.: *See* Ballester, M.V.R.
López, F.: *See* Briz, S.
Lorenz, E.: *See* Hammer, A.
Loveland, T.R.: *See* Stehman, S.V.
Lowe, S.: *See* Zuffada, C.
Lu, D., Moran, E. and Batistella, M.: Linear mixture model applied to Amazonian vegetation classification 87:456
Lu, H., Raupach, M.R., McVicar, T.R. and Barrett, D.J.: Decomposition of vegetation cover into woody and herbaceous components using AVHRR NDVI time series 86:1
Lubin, D.: *See* Garrity, C.
Luckman, A.: *See* Balzter, H.
Luckman, A.: *See* Wagner, W.
Luckman, A.J.: *See* Grey, W.M.F.
Luis, A.J. and Kawamura, H.: Seasonal SST patterns along the West India shelf inferred from AVHRR 86:206
Luquet, D., Bégué, A., Vidal, A., Clouvel, P., Dauzat, J., Olioso, A., Gu, X.F. and Tao, Y.: Using multidirectional thermography to characterize water status of cotton 84:411

Macé, D.: *See* Combal, B.
Machado, L.A.T.: *See* Durieux, L.
Magagi, R. and Bernier, M.: Optimal conditions for wet snow detection using RADARSAT SAR data 84:221
Magagi, R. and Bernier, M.: Erratum to "Optimal conditions for wet snow detection using RADARSAT SAR data" [Remote Sens. Environ. 84(2) 221–233] 84:612

Magnussen, S. and de Bruin, S.: Updating cover type maps using sequential indicator simulation 87:161
Maiersperger, T.K.: *See* Cohen, W.B.
Maisons, C.: *See* Raucoules, D.
Malthus, T.J.: *See* Steven, M.D.
Manning, W.: *See* Wang, J.R.
Mano, Y.: *See* Masuda, K.
Mao, C.: *See* Schuerger, A.C.
Marino, C.M.: *See* Colombo, R.
Maritorena, S.: *See* Chomko, R.M.
Markus, T., Cavalieri, D.J., Tschudi, M.A. and Ivanoff, A.: Comparison of aerial video and Landsat 7 data over ponded sea ice 86:458
Mars, J.C.: *See* Rowan, L.C.
Mars, J.C. and Crowley, J.K.: Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data 84:422
Mars, J.C.: *See* Crowley, J.K.
Martin, E.: *See* Wilson, J.S.
Martonchik, J.V.: *See* Hu, J.
Marty, G.: *See* Jarlan, L.
Maselli, F., Romanelli, S., Bottai, L. and Zipoli, G.: Use of NOAA-AVHRR NDVI images for the estimation of dynamic fire risk in Mediterranean areas 86:187
Mason, D.C.: *See* Horritt, M.S.
Masuda, K., Mano, Y., Ishimoto, H., Tokuno, M. Yoshizaki, Y., Okawara, N., Yamagiwa, R., Uchiyama, A., Yamazaki, A. and Tsutsumi, Y.: Comparisons of the mineral dust optical thickness retrieved from Geostationary Meteorological Satellite with ground-based radiometer measurements 85:484
Masuoka, P.M., Claborn, D.M., Andre, R.G., Nigro, J., Gordon, S.W., Klein, T.A. and Kim, H.-C.: Use of IKONOS and Landsat for malaria control in the Republic of Korea 88:187
Mather, P.M.: *See* Pal, M.
Matricardi, E.: *See* Ballester, M.V.R.
Mayorga, E.: *See* Ballester, M.V.R.
Mazzega, P.: *See* Jarlan, L.
McCaughey, J.H.: *See* Thomas, V.
McDonald, K.C.: *See* Hillard, U.
McDonald, P.: *See* Rainey, M.P.
McGarragh, G.: *See* Siqueira, P.
McGraw, J.B.: *See* Brandtberg, T.
McKee, L.: *See* Chopping, M.J.
McMurtrey, J.E.: *See* Corp, L.A.
McNairn, H.: *See* Champagne, C.M.
McVicar, T.R.: *See* Lu, H.
McWilliams, J.C.: *See* Nezlin, N.P.
Meier, E.: *See* Riaño, D.
Melack, J.M.: *See* Hess, L.L.
Méléder, V., Barillé, L., Launeau, P., Carrère, V. and Rincé, Y.: Spectrometric constraint in analysis of benthic diatom biomass using monospecific cultures 88:386
Meléndez, J.: *See* Briz, S.
Merchant, C.J., Simpson, J.J. and Harris, A.R.: A cross-calibration of GMS-5 thermal channels against ATSR-2 84:268
Metternicht, G.I. and Zinck, J.A.: Remote sensing of soil salinity: potentials and constraints 85:1
Michael, K.J.: *See* Sumner, M.D.
Middleton, E.M.: *See* Corp, L.A.
Miesch, C., Cabot, F., Briottet, X. and Henry, P.: Assimilation method to derive spectral ground reflectance of desert sites from satellite datasets 87:359
Milesi, C., Elvidge, C.D., Nemani, R.R. and Running, S.W.: Assessing the impact of urban land development on net primary productivity in the southeastern United States 86:401
Miller, J.: *See* Thomas, V.
Miller, J.L.: *See* Burrage, D.M.
Miller, L.: *See* Goward, S.N.
Miller, R.L.: *See* D'Sa, E.J.
Møller-Jensen, L.: *See* Soegaard, H.
Moore III, B.: *See* Xiao, X.
Moore III, B.: *See* Hurtt, G.
Moran, E.: *See* Lu, D.
Moran, M.S.: *See* Bryant, R.
Moreau, S. and Le Toan, T.: Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management 84:477
Moreau, S., Bosseno, R., Gu, X.F. and Baret, F.: Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR 85:516
Morisette, J.T., Nickeson, J.E., Davis, P., Wang, Y., Tian, Y., Woodcock, C.E., Shabanov, N., Hansen, M., Cohen, W.B., Oetter, D.R. and Kennedy, R.E.: High spatial resolution satellite observations for validation of MODIS land products: IKONOS observations acquired under the NASA Scientific Data Purchase 88:100
Mougin, E.: *See* Jarlan, L.
Moulin, C.: *See* Niang, A.
Mulchi, C.L.: *See* Corp, L.A.
Müller, R.: *See* Hammer, A.
Muller-Karger, F.E.: *See* Andréfouët, S.
Mumby, P.J. and Edwards, A.J.: Erratum to "Mapping marine environments with IKONOS imagery: enhanced spatial resolution can deliver greater thematic accuracy" [Remote Sens. Environ. 82 (2–3) 248–257] 84:320
Mumby, P.J.: *See* Andréfouët, S.
Munger, J.W.: *See* Turner, D.P.
Mura, J.C.: *See* Santos, J.R.
Murray, A.T.: *See* Wu, C.
Myneni, R.: *See* Combal, B.
Myneni, R.B.: *See* Dong, J.
Myneni, R.B.: *See* Hu, J.
Myneni, R.B.: *See* Shabanov, N.V.
Myneni, R.B.: *See* Tian, Y.
Myneni, R.B.: *See* Wang, Y.

Nagler, P.L., Inoue, Y., Glenn, E.P., Russ, A.L. and Daughtry, C.S.T.: Cellulose absorption index (CAI) to quantify mixed soil–plant litter scenes 87:310
Naseer, A.: *See* Andréfouët, S.
Naumann, S.: *See* Keuchel, J.
Nemani, R.R.: *See* Milesi, C.
Nezlin, N.P. and McWilliams, J.C.: Satellite data, Empirical Orthogonal Functions, and the 1997–1998 El Niño off California 84:234
Ni, S.: *See* Zha, Y.
Ni, W.: *See* Bryant, R.
Niang, A., Gross, L., Thiria, S., Badran, F. and Moulin, C.: Automatic neural classification of ocean colour reflectance spectra at the top of the atmosphere with introduction of expert knowledge 86:257
Nickeson, J.E.: *See* Morisette, J.T.
Nicula, B.: *See* Clerbaux, N.
Nigro, J.: *See* Masuoka, P.M.
Nobre, C.: *See* Hurtt, G.
Norman, J.M.: *See* French, A.N.
Norman, J.M.: *See* Kustas, W.P.
Norris, K.E.: *See* Gelpi, C.G.
Novo, E.M.L.M.: *See* Hess, L.L.
Numata, I., Soares, J.V., Roberts, D.A., Leonidas, F.C., Chadwick, O.A. and Batista, G.T.: Relationships among soil fertility dynamics and remotely sensed measures across pasture chronosequences in Rondônia, Brazil 87:446

Oertel, D.: *See* Wooster, M.J.
Oetter, D.R.: *See* Morisette, J.T.
Okawara, N.: *See* Masuda, K.
Oke, T.R.: *See* Voogt, J.A.
Oleszczuk, R.: *See* Dial, G.
Olioso, A.: *See* Luquet, D.
Ollier, S., Chessel, D., Couteron, P., Pélissier, R. and Thioulouse, J.: Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles 85:453
Olmanson, L.G.: *See* Sawaya, K.E.
Ottlé, C.: *See* Zribi, M.

Pagnutti, M.: *See* Goward, S.N.
Pagnutti, M.: *See* Zanoni, V.
Pagnutti, M., Ryan, R.E., Kelly, M., Holekamp, K., Zanoni, V., Thome, K. and Schiller, S.: Radiometric characterization of IKONOS multispectral imagery 88:53
Painter, T.H., Dozier, J., Roberts, D.A., Davis, R.E. and Green, R.O.: Retrieval of subpixel snow-covered area and grain size from imaging spectrometer data 85:64
Pal, M. and Mather, P.M.: An assessment of the effectiveness of decision tree methods for land cover classification 86:554
Palace, M.: *See* Hurtt, G.
Pan, J., Yan, X.-H., Zheng, Q., Liu, W.T. and Klemas, V.V.: Interpretation of scatterometer ocean surface wind vector EOFs over the Northwestern Pacific 84:53
Papa, F., Legrésy, B. and Rémy, F.: Use of the Topex–Poseidon dual-frequency radar altimeter over land surfaces 87:136
Paradine, D.: *See* Leckie, D.G.
Pardé, M., Wigneron, J.-P., Chanzy, A., Waldteufel, P., Kerr, Y. and Huet, S.: Retrieving surface soil moisture over a wheat field: Comparison of different methods 87:334
Park, C.-R.: *See* Kang, S.
Parker, R.C.: *See* Zimble, D.A.
Patrick, K.: *See* Helder, D.
Pedersen, L.T.: *See* Garrity, C.
Pélissier, R.: *See* Ollier, S.
Pellarin, T.: *See* Wigneron, J.-P.
Pergola, N. and Tramutoli, V.: Two years of operational use of Subpixel Automatic Navigation of AVHRR scheme: accuracy assessment and validation 85:190
Perry, G.L.W.: *See* Zhang, Y.-H.
Peters, A.J.: *See* Ji, L.
Pettit, E.C.: *See* Kay, J.E.
Phinn, S.R.: *See* Andréfouët, S.
Pino, D.: *See* Cardellach, E.
Piotrowski, C.C.: *See* Dugan, J.P.
Pokrovsky, I., Pokrovsky, O. and Roujean, J.-L.: Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurementsI. Data quality control and accumulation of information corresponding to the IGBP land cover classes 87:198
Pokrovsky, I., Pokrovsky, O. and Roujean, J.-L.: Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurementsII. Comparison of several inversion techniques and uncertainty in albedo estimates 87:215
Pokrovsky, O. and Roujean, J.-L.: Land surface albedo retrieval via kernel-based BRDF modeling: I. Statistical inversion method and model comparison 84:100
Pokrovsky, O. and Roujean, J.-L.: Land surface albedo retrieval via kernel-based BRDF modeling: II. An optimal design scheme for the angular sampling 84:120
Pokrovsky, O.: *See* Pokrovsky, I.
Policelli, F.: *See* Birk, R.J.
Policelli, F.: *See* Goward, S.N.
Pragnère, A.: *See* Combal, B.
Price, J.C.: Comparing MODIS and ETM+ data for regional and global land classification 86:491
Price, K.P.: *See* Yu, F.
Prigent, C.: *See* Fily, M.
Prisloe, M.P.: *See* Hoffhine Wilson, E.
Prytz, A.: *See* Burrage, D.M.
Puissant, A.: *See* Weber, C.

Pulliainen, J., Engdahl, M. and Hallikainen, M.: Feasibility of multi-temporal interferometric SAR data for stand-level estimation of boreal forest stem volume 85:397
Pushnik, J.C.: *See* Zarco-Tejada, P.J.

Qi, J.: *See* Bryant, R.
Quegan, S.: *See* Wagner, W.

Rahman, A.F., Gamon, J.A., Sims, D.A. and Schmidts, M.: Optimum pixel size for hyperspectral studies of ecosystem function in southern California chaparral and grassland 84:192
Rainey, M.P., Tyler, A.N., Gilvear, D.J., Bryant, R.G. and McDonald, P.Mapping intertidal estuarine sediment grain size distributions through airborne remote sensing 86480
Rango, A.: *See* Chopping, M.J. 85339
Ranson, K.J.: *See* Sun, G. 88401
Raucoules, D., Maisons, C., Carnec, C., Le Mouelic, S., King, C. and Hosford, S.: Monitoring of slow ground deformation by ERS radar interferometry on the Vauvert salt mine (France) Comparison with ground-based measurement 88:468
Raupach, M.R.: *See* Lu, H.
Read, J.M.: *See* Hurtt, G.
Reddy, K.N.: *See* Koger, C.H.
Reed, B.C.: *See* Wylie, B.K.
Reed, B.C.: *See* Zhang, X.
Rees, W.G., Williams, M. and Vitebsky, P.: Mapping land cover change in a reindeer herding area of the Russian Arctic using Landsat TM and ETM+ imagery and indigenous knowledge 85:441
Regelbrugge, J.C.: *See* Dennison, P.E.
Reis de Carvalho, C.J.: *See* Vieira, I.C.G.
Rémy, F.: *See* Papa, F.
Riaño, D., Meier, E., Allgöwer, B., Chuvieco, E. and Ustin, S.L.: Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling 86:177
Richards, J.T., Schuerger, A.C., Capelle, G. and Guikema, J.A.: Laser-induced fluorescence spectroscopy of dark- and light-adapted bean (*Phaseolus vulgaris* L.) and wheat (*Triticum aestivum* L.) plants grown under three irradiance levels and subjected to fluctuating lighting conditions 84:323
Richards, J.T.: *See* Schuerger, A.C.
Richardson, C.J.: *See* Kasischke, E.S.
Richey, J.E.: *See* Ballester, M.V.R.
Riegl, B.: *See* Andréfouët, S.
Rincé, Y.: *See* Méléder, V.
Ritchie, J.C.: *See* Chopping, M.J.
Ritts, W.D.: *See* Cohen, W.B.
Ritts, W.D.: *See* Turner, D.P.
Rius, A.: *See* Cardellach, E.
Rivard, B.: *See* Feng, J.
Roberts, D.: *See* Souza Jr., C.
Roberts, D.A.: *See* Dennison, P.E.
Roberts, D.A.: *See* Painter, T.H.
Roberts, D.A., Keller, M. and Soares, J.V.: Studies of land-cover, land-use, and biophysical properties of vegetation in the Large Scale Biosphere Atmosphere experiment in Amazônia 87:377
Roberts, D.A.: *See* Numata, I.
Rodemaker, E.J.: *See* Gillies, R.R.
Röder, A.: *See* Hostert, P.
Roderick, M.L.: *See* Holm, A.McR.
Romanelli, S.: *See* Maselli, F.
Romanowicz, E.A.: *See* Kasischke, E.S.
Ronen, G.: *See* Daniels, J.
Roujean, J.-L.: *See* Chen, J.M.
Roujean, J.-L.: *See* Pokrovsky, I.
Roujean, J.-L.: *See* Pokrovsky, O.
Rowan, L.C. and Mars, J.C.: Lithologic mapping in the Mountain Pass, California area using Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) data 84:350
Royer, A.: *See* Fily, M.
Roylance, S.: *See* Zanoni, V.
Rubio, E.: *See* Coll, C.
Rueda, C.A.: *See* Zarco-Tejada, P.J.
Ruffini, G.: *See* Cardellach, E.
Running, S.W.: *See* Kang, S.
Running, S.W.: *See* Cohen, W.B.
Running, S.W.: *See* Turner, D.P.
Running, S.W.: *See* Milesi, C.
Russ, A.L.: *See* Liang, S.
Russ, A.L.: *See* Nagler, P.L.
Ryan, R., Baldridge, B., Schowengerdt, R.A., Choi, T., Helder, D.L. and Blonski, S.: IKONOS spatial resolution and image interpretability characterization 88:37
Ryan, R.: *See* Goward, S.N.
Ryan, R.E.: *See* Pagnutti, M.
Ryan, R.: *See* Zanoni, V.

Sá, T.: *See* Hurtt, G.
Salas, W.A.: *See* Braswell, B.H.
Saliendra, N.Z.: *See* Wylie, B.K.
Sánchez-Azofeifa, A.: *See* Feng, J.
Sandholt, I.: *See* Fensholt, R.
Sano, E.E.: *See* Ferreira, L.G.
Sant'Anna, S.J.S.: *See* Santos, J.R.
Santos, J.R., Freitas, C.C., Araujo, L.S., Dutra, L.V., Mura, J.C., Gama, F.F., Soler, L.S. and Sant'Anna, S.J.S.: Airborne P-band SAR applied to the aboveground biomass studies in the Brazilian tropical rainforest 87:482
Sarti, F., Arkin, Y., Chorowicz, J., Karnieli, A. and Cunha, T.: Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry 86:141
Sawaya, K.E., Olmanson, L.G., Heinert, N.J., Brezonik, P.L. and Bauer, M.E.: Extending satellite remote sensing to local scales: land and water resource monitoring using high-resolution imagery 88:144

Schaaf, C.B.: *See* Zhang, X.
Schaaf, C.B.: *See* Gao, F.
Schaub, E.: *See* Goetz, S.J.
Schiavon, G.: *See* Del Frate, F.
Schiebe, F.R.: *See* Chopping, M.J.
Schill, S.: *See* Hodgson, M.E.
Schiller, S.: *See* Pagnutti, M.
Schjoerring, J.K.: *See* Hansen, P.M.
Schloss, A.: *See* Hurtt, G.
Schmidt, K.S. and Skidmore, A.K.: Spectral discrimination of vegetation types in a coastal wetland 85:92
Schmidt, L.: *See* Hodgson, M.E.
Schmidts, M.: *See* Rahman, A.F.
Schmugge, T.J.: *See* Chopping, M.J.
Schmullius, C.: *See* Wagner, W.
Schöner, W.: *See* Hall, D.K.
Schowengerdt, R.A.: *See* Ryan, R.
Schuerger, A.C.: *See* Richards, J.T.
Schuerger, A.C., Capelle, G.A., Di Benedetto, J.A., Mao, C., Thai, C.N., Evans, M.D., Richards, J.T., Blank, T.A. and Stryjewski, E.C.: Comparison of two hyperspectral imaging and two laser-induced fluorescence instruments for the detection of zinc stress and chlorophyll concentration in bahia grass (*Paspalum notatum* Flugge.) 84:572
Seelan, S.K., Laguette, S., Casady, G.M. and Seielstad, G.A.: Remote sensing applications for precision agriculture: A learning community approach 88:157
Seielstad, G.A.: *See* Seelan, S.K.
Shabanov, N.: *See* Hu, J.
Shabanov, N.: *See* Morisette, J.T.
Shabanov, N.V., Wang, Y., Buermann, W., Dong, J., Hoffman, S., Smith, G.R., Tian, Y., Knyazikhin, Y. and Myneni, R.B.: Effect of foliage spatial heterogeneity in the MODIS LAI and FPAR algorithm over broadleaf forests 85:410
Shaw, D.R.: *See* Koger, C.H.
Shi, P.: *See* Yu, F.
Shuey, C.J.: *See* Liang, S.
Shvidenko, A.: *See* Wagner, W.
Siegel, D.A.: *See* Chomko, R.M.
Siegmund, A.: *See* Keuchel, J.
Silva, L.M.: *See* SouzaJr., C.
Simpson, J.J.: *See* Merchant, C.J.
Sims, D.A.: *See* Rahman, A.F.
Sims, D.A. and Gamon, J.A.: Estimation of vegetation water content and photosynthetic tissue area from spectral reflectance: a comparison of indices based on liquid water and chlorophyll absorption features 84:526
Singh, R.P.: *See* Dey, S.
Siqueira, P., Chapman, B. and McGarragh, G.: The coregistration, calibration, and interpretation of multi-season JERS-1 SAR data over South America 87:389
Skakun, R.S., Wulder, M.A. and Franklin, S.E.: Sensitivity of the thematic mapper enhanced wetness difference index to detect mountain pine beetle red-attack damage 86:433
Skidmore, A.K.: *See* Schmidt, K.S.
Skinner, L.: *See* Balzter, H.
Small, C.: High spatial resolution spectral mixture analysis of urban reflectance 88:170
Smith, A.J.: *See* Goetz, S.J.
Smith, G.R.: *See* Shabanov, N.V.
Smith, J.H., Stehman, S.V., Wickham, J.D. and Yang, L.: Effects of landscape characteristics on land-cover class accuracy 84:342
Smith, J.H.: *See* Stehman, S.V.
Smith, K.B.: *See* Kasischke, E.S.
Smith, T.G.: *See* Brown de Colstoun, E.C.
Smolander, H.: *See* Wang, Y.
Smolander, S. and Stenberg, P.: A method to account for shoot scale clumping in coniferous canopy reflectance models 88:363
Snyder, G.: *See* Zanoni, V.
Snyder, G.I.: *See* Birk, R.J.
Soares, J.V.: *See* Numata, I.
Soares, J.V.: *See* Roberts, D.A.
Soegaard, H. and Møller-Jensen, L.: Towards a spatial CO_2 budget of a metropolitan region based on textural image classification and flux measurements 87:283
Sohl, T.L.: *See* Stehman, S.V.
Solberg, R.: *See* Vikhamar, D.
Soler, L.S.: *See* Santos, J.R.
Solheim, I.: *See* Tømmervik, H.
Souza Jr., C., Firestone, L., Silva, L.M. and Roberts, D.: Mapping forest degradation in the Eastern Amazon from SPOT 4 through spectral mixture models 87:494
Sridhar, V.: *See* Hillard, U.
Staenz, K.: *See* Champagne, C.M.
Stanley, T.: *See* Birk, R.J.
Stanley, T.: *See* Goward, S.N.
Stanley, T.: *See* Zanoni, V.
Starks, P.: *See* Bindlish, R.
Stehman, S.V.: *See* Smith, J.H.
Stehman, S.V., Wickham, J.D., Smith, J.H. and Yang, L.: Thematic accuracy of the 1992 National Land-Cover Data for the eastern United States: Statistical methodology and regional results 86:500
Stehman, S.V., Sohl, T.L. and Loveland, T.R.: Statistical sampling to characterize recent United States land-cover change 86:517
Steinberg, C.R.: *See* Burrage, D.M.
Stenberg, P.: *See* Smolander, S.
Stenberg, P.: *See* Wang, Y.
Steven, M.D., Malthus, T.J., Baret, F., Xu, H. and Chopping, M.J.: Intercalibration of vegetation indices from different sensor systems 88:412
Stieglitz, T.C.: *See* Burrage, D.M.
Stone, T.A.: *See* Vieira, I.C.G.
Story, M.H.: *See* Brown de Colstoun, E.C.
Strahler, A.H.: *See* Gao, F.
Strahler, A.H.: *See* Zhang, X.

Streutker, D.R.: Satellite-measured growth of the urban heat island of Houston, Texas 85:282
Stryjewski, E.C.: *See* Schuerger, A.C.
Stuckey, D.: *See* Wilson, J.S.
Su, L.: *See* Chopping, M.J.
Sumner, M.D., Michael, K.J., Bradshaw, C.J.A. and Hindell, M.A.: Remote sensing of Southern Ocean sea surface temperature: implications for marine biophysical models 84:161
Sun, G., Ranson, K.J., Kharuk, V.I. and Kovacs, K.: Validation of surface height from shuttle radar topography mission using shuttle laser altimeter 88:401
Sutton, P.C.: A scale-adjusted measure of "Urban sprawl" using nighttime satellite imagery 86:353
Symanzik, J.: *See* Gillies, R.R.

Takeuchi, W., Tamura, M. and Yasuoka, Y.: Estimation of methane emission from West Siberian wetland by scaling technique between NOAA AVHRR and SPOT HRV 85:21
Tamura, M.: *See* Takeuchi, W.
Tan, B.: *See* Hu, J.
Tang, D., Kester, D.R., Wang, Z., Lian, J. and Kawamura, H.: AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China 84:506
Tang, D., Kawamura, H., Lee, M.-A. and Van Dien, T.: Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea 85:475
Tansey, K.: *See* Wagner, W.
Tao, Y.: *See* Luquet, D.
Taranik, J.V.: *See* Vaughan, R.G.
Thai, C.N.: *See* Schuerger, A.C.
Theiler, J.: *See* Henderson, B.G.
Thioulouse, J.: *See* Ollier, S.
Thiria, S.: *See* Niang, A.
Thomas, V., Treitz, P., Jelinski, D., Miller, J., Lafleur, P. and McCaughey, J.H.: Image classification of a northern peatland complex using spectral and plant community data 84:83
Thome, K.: *See* Pagnutti, M.
Thompson, C.: *See* Brown de Colstoun, E.C.
Thorgusen, S.R.: *See* Dennison, P.E.
Tian, Y., Wang, Y., Zhang, Y., Knyazikhin, Y., Bogaert, J. and Myneni, R.B.: Radiative transfer based scaling of LAI retrievals from reflectance data of different resolutions 84:143
Tian, Y.: *See* Morisette, J.T.
Tian, Y.: *See* Shabanov, N.V.
Tian, Y.: *See* Wang, Y.
Tieszen, L.L.: *See* Wylie, B.K.
Tokuno, M.: *See* Masuda, K.
Tømmervik, H., Høgda, K.A. and Solheim, I.: Monitoring vegetation changes in Pasvik (Norway) and Pechenga in Kola Peninsula (Russia) using multitemporal Landsat MSS/TM data 85:370
Torres-Pulliza, D.: *See* Andréfouët, S.
Townsend, A.R.: *See* Asner, G.P.
Townshend, J.R.: *See* Goward, S.N.
Townshend, J.R.G.: *See* Goward, S.N.
Tramutoli, V.: *See* Pergola, N.
Treitz, P.: *See* Thomas, V.
Trubuil, A.: *See* Combal, B.
Tschudi, M.A.: *See* Markus, T.
Tsutsumi, Y.: *See* Masuda, K.
Tucker, C.J.: *See* Dong, J.
Turner, D.P.: *See* Cohen, W.B.
Turner, D.P., Ritts, W.D., Cohen, W.B., Gower, S.T., Zhao, M., Running, S.W., Wofsy, S.C., Urbanski, S., Dunn, A.L. and Munger, J.W.: Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation 88:256
Tutubalina, O.: *See* Zhang, Y.-H.
Tyler, A.N.: *See* Davids, C.
Tyler, A.N.: *See* Rainey, M.P.

Uchiyama, A.: *See* Masuda, K.
Underwood, E., Ustin, S. and DiPietro, D.: Mapping nonnative plants using hyperspectral imagery 86:150
Underwood, L.: *See* Goward, S.N.
Urbanski, S.: *See* Turner, D.P.
Ustin, S.: *See* Underwood, E.
Ustin, S.L.: *See* Riaño, D.
Ustin, S.L.: *See* Zarco-Tejada, P.J.

Valor, E.: *See* Coll, C.
Van de Griend, A.A.: *See* Wigneron, J.-P.
Van Dien, T.: *See* Tang, D.
Vaughan, R.G., Calvin, W.M. and Taranik, J.V.: SEBASS hyperspectral thermal infrared data: surface emissivity measurement and mineral mapping 85:48
Vedder-Risch, K.: *See* Wilson, J.S.
Verdebout, J.: *See* Borde, R.
Verhoef, W. and Bach, H.: Simulation of hyperspectral and directional radiance images using coupled biophysical and atmospheric radiative transfer models 87:23
Victoria, D.d.C.: *See* Ballester, M.V.R.
Victoria, R.L.: *See* Ballester, M.V.R.
Vidal, A.: *See* Luquet, D.
Vieira, I.C.G., de Almeida, A.S., Davidson, E.A., Stone, T.A., Reis de Carvalho, C.J. and Guerrero, J.B.: Classifying successional forests using Landsat spectral properties and ecological characteristics in eastern Amazônia 87:470
Vietmeier, J.: *See* Wagner, W.

Vikhamar, D. and Solberg, R.: Subpixel mapping of snow cover in forests by optical remote sensing 84:69
Vikhamar, D. and Solberg, R.: Snow-cover mapping in forests by constrained linear spectral unmixing of MODIS data 88:309
Villeneuve, P.: *See* Henderson, B.G.
Vitebsky, P.: *See* Rees, W.G.
Voogt, J.A. and Oke, T.R.: Thermal remote sensing of urban climates 86:370
Vourlitis, G.: *See* Hurtt, G.
Vulfson, L.D.: *See* Daniels, J.

Wagner, W., Luckman, A., Vietmeier, J., Tansey, K., Balzter, H., Schmullius, C., Davidson, M., Gaveau, D., Gluck, M., Le Toan, T., Quegan, S., Shvidenko, A., Wiesmann, A. and Yu, J.J.: Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data 85:125
Waldteufel, P.: *See* Pardé, M.
Walker, A.: *See* Derksen, C.
Walsworth, N.: *See* Leckie, D.G.
Walthall, C.L.: *See* Liang, S.
Wang, J.R. and Manning, W.: Near concurrent MIR, SSM/T-2, and SSM/I observations over snow-covered surfaces 84:457
Wang, L.: *See* Combal, B.
Wang, M.: Correction of artifacts in the SeaWiFS atmospheric correction: removing discontinuity in the derived products 84:603
Wang, Y.: *See* Tian, Y.
Wang, Y.: *See* White, S.A.
Wang, Y., Buermann, W., Stenberg, P., Smolander, H., Häme, T., Tian, Y., Hu, J., Knyazikhin, Y. and Myneni, R.B.: A new parameterization of canopy spectral response to incident solar radiation: case study with hyperspectral data from pine dominant forest 85:304
Wang, Y.: *See* Morisette, J.T.
Wang, Y.: *See* Shabanov, N.V.
Wang, Z.: *See* Tang, D.
Warner, A.S.: *See* Asner, G.P.
Warner, T.A.: *See* Brandtberg, T.
Webb, F.H.: *See* Hooper, D.M.
Weber, C. and Puissant, A.: Urbanization pressure and modeling of urban growth: example of the Tunis Metropolitan Area 86:341
Wei, Y.: *See* Zha, Y.
Weise, D.: *See* Dennison, P.E.
Weiss, M.: *See* Combal, B.
White, S.A. and Wang, Y.: Utilizing DEMs derived from LIDAR data to analyze morphologic change in the North Carolina coastline 85:39
White, W.H.: *See* Andréfouët, S.
Wickel, A.J.: *See* Hurtt, G.
Wickham, J.D.: *See* Smith, J.H.
Wickham, J.D.: *See* Stehman, S.V.
Wiesmann, A.: *See* Wagner, W.
Wigneron, J.-P., Calvet, J.-C., Pellarin, T., Van de Griend, A.A., Berger, M. and Ferrazzoli, P.: Retrieving near-surface soil moisture from microwave radiometric observations: current status and future plans 85:489
Wigneron, J.-P.: *See* Pardé, M.
Williams, M.: *See* Rees, W.G.
Wilson, J.S., Clay, M., Martin, E., Stuckey, D. and Vedder-Risch, K.: Evaluating environmental influences of zoning in urban ecosystems with remote sensing 86:303
Wofsy, S.C.: *See* Turner, D.P.
Wood, E.: *See* Bindlish, R.
Woodcock, C.E.: *See* Morisette, J.T.
Woodhouse, I.H.: *See* Grippa, M.
Wooster, M.J., Zhukov, B. and Oertel, D.: Fire radiative energy for quantitative study of biomass burning: derivation from the BIRD experimental satellite and comparison to MODIS fire products 86:83
Wooster, M.J.: *See* Zhang, Y.-H.
Worstell, B.B.: *See* Wylie, B.K.
Wright, R.K.: *See* Goetz, S.J.
Wu, C. and Murray, A.T.: Estimating impervious surface distribution by spectral mixture analysis 84:493
Wulder, M.A.: *See* Skakun, R.S.
Wylie, B.K., Johnson, D.A., Laca, E., Saliendra, N.Z., Gilmanov, T.G., Reed, B.C., Tieszen, L.L. and Worstell, B.B.: Calibration of remotely sensed, coarse resolution NDVI to CO_2 fluxes in a sagebrush–steppe ecosystem 85:243

Xiao, X., Braswell, B., Zhang, Q., Boles, S., Frolking, S. and Moore III ,B.: Sensitivity of vegetation indices to atmospheric aerosols: continental-scale observations in Northern Asia 84:385
Xiao, X.: *See* Hurtt, G.
Xu, H.: *See* Steven, M.D.

Yamagiwa, R.: *See* Masuda, K.
Yamano, H.: *See* Andréfouët, S.
Yamazaki, A.: *See* Masuda, K.
Yan, X.-H.: *See* Pan, J.
Yang, L.: *See* Smith, J.H.
Yang, L.: *See* Stehman, S.V.
Yang, Z.: *See* Cohen, W.B.
Yasuoka, Y.: *See* Takeuchi, W.
Yoshioka, H.: *See* Ferreira, L.G.
Yoshizaki, Y.: *See* Masuda, K.
Yu, F., Price, K.P., Ellis, J. and Shi, P.: Response of seasonal vegetation development to climatic variations in eastern central Asia 87:42
Yu, J.J.: *See* Wagner, W.

Zanoni, V., Stanley, T., Ryan, R., Pagnutti, M., Baldridge, B., Roylance, S., Snyder, G. and Lee, G.: The Joint Agency Commercial Imagery Evaluation team: overview and IKONOS joint characterization approach 88:17
Zanoni, V.: *See* Goward, S.N.
Zanoni, V.: *See* Pagnutti, M.
Zarco-Tejada, P.J., Pushnik, J.C., Dobrowski, S. and Ustin, S.L.: Steady-state chlorophyll *a* fluorescence detection from canopy derivative reflectance and *double-peak* red-edge effects 84:283
Zarco-Tejada, P.J., Rueda, C.A. and Ustin, S.L.: Water content estimation in vegetation with MODIS reflectance data and model inversion methods 85:109
Zentara, S.-J.: *See* Kamykowski, D.
Zha, Y., Gao, J., Ni, S., Liu, Y., Jiang, J. and Wei, Y.: A spectral reflectance-based approach to quantification of grassland cover from Landsat TM imagery 87:371
Zhang, Q.: *See* Xiao, X.
Zhang, X., Friedl, M.A., Schaaf, C.B., Strahler, A.H., Hodges, J.C.F., Gao, F., Reed, B.C. and Huete, A.: Monitoring vegetation phenology using MODIS 84:471
Zhang, Y.: *See* Tian, Y.
Zhang, Y.-H., Wooster, M.J., Tutubalina, O. and Perry, G.L.W.: Monthly burned area and forest fire carbon emission estimates for the Russian Federation from SPOT VGT 87:1
Zhao, M.: *See* Kang, S.
Zhao, M.: *See* Turner, D.P.
Zheng, Q.: *See* Pan, J.
Zhukov, B.: *See* Wooster, M.J.
Zimble, D.A., Evans, D.L., Carlson, G.C., Parker, R.C., Grado, S.C. and Gerard, P.D.: Characterizing vertical forest structure using small-footprint airborne LiDAR 87:171
Zinck, J.A.: *See* Metternicht, G.I.
Zinecker, E.: *See* Goetz, S.J.
Zipoli, G.: *See* Maselli, F.
Zribi, M. and Dechambre, M.: A new empirical model to retrieve soil moisture and roughness from C-band radar data 84:42
Zribi, M., Le Hégarat-Mascle, S., Ottlé, C., Kammoun, B. and Guerin, C.: Surface soil moisture estimation from the synergistic use of the (multi-incidence and multi-resolution) active microwave ERS Wind Scatterometer and SAR data 86:30
Zubia, M.: *See* Andréfouët, S.
Zuffada, C., Elfouhaily, T. and Lowe, S.: Sensitivity analysis of wind vector measurements from ocean reflected GPS signals 88341

Available online at www.sciencedirect.com
SCIENCE DIRECT®
Remote Sensing of Environment 88 (2003) 497–537
Remote Sensing of Environment
www.elsevier.com/locate/rse

Subject Index for Volumes 84–88

Accuracy
Monitoring vegetation changes in Pasvik (Norway) and Pechenga in Kola Peninsula (Russia) using multitemporal Landsat MSS/TM data, H. Tømmervik, K.A. Høgda, I. Solheim, 85:370
Multi-site evaluation of IKONOS data for classification of tropical coral reef environments, Serge Andréfouët, Philip Kramer, Damaris Torres-Pulliza, Karen E. Joyce, Eric J. Hochberg, Rodrigo Garza-Pérez, Peter J. Mumby, Bernhard Riegl, Hiroya Yamano, William H. White, Mayalen Zubia, John C. Brock, Stuart R. Phinn, Abdulla Naseer, Bruce G. Hatcher and Frank E. Muller-Karger, 88:128

Advanced Spaceborne Thermal Emission and Reflection Radiometer
Lithologic mapping in the Mountain Pass, California area using Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) data, L.C. Rowan, J.C. Mars, 84:350

Aerial photography
The spatiotemporal form of urban growth: measurement, analysis and modeling, M. Herold, N.C. Goldstein, K.C. Clarke, 86:286

Aerial video
Comparison of aerial video and Landsat 7 data over ponded sea ice, T. Markus, D.J. Cavalieri, M.A. Tschudi, A. Ivanoff, 86:458

Aerosol optical thickness
Remote sensing of aerosols optical thickness over various sites using SeaWiFS or VEGETATION and ground measurements, R. Borde, J. Verdebout, 86:42

Africa
The use of Meteosat and GMS imagery to detect burned areas in tropical environments, L. Boschetti, P.A. Brivio, J.M. Gregoire, 85:78

Agricultural canopy
Validation of a hyperspectral curve-fitting model for the estimation of plant water content of agricultural canopies, C.M. Champagne, K. Staenz, A. Bannari, H. McNairn, J.-C. Deguise, 87:148

Agriculture
Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series, M.J. Hill, G.E. Donald, 84:367
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

Airborne digital camera
Spatial analysis of radiometric fractions from high-resolution multispectral imagery for modelling individual tree crown and forest canopy structure and health, J. Lévesque, D.J. King, 84:589

Airborne laser scanning
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177
Mapping intertidal estuarine sediment grain size distributions through airborne remote sensing, M.P. Rainey, A.N. Tyler, D.J. Gilvear, R.G. Bryant, P. McDonald, 86:480

Airborne sensors
Validation of temperature-emissivity separation and split-window methods from TIMS data and ground measurements, C. Coll, V. Caselles, E. Valor, E. Rubio, 85:232

Albedo
Retrieval of subpixel snow-covered area and grain size from imaging spectrometer data, T.H. Painter, J. Dozier, D.A. Roberts, R.E. Davis, R.O. Green, 85:64
Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurements: II. Comparison of several inversion techniques and uncertainty in albedo estimates, I. Pokrovsky, O. Pokrovsky, J.-L. Roujean, 87:215

Algae
Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra, E.J. Hochberg, M.J. Atkinson, 85:174

0034-4257/$ - see front matter © 2003 Elsevier Inc. All rights reserved.
doi:10.1016/S0034-4257(03)00324-9

Can phytoplankton community structure be inferred from satellite-derived sea surface temperature anomalies calculated relative to nitrate depletion temperatures?, D. Kamykowski, S.-J. Zentara, 86:444

Alkalinity
Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1

Amazon
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Linear mixture model applied to Amazonian vegetation classification, D. Lu, E. Moran, M. Batistella, 87:456
Airborne P-band SAR applied to the aboveground biomass studies in the Brazilian tropical rainforest, J.R. Santos, C.C. Freitas, L.S. Araujo, L.V. Dutra, J.C. Mura, F.F. Gama, L.S. Soler, S.J.S. Sant'Anna, 87:482
Mapping forest degradation in the Eastern Amazon from SPOT 4 through spectral mixture models, C. Souza Jr., L. Firestone, L.M. Silva, D. Roberts, 87:494
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

Amazon basin
Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507

Amazon, Brazil
A remote sensing/GIS-based physical template to understand the biogeochemistry of the Ji-Paraná river basin (Western Amazônia), M.V.R. Ballester, D.d.C. Victoria, A.V. Krusche, R. Coburn, R.L. Victoria, J.E. Richey, M.G. Logsdon, E. Mayorga, E. Matricardi, 87:429

Amazon floodplain
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Amazônia
Studies of land-cover, land-use, and biophysical properties of vegetation in the Large Scale Biosphere Atmosphere experiment in Amazônia, D.A. Roberts, M. Keller, J.V. Soares, 87:377

Amazonian deforestation
The impact of deforestation on cloud cover over the Amazon arc of deforestation, L. Duriezux, L.A.T. Machado, H. Laurent, 86:132

Andean grasslands
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Anomaly analysis
Sensitivity of vegetation indices to atmospheric aerosols: continental-scale observations in Northern Asia, X. Xiao, B. Braswell, Q. Zhang, S. Boles, S. Frolking, B. Moore III, 84:385

ANPP
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Applications
Remote sensing applications for precision agriculture: A learning community approach, Santhosh K. Seelan, Soizik Laguette, Grant M. Casady, George A. Seielstad, 88:157

Aquatic vegetation
Extending satellite remote sensing to local scales: land and water resource monitoring using high-resolution imagery, Kali E. Sawaya, Leif G. Olmanson, Nathan J. Heinert, Patrick L. Brezonik and Marvin E. Bauer, 88:144

Arabian Sea
Comparison of chlorophyll distributions in the northeastern Arabian Sea and southern Bay of Bengal using IRS-P4 Ocean Color Monitor data, S. Dey, R.P. Singh, 85:424

Arid environments
The use of time-integrated NOAA NDVI data and rainfall to assess landscape degradation in the arid shrubland of Western Australia, A.McR. Holm, S.W. Cridland, M.L. Roderick, 85:145

Artemisia
Calibration of remotely sensed, coarse resolution NDVI to CO_2 fluxes in a sagebrush–steppe ecosystem, B.K. Wylie, D.A. Johnson, E. Laca, N.Z. Saliendra, T.G. Gilmanov, B.C. Reed, L.L. Tieszen, B.B. Worstell, 85:243

Artificial neural
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243

ARTMAP
Gaussian mixture discriminant analysis and sub-pixel land cover characterization in remote sensing, J. Ju, E.D. Kolaczyk, S. Gopal, 84:550

Asian dust
Comparisons of the mineral dust optical thickness retrieved from Geostationary Meteorological Satellite with ground-based radiometer measurements, K. Masuda, Y. Mano, H. Ishimoto, M. Tokuno, Y. Yoshizaki, N. Okawara, R. Yamagiwa, A. Uchiyama, A. Yamazaki, Y. Tsutsumi, 85:484

Association analysis
Monitoring vegetation changes in Pasvik (Norway) and Pechenga in Kola Peninsula (Russia) using multitemporal Landsat MSS/TM data, H. Tømmervik, K.A. Høgda, I. Solheim, 85:370

ASTER
Lithologic mapping in the Mountain Pass, California area using Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) data, L.C. Rowan, J.C. Mars, 84:350

Atmosphere
Outgoing longwave flux estimation: improvement of angular modelling using spectral information, N. Clerbaux, S. Dewitte, L. Gonzalez, C. Bertrand, B. Nicula, A. Ipe, 85:389
Estimation of the 2002 Mount Etna eruption cloud radiative forcing from Meteosat-7 data, C. Bertrand, N. Clerbaux, A. Ipe, L. Gonzalez, 87:257
Assimilation method to derive spectral ground reflectance of desert sites from satellite datasets, C. Miesch, F. Cabot, X. Briottet, P. Henry, 87:359

Atmospheric correction
Correction of artifacts in the SeaWiFS atmospheric correction: removing discontinuity in the derived products, M. Wang, 84:603

Atmospheric effect
Simulation of hyperspectral and directional radiance images using coupled biophysical and atmospheric radiative transfer models, W. Verhoef, H. Bach, 87:23

Australia
The use of Meteosat and GMS imagery to detect burned areas in tropical environments, L. Boschetti, P.A. Brivio, J.M. Gregoire, 85:78
Consideration of the errors inherent in mapping historical glacier positions in Austria from the ground and space (1893–2001), D.K. Hall, K.J. Bayr, W. Schöner, R.A. Bindschadler, J.Y.L. Chien, 86:566

AVHRR
AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China, D. Tang, D.R. Kester, Z. Wang, J. Lian, H. Kawamura, 84:506
Two years of operational use of Subpixel Automatic Navigation of AVHRR scheme: accuracy assessment and validation, N. Pergola, V. Tramutoli, 85:190
Decomposition of vegetation cover into woody and herbaceous components using AVHRR NDVI time series, H. Lu, M.R. Raupach, T.R. McVicar, D.J. Barrett, 86:1
A comparison of three approaches for predicting C4 species cover of northern mixed grass prairie, A. Davidson, F. Csillag, 86:70
Seasonal SST patterns along the West India shelf inferred from AVHRR, A.J. Luis, H. Kawamura, 86:206
Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices, L. Ji, A.J. Peters, 87:85

AVHRR SST
Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea, D. Tang, H. Kawamura, M.-A. Lee, T. Van Dien, 85:475

AVIRIS
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422
Mapping vegetation in Yellowstone National Park using spectral feature analysis of AVIRIS data, R.F. Kokaly, D.G. Despain, R.N. Clark, K.E. Livo, 84:437
Retrieval of subpixel snow-covered area and grain size from imaging spectrometer data, T.H. Painter, J. Dozier, D.A. Roberts, R.E. Davis, R.O. Green, 85:64
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150

Backscatter
Effects of seasonal hydrologic patterns in south Florida wetlands on radar backscatter measured from ERS-2 SAR imagery, Eric S. Kasischke, Kevin B. Smith, Laura L. Bourgeau-Chavez, Edwin A. Romanowicz, Suzy Brunzell and Curtis J. Richardson, 88:423

Bare soil
Surface soil moisture estimation from the synergistic use of the (multi-incidence and multi-resolution) active microwave ERS Wind Scatterometer and SAR data, M. Zribi, S. Le Hégarat-Mascle, C. Ottlé, B. Kammoun, C. Guerin, 86:30

Bathymetric correction
Multi-site evaluation of IKONOS data for classification of tropical coral reef environments, Serge Andréfouët, Philip Kramer, Damaris Torres-Pulliza, Karen E. Joyce, Eric J. Hochberg, Rodrigo Garza-Pérez, Peter J. Mumby, Bernhard Riegl, Hiroya Yamano, William H. White, Mayalen Zubia, John C. Brock, Stuart R. Phinn, Abdulla Naseer, Bruce G. Hatcher and Frank E. Muller-Karger, 88:128

Bay of Bengal
Comparison of chlorophyll distributions in the northeastern Arabian Sea and southern Bay of Bengal using IRS-P4 Ocean Color Monitor data, S. Dey, R.P. Singh, 85:424

Bhattacharyya distance
Spectral discrimination of vegetation types in a coastal wetland, K.S. Schmidt, A.K. Skidmore, 85:92

Bidirectional effects
Comparison of BRDF models with a fuzzy inference system for correction of bidirectional effects, Ross Bryant, Jiaguo Qi, M. Susan Moran and Wanmei Ni, 88:221

Bi-directional reflectance
Generalizing the definition of the bi-directional reflectance distribution function, Larry Di Girolamo, 88:479

Bidirectional reflectance distribution function
Detecting vegetation structure using a kernel-based BRDF model, F. Gao, C.B. Schaaf, A.H. Strahler, Y. Jin, X. Li, 86:198

BigFoot
Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products, Warren B. Cohen, Thomas K. Maiersperger, Zhiqiang Yang, Stith T. Gower, David P. Turner, William D. Ritts, Mercedes Berterretche and Steven W. Running, 88:233

Biodiversity
Classifying successional forests using Landsat spectral properties and ecological characteristics in eastern Amazônia, I.C.G. Vieira, A.S. de Almeida, E.A. Davidson, T.A. Stone, C.J. Reis de Carvalho, J.B. Guerrero, 87:470

Biogeography
Can phytoplankton community structure be inferred from satellite-derived sea surface temperature anomalies calculated relative to nitrate depletion temperatures?x D. Kamykowski, S.-J. Zentara, 86:444

Biomass
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Predictive relations of tropical forest biomass from Landsat TM data and their transferability between regions, G.M. Foody, D.S. Boyd, M.E.J. Cutler, 85:463
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516
Classifying successional forests using Landsat spectral properties and ecological characteristics in eastern Amazônia, I.C.G. Vieira, A.S. de Almeida, E.A. Davidson, T.A. Stone, C.J. Reis de Carvalho, J.B. Guerrero, 87:470
Airborne P-band SAR applied to the aboveground biomass studies in the Brazilian tropical rainforest, J.R. Santos, C.C. Freitas, L.S. Araujo, L.V. Dutra, J.C. Mura, F.F. Gama, L.S. Soler, S.J.S. Sant'Anna, 87:482

Biomass burning
Fire radiative energy for quantitative study of biomass burning: derivation from the BIRD experimental satellite and comparison to MODIS fire products, M.J. Wooster, B. Zhukov, D. Oertel, 86:83

Biome-BGC
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256

Bio-optical properties
Bio-optical properties in waters influenced by the Mississippi River during low flow conditions, E.J. D'Sa, R.L. Miller, 84:538

Biophysical parameters retrieval
Retrieving crop parameters based on tandem ERS 1/2 interferometric coherence images, Xavier Blaes and Pierre Defourny, 88:374

Biophysical variables
An improved strategy for regression of biophysical variables and Landsat ETM+ data, W.B. Cohen, T.K. Maiersperger, S.T. Gower, D.P. Turner, 84:561

BIRD
Fire radiative energy for quantitative study of biomass burning: derivation from the BIRD experimental satellite and comparison to MODIS fire products, M.J. Wooster, B. Zhukov, D. Oertel, 86:83

Bistatic radar
Mediterranean Balloon Experiment: ocean wind speed sensing from the stratosphere, using GPS reflections, Estel Cardellach, Giulio Ruffini, David Pino, Antonio Rius, Attila Komjathy and James L. Garrison, 88:351

Bofedal
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Bolivian Altiplano
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Boreal forest
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256

Boreal forest structure and health
Spatial analysis of radiometric fractions from high-resolution multispectral imagery for modelling individual tree crown and forest canopy structure and health, J. Lévesque, D.J. King, 84:589

Brazil
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Studies of land-cover, land-use, and biophysical properties of vegetation in the Large Scale Biosphere Atmosphere experiment in Amazônia, D.A. Roberts, M. Keller, J.V. Soares, 87:377
Classifying successional forests using Landsat spectral properties and ecological characteristics in eastern Amazônia, I.C.G. Vieira, A.S. de Almeida, E.A. Davidson, T.A. Stone, C.J. Reis de Carvalho, J.B. Guerrero, 87:470
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

Brazilian Cerrado
Seasonal landscape and spectral vegetation index dynamics in the Brazilian Cerrado: An analysis within the Large-Scale Biosphere–Atmosphere Experiment in Amazônia (LBA), L.G. Ferreira, H. Yoshioka, A. Huete, E.E. Sano, 87:534

BRDF
Remote sensing of aerosols optical thickness over various sites using SeaWiFS or VEGETATION and ground measurements, R. Borde, J. Verdebout, 86:42
Simulation of hyperspectral and directional radiance images using coupled biophysical and atmospheric radiative transfer models, W. Verhoef, H. Bach, 87:23
Generalizing the definition of the bi-directional reflectance distribution function, Larry Di Girolamo, 88:479

BRDF measurements
Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurements: II. Comparison of several inversion techniques and uncertainty in albedo estimates, I. Pokrovsky, O. Pokrovsky, J.-L. Roujean, 87:215

BRDF models
Comparison of BRDF models with a fuzzy inference system for correction of bidirectional effects, Ross Bryant, Jiaguo Qi, M. Susan Moran and Wanmei Ni, 88:221

Brookings
IKONOS geometric characterization, Dennis Helder, Michael Coan, Kevin Patrick and Peter Gaska, 88:69

Burned area
Monthly burned area and forest fire carbon emission estimates for the Russian Federation from SPOT VGT, Y.-H. Zhang, M.J. Wooster, O. Tutubalina, G.L.W. Perry, 87:1

Burned areas
The use of Meteosat and GMS imagery to detect burned areas in tropical environments, L. Boschetti, P.A. Brivio, J.M. Gregoire, 85:78

C4 photosynthesis
A comparison of three approaches for predicting C4 species cover of northern mixed grass prairie, A. Davidson, F. Csillag, 86:70

CAI
Cellulose absorption index (CAI) to quantify mixed soil–plant litter scenes, P.L. Nagler, Y. Inoue, E.P. Glenn, A.L. Russ, C.S.T. Daughtry, 87:310

Calibration
Assimilation method to derive spectral ground reflectance of desert sites from satellite datasets, C. Miesch, F. Cabot, X. Briottet, P. Henry, 87:359

Canada
A simple retrieval method for land surface temperature and fraction of water surface determination from satellite microwave brightness temperatures in sub-arctic areas, M. Fily, A. Royer, K. Goïta, C. Prigent, 85:328

Canopy reflectance
Simulation of hyperspectral and directional radiance images using coupled biophysical and atmospheric radiative transfer models, W. Verhoef, H. Bach, 87:23

Canopy shadow
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521

Carbon
Fluorescence sensing systems: In vivo detection of biophysical variations in field corn due to nitrogen supply, L.A. Corp, J.E. McMurtrey, E.M. Middleton, C.L. Mulchi, E.W. Chappelle, C.S.T. Daughtry, 86:470
Monthly burned area and forest fire carbon emission estimates for the Russian Federation from SPOT VGT, Y.-H. Zhang, M.J. Wooster, O. Tutubalina, G.L.W. Perry, 87:1

Carbon absorption
Multi-angular optical remote sensing for assessing vegetation structure and carbon absorption, J.M. Chen, J. Liu, S.G. Leblanc, R. Lacaze, J.-L. Roujean, 84:516

Carbon dioxide
Calibration of remotely sensed, coarse resolution NDVI to CO_2 fluxes in a sagebrush–steppe ecosystem, B.K. Wylie, D.A. Johnson, E. Laca, N.Z. Saliendra, T.G. Gilmanov, B.C. Reed, L.L. Tieszen, B.B. Worstell, 85:243

Carpobrotus edulis
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150

C-band
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477

CDOM
Bio-optical properties in waters influenced by the Mississippi River during low flow conditions, E.J. D'Sa, R.L. Miller, 84:538

Cellulose spectral variable
Cellulose absorption index (CAI) to quantify mixed soil–plant litter scenes, P.L. Nagler, Y. Inoue, E.P. Glenn, A.L. Russ, C.S.T. Daughtry, 87:310

Census
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

Central Amazon Basin
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Central Asia
Response of seasonal vegetation development to climatic variations in eastern central Asia, F. Yu, K.P. Price, J. Ellis, P. Shi, 87:42

Cerrado
Studies of land-cover, land-use, and biophysical properties of vegetation in the Large Scale Biosphere Atmosphere experiment in Amazônia, D.A. Roberts, M. Keller, J.V. Soares, 87:377
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521

Change
Mapping urban change in the UK using satellite radar interferometry, W.M.F. Grey, A.J. Luckman, D. Holland, 87:16

Change detection
Sensitivity of the thematic mapper enhanced wetness difference index to detect mountain pine beetle red-attack damage, R.S. Skakun, M.A. Wulder, S.E. Franklin, 86:433

Chernobyl Nuclear Power Plant
Detecting contamination-induced tree stress within the Chernobyl exclusion zone, C. Davids, A.N. Tyler, 85:30

Chl-*a*
Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea, D. Tang, H. Kawamura, M.-A. Lee, T. Van Dien, 85:475

Chlorophyll
Bio-optical properties in waters influenced by the Mississippi River during low flow conditions, E.J. D'Sa, R.L. Miller, 84:538
Comparison of chlorophyll distributions in the northeastern Arabian Sea and southern Bay of Bengal using IRS-P4 Ocean Color Monitor data, S. Dey, R.P. Singh, 85:424

Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

Classification
Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra, E.J. Hochberg, M.J. Atkinson, 85:174
Automatic neural classification of ocean colour reflectance spectra at the top of the atmosphere with introduction of expert knowledge, A. Niang, L. Gross, S. Thiria, F. Badran, C. Moulin, 86:257
Linear mixture model applied to Amazonian vegetation classification, D. Lu, E. Moran, M. Batistella, 87:456

Classification algorithm
An assessment of the effectiveness of decision tree methods for land cover classification, M. Pal, P.M. Mather, 86:554

Classification of spatial patterns
Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453

Climate
A regional phenology model for detecting onset of greenness in temperate mixed forests, Korea: an application of MODIS leaf area index, S. Kang, S.W. Running, J.-H. Lim, M. Zhao, C.-R. Park, R. Loehman, 86:232

Climate change
The impact of deforestation on cloud cover over the Amazon arc of deforestation, L. Durieux, L.A.T. Machado, H. Laurent, 86:132

Cloud cover dynamics
The impact of deforestation on cloud cover over the Amazon arc of deforestation, L. Durieux, L.A.T. Machado, H. Laurent, 86:132

Clouds
Outgoing longwave flux estimation: improvement of angular modelling using spectral information, N. Clerbaux, S. Dewitte, L. Gonzalez, C. Bertrand, B. Nicula, A. Ipe, 85:389

CO_2 flux
Towards a spatial CO_2 budget of a metropolitan region based on textural image classification and flux measurements, H. Soegaard, L. Møller-Jensen, 87:283

CO_2 modeling
Towards a spatial CO_2 budget of a metropolitan region based on textural image classification and flux measurements, H. Soegaard, L. Møller-Jensen, 87:283

Coherence
Mapping urban change in the UK using satellite radar interferometry, W.M.F. Grey, A.J. Luckman, D. Holland, 87:16

Collocated indicator cokriging
Updating cover type maps using sequential indicator simulation, S. Magnussen, S. de Bruin, 87:161

Commercial remote sensing
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Compact Airborne Spectrographic Imager (CASI)
The topographic normalization of hyperspectral data: implications for the selection of spectral end members and lithologic mapping, J. Feng, B. Rivard, A. Sánchez-Azofeifa, 85:221

Contamination-induced tree stress
Detecting contamination-induced tree stress within the Chernobyl exclusion zone, C. Davids, A.N. Tyler, 85:30

Continental surfaces
Use of the Topex–Poseidon dual-frequency radar altimeter over land surfaces, F. Papa, B. Legrésy, F. Rémy, 87:136

Continuum removal
Spectral discrimination of vegetation types in a coastal wetland, K.S. Schmidt, A.K. Skidmore, 85:92

Coral
Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra, E.J. Hochberg, M.J. Atkinson, 85:174

Coral reef
Spectral reflectance of coral reef bottom-types worldwide and implications for coral reef remote sensing, E.J. Hochberg, M.J. Atkinson, S. Andréfouët, 85:159

Cortaderia jubata
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150

Cotton crop structure
Using multidirectional thermography to characterize water status of cotton, D. Luquet, A. Bégué, A. Vidal, P. Clouvel, J. Dauzat, A. Olioso, X.F. Gu, Y. Tao, 84:411

Crop
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

Crop monitoring
Retrieving crop parameters based on tandem ERS 1/2 interferometric coherence images, Xavier Blaes and Pierre Defourny, 88:374

Crop residue
Cellulose absorption index (CAI) to quantify mixed soil–plant litter scenes, P.L. Nagler, Y. Inoue, E.P. Glenn, A.L. Russ, C.S.T. Daughtry, 87:310

Cross-validation
A regional phenology model for detecting onset of greenness in temperate mixed forests, Korea: an application of MODIS leaf area index, S. Kang, S.W. Running, J.-H. Lim, M. Zhao, C.-R. Park, R. Loehman, 86:232

Crown base height
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177

Crown bulk density
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177

Cumulative water balance index
Modeling seasonal changes in live fuel moisture and equivalent water thickness using a cumulative water balance index, Philip E. Dennison, Dar A. Roberts, Sommer R. Thorgusen, Jon C. Regelbrugge, David Weise and Christopher Lee, 88:442

DART
An interpolation procedure for generalizing a look-up table inversion method, J.P. Gastellu-Etchegorry, F. Gascon, P. Estève, 87:55

Daya Bay
AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China, D. Tang, D.R. Kester, Z. Wang, J. Lian, H. Kawamura, 84:506

Dead Sea Rift
Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry, F. Sarti, Y. Arkin, J. Chorowicz, A. Karnieli, T. Cunha, 86:141

Dead Sea Transform
Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry, F. Sarti, Y. Arkin, J. Chorowicz, A. Karnieli, T. Cunha, 86:141

Debris flow
Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data, J.K. Crowley, B.E. Hubbard, J.C. Mars, 87:345

Deciduous forest
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256

Decision tree
An assessment of the effectiveness of decision tree methods for land cover classification, M. Pal, P.M. Mather, 86:554

Decision trees
National Park vegetation mapping using multitemporal Landsat 7 data and a decision tree classifier, E.C. Brown de Colstoun, M.H. Story, C. Thompson, K. Commisso, T.G. Smith, J.R. Irons, 85:316

Decomposition
Decomposition of vegetation cover into woody and herbaceous components using AVHRR NDVI time series, H. Lu, M.R. Raupach, T.R. McVicar, D.J. Barrett, 86:1

Decorrelation
Mapping urban change in the UK using satellite radar interferometry, W.M.F. Grey, A.J. Luckman, D. Holland, 87:16

Deforestation
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
A remote sensing/GIS-based physical template to understand the biogeochemistry of the Ji-Paraná river basin (Western Amazônia), M.V.R. Ballester, D.d.C. Victoria, A.V. Krusche, R. Coburn, R.L. Victoria, J.E. Richey, M.G. Logsdon, E. Mayorga, E. Matricardi, 87:429
Classifying successional forests using Landsat spectral properties and ecological characteristics in eastern Amazônia, I.C.G. Vieira, A.S. de Almeida, E.A. Davidson, T.A. Stone, C.J. Reis de Carvalho, J.B. Guerrero, 87:470

Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

DEM
An evaluation of LIDAR- and IFSAR-derived digital elevation models in leaf-on conditions with USGS Level 1 and Level 2 DEMs, M.E. Hodgson, J.R. Jensen, L. Schmidt, S. Schill, B. Davis, 84:295
Validation of surface height from shuttle radar topography mission using shuttle laser altimeter, G. Sun, K.J. Ranson, V.I. Kharuk and K. Kovacs, 88:401

DEMs
Utilizing DEMs derived from LIDAR data to analyze morphologic change in the North Carolina coastline, S.A. White, Y. Wang, 85:39

Desert grassland
Canopy attributes of desert grassland and transition communities derived from multiangular airborne imagery, M.J. Chopping, A. Rango, K.M. Havstad, F.R. Schiebe, J.C. Ritchie, T.J. Schmugge, A.N. French, L. Su, L. McKee, M.R. Davis, 85:339

Deserts
Assimilation method to derive spectral ground reflectance of desert sites from satellite datasets, C. Miesch, F. Cabot, X. Briottet, P. Henry, 87:359

Detection
Mapping urban change in the UK using satellite radar interferometry, W.M.F. Grey, A.J. Luckman, D. Holland, 87:16

Development
Satellite and ground-based microclimate and hydrologic analyses coupled with a regional urban growth model, S.T. Arthur-Hartranft, T.N. Carlson, K.C. Clarke, 86:385

Digital elevation model
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422
Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry, F. Sarti, Y. Arkin, J. Chorowicz, A. Karnieli, T. Cunha, 86:141
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Digital Elevation Model (DEM)
The topographic normalization of hyperspectral data: implications for the selection of spectral end members and lithologic mapping, J. Feng, B. Rivard, A. Sánchez-Azofeifa, 85:221

Dinwoody
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Directional effects
Using multidirectional thermography to characterize water status of cotton, D. Luquet, A. Bégué, A. Vidal, P. Clouvel, J. Dauzat, A. Olioso, X.F. Gu, Y. Tao, 84:411

Discriminant
Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*), C.H. Koger, L.M. Bruce, D.R. Shaw, K.N. Reddy, 86:108

DMSP/OLS
Assessing the impact of urban land development on net primary productivity in the southeastern United States, C. Milesi, C.D. Elvidge, R.R. Nemani, S.W. Running, 86:401

Doppler effect
Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface, C.G. Gelpi, K.E. Norris, 87:99

Drought
Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices, L. Ji, A.J. Peters, 87:85

Dual-season mapping
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Earth science
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Eastern United States
Thematic accuracy of the 1992 National Land-Cover Data for the eastern United States: Statistical methodology and regional results, S.V. Stehman, J.D. Wickham, J.H. Smith, L. Yang, 86:500

Eddy covariance
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256

Elevation accuracy
An evaluation of LIDAR- and IFSAR-derived digital elevation models in leaf-on conditions with USGS Level 1 and Level 2 DEMs, M.E. Hodgson, J.R. Jensen, L. Schmidt, S. Schill, B. Davis, 84:295

Emissivity
Validation of temperature-emissivity separation and split-window methods from TIMS data and ground measurements, C. Coll, V. Caselles, E. Valor, E. Rubio, 85:232
The polarized emissivity of a wind-roughened sea surface: A Monte Carlo model, Bradley G. Henderson, James Theiler and Pierre Villeneuve, 88:453

***En-echelon* fault**
Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry, F. Sarti, Y. Arkin, J. Chorowicz, A. Karnieli, T. Cunha, 86:141

End member
The topographic normalization of hyperspectral data: implications for the selection of spectral end members and lithologic mapping, J. Feng, B. Rivard, A. Sánchez-Azofeifa, 85:221

Endmember selection
Endmember selection for multiple endmember spectral mixture analysis using endmember average RMSE, P.E. Dennison, D.A. Roberts, 87:123
The effects of vegetation phenology on endmember selection and species mapping in southern California chaparral, P.E. Dennison, D.A. Roberts, 87:295

Environmental monitoring from space
Two years of operational use of Subpixel Automatic Navigation of AVHRR scheme: accuracy assessment and validation, N. Pergola, V. Tramutoli, 85:190

Epipelic diatom
Spectrometric constraint in analysis of benthic diatom biomass using monospecific cultures, V. Méléder, L. Barillé, P. Launeau, V. Carrère and Y. Rincé, 88:386

Equivalent water thickness
Water content estimation in vegetation with MODIS reflectance data and model inversion methods, P.J. Zarco-Tejada, C.A. Rueda, S.L. Ustin, 85:109
Validation of a hyperspectral curve-fitting model for the estimation of plant water content of agricultural canopies, C.M. Champagne, K. Staenz, A. Bannari, H. McNairn, J.-C. Deguise, 87:148
Modeling seasonal changes in live fuel moisture and equivalent water thickness using a cumulative water balance index, Philip E. Dennison, Dar A. Roberts, Sommer R. Thorgusen, Jon C. Regelbrugge, David Weise and Christopher Lee, 88:442

ERS scatterometer data
Mapping of Sahelian vegetation parameters from ERS scatterometer data with an evolution strategies algorithm, L. Jarlan, P. Mazzega, E. Mougin, F. Lavenu, G. Marty, P.L. Frison, P. Hiernaux, 87:72

ERS wind scatterometer
Surface soil moisture estimation from the synergistic use of the (multi-incidence and multi-resolution) active microwave ERS Wind Scatterometer and SAR data, M. Zribi, S. Le Hégarat-Mascle, C. Ottlé, B. Kammoun, C. Guerin, 86:30

ERS/SAR
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Surface soil moisture estimation from the synergistic use of the (multi-incidence and multi-resolution) active microwave ERS Wind Scatterometer and SAR data, M. Zribi, S. Le Hégarat-Mascle, C. Ottlé, B. Kammoun, C. Guerin, 86:30

ERS-2 SAR
Effects of seasonal hydrologic patterns in south Florida wetlands on radar backscatter measured from ERS-2 SAR imagery, Eric S. Kasischke, Kevin B. Smith, Laura L. Bourgeau-Chavez, Edwin A. Romanowicz, Suzy Brunzell and Curtis J. Richardson, 88:423

Eruptions
Estimation of the 2002 Mount Etna eruption cloud radiative forcing from Meteosat-7 data, C. Bertrand, N. Clerbaux, A. Ipe, L. Gonzalez, 87:257

Estuaries
Mapping intertidal estuarine sediment grain size distributions through airborne remote sensing, M.P. Rainey, A.N. Tyler, D.J. Gilvear, R.G. Bryant, P. McDonald, 86:480

ETM+
Retrieving leaf area index using a genetic algorithm with a canopy radiative transfer model, H. Fang, S. Liang, A. Kuusk, 85:257
Comparing MODIS and ETM+ data for regional and global land classification, J.C. Price, 86:491
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Empirical comparison of Landsat 7 and IKONOS multispectral measurements for selected Earth Observation System (EOS) validation sites, Samuel N. Goward, Paul E. Davis, David Fleming, Lee Miller and John R. Townshend, 88:80
Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products, Warren B. Cohen, Thomas K. Maiersperger, Zhiqiang Yang, Stith T. Gower, David P. Turner, William D. Ritts, Mercedes Berterretche and Steven W. Running, 88:233

False alarm rate
Reduction of false alarm rate in automatic forest fire infrared surveillance systems, S. Briz, A.J. de Castro, J.M. Aranda, J. Meléndez, F. López, 86:19

fAPAR
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Fire
An Enhanced Contextual Fire Detection Algorithm for MODIS, L. Giglio, J. Descloitres, C.O. Justice, Y.J. Kaufman, 87:273
Mapping forest degradation in the Eastern Amazon from SPOT 4 through spectral mixture models, C. Souza Jr., L. Firestone, L.M. Silva, D. Roberts, 87:494

Fire detection
An Enhanced Contextual Fire Detection Algorithm for MODIS, L. Giglio, J. Descloitres, C.O. Justice, Y.J. Kaufman, 87:273

Fire index
Reduction of false alarm rate in automatic forest fire infrared surveillance systems, S. Briz, A.J. de Castro, J.M. Aranda, J. Meléndez, F. López, 86:19

Fire radiative energy
Fire radiative energy for quantitative study of biomass burning: derivation from the BIRD experimental satellite and comparison to MODIS fire products, M.J. Wooster, B. Zhukov, D. Oertel, 86:83

Fire risk
Use of NOAA-AVHRR NDVI images for the estimation of dynamic fire risk in Mediterranean areas, F. Maselli, S. Romanelli, L. Bottai, G. Zipoli, 86:187

Fires
Fire radiative energy for quantitative study of biomass burning: derivation from the BIRD experimental satellite and comparison to MODIS fire products, M.J. Wooster, B. Zhukov, D. Oertel, 86:83

Fluorescence imaging
Fluorescence sensing systems: In vivo detection of biophysical variations in field corn due to nitrogen supply, L.A. Corp, J.E. McMurtrey, E.M. Middleton, C.L. Mulchi, E.W. Chappelle, C.S.T. Daughtry, 86:470

Forest
Stand delineation and composition estimation using semi-automated individual tree crown analysis, D.G. Leckie, F.A. Gougeon, N. Walsworth, D. Paradine, 85:355
Surface soil moisture estimation from the synergistic use of the (multi-incidence and multi-resolution) active microwave ERS Wind Scatterometer and SAR data, M. Zribi, S. Le Hégarat-Mascle, C. Ottlé, B. Kammoun, C. Guerin, 86:30
Snow-cover mapping in forests by constrained linear spectral unmixing of MODIS data, Dagrun Vikhamar and Rune Solberg, 88:309

Forest biomass pools
Remote sensing estimates of boreal and temperate forest woody biomass: carbon pools, sources, and sinks, J. Dong, R.K. Kaufmann, R.B. Myneni, C.J. Tucker, P.E. Kauppi, J. Liski, W. Buermann, V. Alexeyev, M.K. Hughes, 84:393

Forest canopy
Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453

Forest degradation
Mapping forest degradation in the Eastern Amazon from SPOT 4 through spectral mixture models, C. Souza Jr., L. Firestone, L.M. Silva, D. Roberts, 87:494

Forest ecology
Classifying successional forests using Landsat spectral properties and ecological characteristics in eastern Amazônia, I.C.G. Vieira, A.S. de Almeida, E.A. Davidson, T.A. Stone, C.J. Reis de Carvalho, J.B. Guerrero, 87:470

Forest fire surveillance systems
Reduction of false alarm rate in automatic forest fire infrared surveillance systems, S. Briz, A.J. de Castro, J.M. Aranda, J. Meléndez, F. López, 86:19

Forest fires
Monthly burned area and forest fire carbon emission estimates for the Russian Federation from SPOT VGT, Y.-H. Zhang, M.J. Wooster, O. Tutubalina, G.L.W. Perry, 87:1

Forest inventory
Remote sensing estimates of boreal and temperate forest woody biomass: carbon pools, sources, and sinks, J. Dong, R.K. Kaufmann, R.B. Myneni, C.J. Tucker, P.E. Kauppi, J. Liski, W. Buermann, V. Alexeyev, M.K. Hughes, 84:393

Forest structure
Characterizing vertical forest structure using small-footprint airborne LiDAR, D.A. Zimble, D.L. Evans, G.C. Carlson, R.C. Parker, S.C. Grado, P.D. Gerard, 87:171

Forestry
Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data, W. Wagner, A. Luckman, J. Vietmeier, K. Tansey, H. Balzter, C. Schmullius, M. Davidson, D. Gaveau, M. Gluck, T. Le Toan, S. Quegan, A. Shvidenko, A. Wiesmann, J.J. Yu, 85:125

FPAR
Effect of foliage spatial heterogeneity in the MODIS LAI and FPAR algorithm over broadleaf forests, N.V. Shabanov, Y. Wang, W. Buermann, J. Dong, S. Hoffman, G.R. Smith, Y. Tian, Y. Knyazikhin, R.B. Myneni, 85:410
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256
Performance of the MISR LAI and FPAR algorithm: a case study in Africa, Jiannan Hu, Bin Tan, Nikolay Shabanov, Kathleen A. Crean, John V. Martonchik, David J. Diner, Yuri Knyazikhin and Ranga B. Myneni, 88:324

Freeze–thaw
Assessing snowmelt dynamics with NASA scatterometer (NSCAT) data and a hydrologic process model, U. Hillard, V. Sridhar, D.P. Lettenmaier, K.C. McDonald, 86:52

Fuel modeling
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177

Fuzzy inference system
Comparison of BRDF models with a fuzzy inference system for correction of bidirectional effects, Ross Bryant, Jiaguo Qi, M. Susan Moran and Wanmei Ni, 88:221

Gaussian mixture analysis
Gaussian mixture discriminant analysis and sub-pixel land cover characterization in remote sensing, J. Ju, E.D. Kolaczyk, S. Gopal, 84:550

GBM
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

Genetic algorithms
Retrieving leaf area index using a genetic algorithm with a canopy radiative transfer model, H. Fang, S. Liang, A. Kuusk, 85:257

Geographic information systems
Validation of daily MODIS snow cover maps of the Upper Rio Grande River Basin for the 2000–2001 snow year, A.G. Klein, A.C. Barnett, 86:162

Geologic mapping
Lithologic mapping in the Mountain Pass, California area using Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) data, L.C. Rowan, J.C. Mars, 84:350

Geomorphology
Microwave remote sensing of physically buried objects in the Negev Desert: implications for environmental research, J. Daniels, D.G. Blumberg, L.D. Vulfson, A.L. Kotlyar, V. Freiliker, G. Ronen, J. Ben-Asher, 86:243

Geospatial model
Development of a geospatial model to quantify, describe and map urban growth, E. Hoffhine Wilson, J.D. Hurd, D.L. Civco, M.P. Prisloe, C. Arnold, 86:275

Geostationary Meteorological Satellite
Comparisons of the mineral dust optical thickness retrieved from Geostationary Meteorological Satellite with ground-based radiometer measurements, K. Masuda, Y. Mano, H. Ishimoto, M. Tokuno, Y. Yoshizaki, N. Okawara, R. Yamagiwa, A. Uchiyama, A. Yamazaki, Y. Tsutsumi, 85:484

Glacier
Consideration of the errors inherent in mapping historical glacier positions in Austria from the ground and space (1893–2001), D.K. Hall, K.J. Bayr, W. Schöner, R.A. Bindschadler, J.Y.L. Chien, 86:566

Glint
Multi-site evaluation of IKONOS data for classification of tropical coral reef environments, Serge Andréfouët, Philip Kramer, Damaris Torres-Pulliza, Karen E. Joyce, Eric J. Hochberg, Rodrigo Garza-Pérez, Peter J. Mumby, Bernhard Riegl, Hiroya Yamano, William H. White, Mayalen Zubia, John C. Brock, Stuart R. Phinn, Abdulla Naseer, Bruce G. Hatcher and Frank E. Muller-Karger, 88:128

Global positioning system
Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry, F. Sarti, Y. Arkin, J. Chorowicz, A. Karnieli, T. Cunha, 86:141

Global Positioning System (GPS)
Mediterranean Balloon Experiment: ocean wind speed sensing from the stratosphere, using GPS reflections, Estel Cardellach, Giulio Ruffini, David Pino, Antonio Rius, Attila Komjathy and James L. Garrison, 88:351

GMS
The use of Meteosat and GMS imagery to detect burned areas in tropical environments, L. Boschetti, P.A. Brivio, J.M. Gregoire, 85:78

GOES
A simple and fast atmospheric correction for spaceborne remote sensing of surface temperature, A.N. French, J.M. Norman, M.C. Anderson, 87:326

GPS signals
Sensitivity analysis of wind vector measurements from ocean reflected GPS signals, Cinzia Zuffada, Tanos Elfouhaily and Stephen Lowe, 88:341

Grassland cover
A spectral reflectance-based approach to quantification of grassland cover from Landsat TM imagery, Y. Zha, J. Gao, S. Ni, Y. Liu, J. Jiang, Y. Wei, 87:371

Grasslands
A comparison of three approaches for predicting C4 species cover of northern mixed grass prairie, A. Davidson, F. Csillag, 86:70

Great Barrier Reef
Structure and influence of tropical river plumes in the Great Barrier Reef: application and performance of an airborne sea surface salinity mapping system, D.M. Burrage, M.L. Heron, J.M. Hacker, J.L. Miller, T.C. Stieglitz, C.R. Steinberg, A. Prytz, 85:204

Gross primary production
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256

Gulf of Tonkin
Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea, D. Tang, H. Kawamura, M.-A. Lee, T. Van Dien, 85:475

Haar wavelet variance
Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453

Habitat mapping
Multi-site evaluation of IKONOS data for classification of tropical coral reef environments, Serge Andréfouët, Philip Kramer, Damaris Torres-Pulliza, Karen E. Joyce, Eric J. Hochberg, Rodrigo Garza-Pérez, Peter J. Mumby, Bernhard Riegl, Hiroya Yamano, William H. White, Mayalen Zubia, John C. Brock, Stuart R. Phinn, Abdulla Naseer, Bruce G. Hatcher and Frank E. Muller-Karger, 88:128

Heat flux
Seasonal SST patterns along the West India shelf inferred from AVHRR, A.J. Luis, H. Kawamura, 86:206

Heavy metals
Comparison of two hyperspectral imaging and two laser-induced fluorescence instruments for the detection of zinc stress and chlorophyll concentration in bahia grass (*Paspalum notatum* Flugge.), A.C. Schuerger, G.A. Capelle, J.A. Di Benedetto, C. Mao, C.N. Thai, M.D. Evans, J.T. Richards, T.A. Blank, E.C. Stryjewski, 84:572

HELIOSAT
Solar energy assessment using remote sensing technologies, A. Hammer, D. Heinemann, C. Hoyer, R. Kuhlemann, E. Lorenz, R. Müller, H.G. Beyer, 86:423

Heterogeneous media
Generalizing the definition of the bi-directional reflectance distribution function, Larry Di Girolamo, 88:479

High resolution imagery
Extending satellite remote sensing to local scales: land and water resource monitoring using high-resolution imagery, Kali E. Sawaya, Leif G. Olmanson, Nathan J. Heinert, Patrick L. Brezonik and Marvin E. Bauer, 88:144

High-performance liquid chromatography
Spectrometric constraint in analysis of benthic diatom biomass using monospecific cultures, V. Méléder, L. Barillé, P. Launeau, V. Carrère and Y. Rincé, 88:386

Hue intensity saturation
Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry, F. Sarti, Y. Arkin, J. Chorowicz, A. Karnieli, T. Cunha, 86:141

Hybrid classification
Monitoring vegetation changes in Pasvik (Norway) and Pechenga in Kola Peninsula (Russia) using multitemporal Landsat MSS/TM data, H. Tømmervik, K.A. Høgda, I. Solheim, 85:370

Hydrology
Assessing snowmelt dynamics with NASA scatterometer (NSCAT) data and a hydrologic process model, U. Hillard, V. Sridhar, D.P. Lettenmaier, K.C. McDonald, 86:52
Validation of daily MODIS snow cover maps of the Upper Rio Grande River Basin for the 2000–2001 snow year, A.G. Klein, A.C. Barnett, 86:162
Microwave remote sensing of physically buried objects in the Negev Desert: implications for environmental research, J. Daniels, D.G. Blumberg, L.D. Vulfson, A.L. Kotlyar, V. Freiliker, G. Ronen, J. Ben-Asher, 86:243
Satellite and ground-based microclimate and hydrologic analyses coupled with a regional urban growth model, S.T. Arthur-Hartranft, T.N. Carlson, K.C. Clarke, 86:385

Hydrothermal alteration
Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data, J.K. Crowley, B.E. Hubbard, J.C. Mars, 87:345

Hyperspectral imaging
Comparison of two hyperspectral imaging and two laser-induced fluorescence instruments for the detection of zinc stress and chlorophyll concentration in bahia grass (*Paspalum notatum* Flugge.), A.C. Schuerger, G.A. Capelle, J.A. Di Benedetto, C. Mao, C.N. Thai, M.D. Evans, J.T. Richards, T.A. Blank, E.C. Stryjewski, 84:572

Hyperspectral methods
Spectral discrimination of vegetation types in a coastal wetland, K.S. Schmidt, A.K. Skidmore, 85:92

Hyperspectral reflectance
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

Hyperspectral sensors
Simulation of hyperspectral and directional radiance images using coupled biophysical and atmospheric radiative transfer models, W. Verhoef, H. Bach, 87:23

Hyperspectral time series
The effects of vegetation phenology on endmember selection and species mapping in southern California chaparral, P.E. Dennison, D.A. Roberts, 87:295

Hyperspectral
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422
Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1
The topographic normalization of hyperspectral data: implications for the selection of spectral end members and lithologic mapping, J. Feng, B. Rivard, A. Sánchez-Azofeifa, 85:221
Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*), C.H. Koger, L.M. Bruce, D.R. Shaw, K.N. Reddy, 86:108
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Iceplant
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150

ICM

Automatic land cover analysis for Tenerife by supervised classification using remotely sensed data, J. Keuchel, S. Naumann, M. Heiler, A. Siegmund, 86:530

IEM

Surface soil moisture estimation from the synergistic use of the (multi-incidence and multi-resolution) active microwave ERS Wind Scatterometer and SAR data, M. Zribi, S. Le Hégarat-Mascle, C. Ottlé, B. Kammoun, C. Guerin, 86:30

IFSAR

An evaluation of LIDAR- and IFSAR-derived digital elevation models in leaf-on conditions with USGS Level 1 and Level 2 DEMs, M.E. Hodgson, J.R. Jensen, L. Schmidt, S. Schill, B. Davis, 84:295

IGBP

Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products, Warren B. Cohen, Thomas K. Maiersperger, Zhiqiang Yang, Stith T. Gower, David P. Turner, William D. Ritts, Mercedes Berterretche and Steven W. Running, 88:233

IKONOS

Retrieval of leaf area index in different vegetation types using high resolution satellite data, R. Colombo, D. Bellingeri, D. Fasolini, C.M. Marino, 86:120

The spatiotemporal form of urban growth: measurement, analysis and modeling, M. Herold, N.C. Goldstein, K.C. Clarke, 86:286

Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner. A.S. Warner, 87:521

Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

The Joint Agency Commercial Imagery Evaluation team: overview and IKONOS joint characterization approach, Vicki Zanoni, Tom Stanley, Robert Ryan, Mary Pagnutti, Braxton Baldridge, Spencer Roylance, Greg Snyder and George Lee, 88:17

IKONOS spatial resolution and image interpretability characterization, Robert Ryan, Braxton Baldridge, Robert A. Schowengerdt, Taeyoung Choi, Dennis L. Helder and Slawomir Blonski, 88:37

Radiometric characterization of IKONOS multispectral imagery, Mary Pagnutti, Robert E. Ryan, Michelle Kelly, Kara Holekamp, Vicki Zanoni, Kurtis Thome and Stephen Schiller, 88:53

IKONOS geometric characterization, Dennis Helder, Michael Coan, Kevin Patrick and Peter Gaska, 88:69

Empirical comparison of Landsat 7 and IKONOS multispectral measurements for selected Earth Observation System (EOS) validation sites, Samuel N. Goward, Paul E. Davis, David Fleming, Lee Miller and John R. Townshend, 88:80

High spatial resolution satellite observations for validation of MODIS land products: IKONOS observations acquired under the NASA Scientific Data Purchase, Jeffrey T. Morisette, Jaime E. Nickeson, Paul Davis, Yujie Wang, Yuhong Tian, Curtis E. Woodcock, Nikolay Shabanov, Matthew Hansen, Warren B. Cohen, Doug R. Oetter and Robert E. Kennedy, 88:100

IKONOS imagery for the Large Scale Biosphere–Atmosphere Experiment in Amazonia (LBA), George Hurtt, Xiangming Xiao, Michael Keller, Michael Palace, Gregory P. Asner, Rob Braswell, Eduardo S. Brondízio, Manoel Cardoso, Claudio J.R. Carvalho, Matthew G. Fearon, Liane Guild, Steve Hagen, Scott Hetrick, Berrien Moore III, Carlos Nobre, Jane M. Read, Tatiana Sá, Annette Schloss, George Vourlitis and Albertus J. Wickel, 88:111

Extending satellite remote sensing to local scales: land and water resource monitoring using high-resolution imagery, Kali E. Sawaya, Leif G. Olmanson, Nathan J. Heinert, Patrick L. Brezonik and Marvin E. Bauer, 88:144

Use of IKONOS and Landsat for malaria control in the Republic of Korea, Penny M. Masuoka, David M. Claborn, Richard G. Andre, Joseph Nigro, Scott W. Gordon, Terry A. Klein and Hung-Chol Kim, 88:187

IKONOS imagery

High spatial resolution spectral mixture analysis of urban reflectance, Christopher Small, 88:170

IKONOS imagery for resource management: Tree cover, impervious surfaces, and riparian buffer analyses in the mid-Atlantic region, Scott J. Goetz, Robb K. Wright, Andrew J. Smith, Elizabeth Zinecker and Erika Schaub, 88:195

IKONOS satellite

IKONOS satellite, imagery, and products, Gene Dial, Howard Bowen, Frank Gerlach, Jacek Grodecki and Rick Oleszczuk, 88:23

Image classification

Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1

Image fractions

Spatial analysis of radiometric fractions from high-resolution multispectral imagery for modelling individual tree crown and forest canopy structure and health, J. Lévesque, D.J. King, 84:589

Image navigation
Two years of operational use of Subpixel Automatic Navigation of AVHRR scheme: accuracy assessment and validation, N. Pergola, V. Tramutoli, 85:190

Image processing
Detection and analysis of individual leaf-off tree crowns in small footprint, high sampling density lidar data from the eastern deciduous forest in North America, T. Brandtberg, T.A. Warner, R.E. Landenberger, J.B. McGraw, 85:290

Image segmentation
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Image simulation
Simulation of hyperspectral and directional radiance images using coupled biophysical and atmospheric radiative transfer models, W. Verhoef, H. Bach, 87:23

Image spatial analysis
Spatial analysis of radiometric fractions from high-resolution multispectral imagery for modelling individual tree crown and forest canopy structure and health, J. Lévesque, D.J. King, 84:589

Imagery
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3
IKONOS satellite, imagery, and products, Gene Dial, Howard Bowen, Frank Gerlach, Jacek Grodecki and Rick Oleszczuk, 88:23

Imaging spectrometry
Retrieval of subpixel snow-covered area and grain size from imaging spectrometer data, T.H. Painter, J. Dozier, D.A. Roberts, R.E. Davis, R.O. Green, 85:64

Imaging spectroscopy
Endmember selection for multiple endmember spectral mixture analysis using endmember average RMSE, P.E. Dennison, D.A. Roberts, 87:123

Impervious surface
Estimating impervious surface distribution by spectral mixture analysis, C. Wu, A.T. Murray, 84:493
Extending satellite remote sensing to local scales: land and water resource monitoring using high-resolution imagery, Kali E. Sawaya, Leif G. Olmanson, Nathan J. Heinert, Patrick L. Brezonik and Marvin E. Bauer, 88:144

Impervious surface area
Effects of urbanization on the aquatic fauna of the Line Creek watershed, Atlanta—a satellite perspective, R.R. Gillies, J. Brim Box, J. Symanzik, E.J. Rodemaker, 86:411

Independent pixel approximation
A multi-spectral non-local method for retrieval of boundary layer cloud properties from optical remote sensing data, Hironobu Iwabuchi and Tadahiro Hayasaka, 88:294

Infrared
Fire radiative energy for quantitative study of biomass burning: derivation from the BIRD experimental satellite and comparison to MODIS fire products, M.J. Wooster, B. Zhukov, D. Oertel, 86:83

Infrared spectra
Outgoing longwave flux estimation: improvement of angular modelling using spectral information, N. Clerbaux, S. Dewitte, L. Gonzalez, C. Bertrand, B. Nicula, A. Ipe, 85:389

Insect detection
Sensitivity of the thematic mapper enhanced wetness difference index to detect mountain pine beetle red-attack damage, R.S. Skakun, M.A. Wulder, S.E. Franklin, 86:433

Interferometric coherence
Retrieving crop parameters based on tandem ERS 1/2 interferometric coherence images, Xavier Blaes and Pierre Defourny, 88:374

Interferometric SAR
Validation of surface height from shuttle radar topography mission using shuttle laser altimeter, G. Sun, K.J. Ranson, V.I. Kharuk and K. Kovacs, 88:401

Interferometry
Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data, W. Wagner, A. Luckman, J. Vietmeier, K. Tansey, H. Balzter, C. Schmullius, M. Davidson, D. Gaveau, M. Gluck, T. Le Toan, S. Quegan, A. Shvidenko, A. Wiesmann, J.J. Yu, 85:125
Assessing pre- and post-deformation in the southern Arava Valley segment of the Dead Sea Transform, Israel by differential interferometry, F. Sarti, Y. Arkin, J. Chorowicz, A. Karnieli, T. Cunha, 86:141
Mapping urban change in the UK using satellite radar interferometry, W.M.F. Grey, A.J. Luckman, D. Holland, 87:16

Intermountain West
Characterizing vertical forest structure using small-footprint airborne LiDAR, D.A. Zimble, D.L. Evans, G.C. Carlson, R.C. Parker, S.C. Grado, P.D. Gerard, 87:171

Invasive plants
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150

Inverse problem
Retrieval of canopy biophysical variables from bidirectional reflectance: Using prior information to solve the ill-posed inverse problem, B. Combal, F. Baret, M. Weiss, A. Trubuil, D. Macé, A. Pragnère, R. Myneni, Y. Knyazikhin, L. Wang, 84:1

Inversion
Retrieving leaf area index using a genetic algorithm with a canopy radiative transfer model, H. Fang, S. Liang, A. Kuusk, 85:257

Inversion algorithm
Mapping of Sahelian vegetation parameters from ERS scatterometer data with an evolution strategies algorithm, L. Jarlan, P. Mazzega, E. Mougin, F. Lavenu, G. Marty, P.L. Frison, P. Hiernaux, 87:72

IRS-P4
Comparison of chlorophyll distributions in the northeastern Arabian Sea and southern Bay of Bengal using IRS-P4 Ocean Color Monitor data, S. Dey, R.P. Singh, 85:424

Jeffries–Matusita distance
Spectral discrimination of vegetation types in a coastal wetland, K.S. Schmidt, A.K. Skidmore, 85:92

JERS-1
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

JERS-1 SAR
The coregistration, calibration, and interpretation of multi-season JERS-1 SAR data over South America, P. Siqueira, B. Chapman, G. McGarragh, 87:389

Joint Agency Commercial Imagery Evaluation team
The Joint Agency Commercial Imagery Evaluation team: overview and IKONOS joint characterization approach, Vicki Zanoni, Tom Stanley, Robert Ryan, Mary Pagnutti, Braxton Baldridge, Spencer Roylance, Greg Snyder and George Lee, 88:17

Jubata grass
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150

Kyoto Protocol
Remote sensing estimates of boreal and temperate forest woody biomass: carbon pools, sources, and sinks, J. Dong, R.K. Kaufmann, R.B. Myneni, C.J. Tucker, P.E. Kauppi, J. Liski, W. Buermann, V. Alexeyev, M.K. Hughes, 84:393

LAI
Effect of foliage spatial heterogeneity in the MODIS LAI and FPAR algorithm over broadleaf forests, N.V. Shabanov, Y. Wang, W. Buermann, J. Dong, S. Hoffman, G.R. Smith, Y. Tian, Y. Knyazikhin, R.B. Myneni, 85:410
Retrieval of leaf area index in different vegetation types using high resolution satellite data, R. Colombo, D. Bellingeri, D. Fasolini, C.M. Marino, 86:120
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542
An interpolation procedure for generalizing a look-up table inversion method, J.P. Gastellu-Etchegorry, F. Gascon, P. Estève, 87:55

Lake clarity
Extending satellite remote sensing to local scales: land and water resource monitoring using high-resolution imagery, Kali E. Sawaya, Leif G. Olmanson, Nathan J. Heinert, Patrick L. Brezonik and Marvin E. Bauer, 88:144

Land–atmosphere interaction
The impact of deforestation on cloud cover over the Amazon arc of deforestation, L. Durieux, L.A.T. Machado, H. Laurent, 86:132

Land cover
An assessment of the effectiveness of decision tree methods for land cover classification, M. Pal, P.M. Mather, 86:554
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551
IKONOS imagery for the Large Scale Biosphere–Atmosphere Experiment in Amazonia (LBA), George Hurtt, Xiangming Xiao, Michael Keller, Michael Palace, Gregory P. Asner, Rob Braswell, Eduardo S. Brondízio, Manoel Cardoso, Claudio J.R. Carvalho, Matthew G. Fearon, Liane Guild, Steve Hagen, Scott Hetrick, Berrien Moore III, Carlos Nobre, Jane M. Read, Tatiana Sá, Annette Schloss, George Vourlitis and Albertus J. Wickel, 88:111

Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products, Warren B. Cohen, Thomas K. Maiersperger, Zhiqiang Yang, Stith T. Gower, David P. Turner, William D. Ritts, Mercedes Berterretche and Steven W. Running, 88:233

Land cover analysis

Automatic land cover analysis for Tenerife by supervised classification using remotely sensed data, J. Keuchel, S. Naumann, M. Heiler, A. Siegmund, 86:530

Land-cover change

Statistical sampling to characterize recent United States land-cover change, S.V. Stehman, T.L. Sohl, T.R. Loveland, 86:517

Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507

Land cover changes

Urbanization pressure and modeling of urban growth: example of the Tunis Metropolitan Area, C. Weber, A. Puissant, 86:341

Land use

Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

IKONOS imagery for the Large Scale Biosphere–Atmosphere Experiment in Amazonia (LBA), George Hurtt, Xiangming Xiao, Michael Keller, Michael Palace, Gregory P. Asner, Rob Braswell, Eduardo S. Brondízio, Manoel Cardoso, Claudio J.R. Carvalho, Matthew G. Fearon, Liane Guild, Steve Hagen, Scott Hetrick, Berrien Moore III, Carlos Nobre, Jane M. Read, Tatiana Sá, Annette Schloss, George Vourlitis and Albertus J. Wickel, 88:111

Land use and land cover

A remote sensing/GIS-based physical template to understand the biogeochemistry of the Ji-Paraná river basin (Western Amazônia), M.V.R. Ballester, D.d.C. Victoria, A.V. Krusche, R. Coburn, R.L. Victoria, J.E. Richey, M.G. Logsdon, E. Mayorga, E. Matricardi, 87:429

Landforms

Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453

LANDSAT

Satellite and ground-based microclimate and hydrologic analyses coupled with a regional urban growth model, S.T. Arthur-Hartranft, T.N. Carlson, K.C. Clarke, 86:385

Landsat

Effects of urbanization on the aquatic fauna of the Line Creek watershed, Atlanta—a satellite perspective, R.R. Gillies, J. Brim Box, J. Symanzik, E.J. Rodemaker, 86:411

Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands, P. Hostert, A. Röder, J. Hill, 87:183

Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507

Multi-site evaluation of IKONOS data for classification of tropical coral reef environments, Serge Andréfouët, Philip Kramer, Damaris Torres-Pulliza, Karen E. Joyce, Eric J. Hochberg, Rodrigo Garza-Pérez, Peter J. Mumby, Bernhard Riegl, Hiroya Yamano, William H. White, Mayalen Zubia, John C. Brock, Stuart R. Phinn, Abdulla Naseer, Bruce G. Hatcher and Frank E. Muller-Karger, 88:128

Use of IKONOS and Landsat for malaria control in the Republic of Korea, Penny M. Masuoka, David M. Claborn, Richard G. Andre, Joseph Nigro, Scott W. Gordon, Terry A. Klein and Hung-Chol Kim, 88:187

Landsat 7

National Park vegetation mapping using multitemporal Landsat 7 data and a decision tree classifier, E.C. Brown de Colstoun, M.H. Story, C. Thompson, K. Commisso, T.G. Smith, J.R. Irons, 85:316

Comparison of aerial video and Landsat 7 data over ponded sea ice, T. Markus, D.J. Cavalieri, M.A. Tschudi, A. Ivanoff, 86:458

Comparing MODIS and ETM+ data for regional and global land classification, J.C. Price, 86:491

Empirical comparison of Landsat 7 and IKONOS multispectral measurements for selected Earth Observation System (EOS) validation sites, Samuel N. Goward, Paul E. Davis, David Fleming, Lee Miller and John R. Townshend, 88:80

Landsat ETM+

An improved strategy for regression of biophysical variables and Landsat ETM+ data, W.B. Cohen, T.K. Maiersperger, S.T. Gower, D.P. Turner, 84:561

Landsat MSS/TM

Monitoring vegetation changes in Pasvik (Norway) and Pechenga in Kola Peninsula (Russia) using multitemporal Landsat MSS/TM data, H. Tømmervik, K.A. Høgda, I. Solheim, 85:370

Landsat TM data

Predictive relations of tropical forest biomass from Landsat TM data and their transferability between regions, G.M. Foody, D.S. Boyd, M.E.J. Cutler, 85:463

Landsat-7
Retrieving leaf area index using a genetic algorithm with a canopy radiative transfer model, H. Fang, S. Liang, A. Kuusk, 85:257

Landsat-7 ETM+ image
Mapping land cover change in a reindeer herding area of the Russian Arctic using Landsat TM and ETM+ imagery and indigenous knowledge, W.G. Rees, M. Williams, P. Vitebsky, 85:441

Landscape degradation
The use of time-integrated NOAA NDVI data and rainfall to assess landscape degradation in the arid shrubland of Western Australia, A.McR. Holm, S.W. Cridland, M.L. Roderick, 85:145

Land-use change
Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507

Large-Scale Biosphere–Atmosphere
The coregistration, calibration, and interpretation of multi-season JERS-1 SAR data over South America, P. Siqueira, B. Chapman, G. McGarragh, 87:389

Laser altimeter profile
Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453

Laser-induced fluorescence imaging (LIFI)
Comparison of two hyperspectral imaging and two laser-induced fluorescence instruments for the detection of zinc stress and chlorophyll concentration in bahia grass (*Paspalum notatum* Flugge.), A.C. Schuerger, G.A. Capelle, J.A. Di Benedetto, C. Mao, C.N. Thai, M.D. Evans, J.T. Richards, T.A. Blank, E.C. Stryjewski, 84:572

Laser-induced fluorescence spectroscopy (LIFS)
Comparison of two hyperspectral imaging and two laser-induced fluorescence instruments for the detection of zinc stress and chlorophyll concentration in bahia grass (*Paspalum notatum* Flugge.), A.C. Schuerger, G.A. Capelle, J.A. Di Benedetto, C. Mao, C.N. Thai, M.D. Evans, J.T. Richards, T.A. Blank, E.C. Stryjewski, 84:572

LBA
Studies of land-cover, land-use, and biophysical properties of vegetation in the Large Scale Biosphere Atmosphere experiment in Amazônia, D.A. Roberts, M. Keller, J.V. Soares, 87:377
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404
IKONOS imagery for the Large Scale Biosphere–Atmosphere Experiment in Amazonia (LBA), George Hurtt, Xiangming Xiao, Michael Keller, Michael Palace, Gregory P. Asner, Rob Braswell, Eduardo S. Brondízio, Manoel Cardoso, Claudio J.R. Carvalho, Matthew G. Fearon, Liane Guild, Steve Hagen, Scott Hetrick, Berrien Moore III, Carlos Nobre, Jane M. Read, Tatiana Sá, Annette Schloss, George Vourlitis and Albertus J. Wickel, 88:111

LBA-Ecology
Seasonal landscape and spectral vegetation index dynamics in the Brazilian Cerrado: An analysis within the Large-Scale Biosphere–Atmosphere Experiment in Amazônia (LBA), L.G. Ferreira, H. Yoshioka, A. Huete, E.E. Sano, 87:534

L-band
Retrieving surface soil moisture over a wheat field: Comparison of different methods, M. Pardé, J.-P. Wigneron, A. Chanzy, P. Waldteufel, Y. Kerr, S. Huet, 87:334

Leaf area index
Retrieving leaf area index using a genetic algorithm with a canopy radiative transfer model, H. Fang, S. Liang, A. Kuusk, 85:257
Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products, Warren B. Cohen, Thomas K. Maiersperger, Zhiqiang Yang, Stith T. Gower, David P. Turner, William D. Ritts, Mercedes Berterretche and Steven W. Running, 88:233
A method to account for shoot scale clumping in coniferous canopy reflectance models, Sampo Smolander and Pauline Stenberg, 88:363

Leaf fuel moisture
Water content estimation in vegetation with MODIS reflectance data and model inversion methods, P.J. Zarco-Tejada, C.A. Rueda, S.L. Ustin, 85:109

Learning community
Remote sensing applications for precision agriculture: A learning community approach, Santhosh K. Seelan, Soizik Laguette, Grant M. Casady, George A. Seielstad, 88:157

LIDAR
An evaluation of LIDAR- and IFSAR-derived digital elevation models in leaf-on conditions with USGS Level 1 and Level 2 DEMs, M.E. Hodgson, J.R. Jensen, L. Schmidt, S. Schill, B. Davis, 84:295

Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

LiDAR
Characterizing vertical forest structure using small-footprint airborne LiDAR, D.A. Zimble, D.L. Evans, G.C. Carlson, R.C. Parker, S.C. Grado, P.D. Gerard, 87:171

LIDAR data
Utilizing DEMs derived from LIDAR data to analyze morphologic change in the North Carolina coastline, S.A. White, Y. Wang, 85:39

Lidar waveform
Validation of surface height from shuttle radar topography mission using shuttle laser altimeter, G. Sun, K.J. Ranson, V.I. Kharuk and K. Kovacs, 88:401

Light use efficiency
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256

Linear mixture model
Linear mixture model applied to Amazonian vegetation classification, D. Lu, E. Moran, M. Batistella, 87:456

Linear mixture modelling
Mapping intertidal estuarine sediment grain size distributions through airborne remote sensing, M.P. Rainey, A.N. Tyler, D.J. Gilvear, R.G. Bryant, P. McDonald, 86:480

Live fuel moisture
Modeling seasonal changes in live fuel moisture and equivalent water thickness using a cumulative water balance index, Philip E. Dennison, Dar A. Roberts, Sommer R. Thorgusen, Jon C. Regelbrugge, David Weise and Christopher Lee, 88:442

Livestock management
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477

Local forcing
Seasonal SST patterns along the West India shelf inferred from AVHRR, A.J. Luis, H. Kawamura, 86:206

Long-term monitoring
Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands, P. Hostert, A. Röder, J. Hill, 87:183

Lookup table
Retrieval of canopy biophysical variables from bidirectional reflectance: Using prior information to solve the ill-posed inverse problem, B. Combal, F. Baret, M. Weiss, A. Trubuil, D. Macé, A. Pragnère, R. Myneni, Y. Knyazikhin, L. Wang, 84:1

Malaria control
Use of IKONOS and Landsat for malaria control in the Republic of Korea, Penny M. Masuoka, David M. Claborn, Richard G. Andre, Joseph Nigro, Scott W. Gordon, Terry A. Klein and Hung-Chol Kim, 88:187

Map accuracy
Updating cover type maps using sequential indicator simulation, S. Magnussen, S. de Bruin, 87:161

Mapping
Retrieval of subpixel snow-covered area and grain size from imaging spectrometer data, T.H. Painter, J. Dozier, D.A. Roberts, R.E. Davis, R.O. Green, 85:64
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150
Consideration of the errors inherent in mapping historical glacier positions in Austria from the ground and space (1893–2001), D.K. Hall, K.J. Bayr, W. Schöner, R.A. Bindschadler, J.Y.L. Chien, 86:566
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Maximum likelihood
Updating cover type maps using sequential indicator simulation, S. Magnussen, S. de Bruin, 87:161

Mead Peak Member
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Mediterranean areas
Use of NOAA-AVHRR NDVI images for the estimation of dynamic fire risk in Mediterranean areas, F. Maselli, S. Romanelli, L. Bottai, G. Zipoli, 86:187

Meteosat
The use of Meteosat and GMS imagery to detect burned areas in tropical environments, L. Boschetti, P.A. Brivio, J.M. Gregoire, 85:78

Methane emission
Estimation of methane emission from West Siberian wetland by scaling technique between NOAA AVHRR and SPOT HRV, W. Takeuchi, M. Tamura, Y. Yasuoka, 85:21

Metrics
Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series, M.J. Hill, G.E. Donald, 84:367

Microwave
Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1
A simple retrieval method for land surface temperature and fraction of water surface determination from satellite microwave brightness temperatures in sub-arctic areas, M. Fily, A. Royer, K. Goïta, C. Prigent, 85:328
Retrieving near-surface soil moisture from microwave radiometric observations: current status and future plans, J.-P. Wigneron, J.-C. Calvet, T. Pellarin, A.A. Van de Griend, M. Berger, P. Ferrazzoli, 85:489

Mid-Atlantic region
IKONOS imagery for resource management: Tree cover, impervious surfaces, and riparian buffer analyses in the mid-Atlantic region, Scott J. Goetz, Robb K. Wright, Andrew J. Smith, Elizabeth Zinecker and Erika Schaub, 88:195

Mine waste
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Mineral mapping
SEBASS hyperspectral thermal infrared data: surface emissivity measurement and mineral mapping, R.G. Vaughan, W.M. Calvin, J.V. Taranik, 85:48

MIR
Near concurrent MIR, SSM/T-2, and SSM/I observations over snow-covered surfaces, J.R. Wang, W. Manning, 84:457

MISR
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Performance of the MISR LAI and FPAR algorithm: a case study in Africa, Jiannan Hu, Bin Tan, Nikolay Shabanov, Kathleen A. Crean, John V. Martonchik, David J. Diner, Yuri Knyazikhin and Ranga B. Myneni, 88:324

Mississippi River
Bio-optical properties in waters influenced by the Mississippi River during low flow conditions, E.J. D'Sa, R.L. Miller, 84:538

Mixed forest
A regional phenology model for detecting onset of greenness in temperate mixed forests, Korea: an application of MODIS leaf area index, S. Kang, S.W. Running, J.-H. Lim, M. Zhao, C.-R. Park, R. Loehman, 86:232

Mixture models
Mapping forest degradation in the Eastern Amazon from SPOT 4 through spectral mixture models, C. Souza Jr., L. Firestone, L.M. Silva, D. Roberts, 87:494

Model inversion
Water content estimation in vegetation with MODIS reflectance data and model inversion methods, P.J. Zarco-Tejada, C.A. Rueda, S.L. Ustin, 85:109

Modelling
Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1
Microwave remote sensing of physically buried objects in the Negev Desert: implications for environmental research, J. Daniels, D.G. Blumberg, L.D. Vulfson, A.L. Kotlyar, V. Freiliker, G. Ronen, J. Ben-Asher, 86:243
The spatiotemporal form of urban growth: measurement, analysis and modeling, M. Herold, N.C. Goldstein, K.C. Clarke, 86:286
Satellite and ground-based microclimate and hydrologic analyses coupled with a regional urban growth model, S.T. Arthur-Hartranft, T.N. Carlson, K.C. Clarke, 86:385

MODIS
Monitoring vegetation phenology using MODIS, X. Zhang, M.A. Friedl, C.B. Schaaf, A.H. Strahler, J.C.F. Hodges, F. Gao, B.C. Reed, A. Huete, 84:471
Water content estimation in vegetation with MODIS reflectance data and model inversion methods, P.J. Zarco-Tejada, C.A. Rueda, S.L. Ustin, 85:109
Effect of foliage spatial heterogeneity in the MODIS LAI and FPAR algorithm over broadleaf forests, N.V. Shabanov, Y. Wang, W. Buermann, J. Dong, S. Hoffman, G.R. Smith, Y. Tian, Y. Knyazikhin, R.B. Myneni, 85:410
Fire radiative energy for quantitative study of biomass burning: derivation from the BIRD experimental satellite and comparison to MODIS fire products, M.J. Wooster, B. Zhukov, D. Oertel, 86:83

A regional phenology model for detecting onset of greenness in temperate mixed forests, Korea: an application of MODIS leaf area index, S. Kang, S.W. Running, J.-H. Lim, M. Zhao, C.-R. Park, R. Loehman, 86:232
Assessing the impact of urban land development on net primary productivity in the southeastern United States, C. Milesi, C.D. Elvidge, R.R. Nemani, S.W. Running, 86:401
Comparing MODIS and ETM+ data for regional and global land classification, J.C. Price, 86:491
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
An Enhanced Contextual Fire Detection Algorithm for MODIS, L. Giglio, J. Descloitres, C.O. Justice, Y.J. Kaufman, 87:273
High spatial resolution satellite observations for validation of MODIS land products: IKONOS observations acquired under the NASA Scientific Data Purchase, Jeffrey T. Morisette, Jaime E. Nickeson, Paul Davis, Yujie Wang, Yuhong Tian, Curtis E. Woodcock, Nikolay Shabanov, Matthew Hansen, Warren B. Cohen, Doug R. Oetter and Robert E. Kennedy, 88:100
Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products, Warren B. Cohen, Thomas K. Maiersperger, Zhiqiang Yang, Stith T. Gower, David P. Turner, William D. Ritts, Mercedes Berterretche and Steven W. Running, 88:233
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256
Snow-cover mapping in forests by constrained linear spectral unmixing of MODIS data, Dagrun Vikhamar and Rune Solberg, 88:309

MODIS satellite data

Derivation of a shortwave infrared water stress index from MODIS near- and shortwave infrared data in a semiarid environment, R. Fensholt, I. Sandholt, 87:111

MODTRAN

A simple and fast atmospheric correction for spaceborne remote sensing of surface temperature, A.N. French, J.M. Norman, M.C. Anderson, 87:326

Modulation Transfer Function

IKONOS spatial resolution and image interpretability characterization, Robert Ryan, Braxton Baldridge, Robert A. Schowengerdt, Taeyoung Choi, Dennis L. Helder and Slawomir Blonski, 88:37

Mongolian steppe

Response of seasonal vegetation development to climatic variations in eastern central Asia, F. Yu, K.P. Price, J. Ellis, P. Shi, 87:42

Monitoring

Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1
The use of time-integrated NOAA NDVI data and rainfall to assess landscape degradation in the arid shrubland of Western Australia, A.McR. Holm, S.W. Cridland, M.L. Roderick, 85:145
Monitoring vegetation changes in Pasvik (Norway) and Pechenga in Kola Peninsula (Russia) using multitemporal Landsat MSS/TM data, H. Tømmervik, K.A. Høgda, I. Solheim, 85:370
A comparison of three approaches for predicting C4 species cover of northern mixed grass prairie, A. Davidson, F. Csillag, 86:70
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Monospecific culture

Spectrometric constraint in analysis of benthic diatom biomass using monospecific cultures, V. Méléder, L. Barillé, P. Launeau, V. Carrère and Y. Rincé, 88:386

Monsoons

Seasonal SST patterns along the West India shelf inferred from AVHRR, A.J. Luis, H. Kawamura, 86:206

Monte Carlo modelling

A method to account for shoot scale clumping in coniferous canopy reflectance models, Sampo Smolander and Pauline Stenberg, 88:363

Morphologic change

Utilizing DEMs derived from LIDAR data to analyze morphologic change in the North Carolina coastline, S.A. White, Y. Wang, 85:39

Mount Adams

Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data, J.K. Crowley, B.E. Hubbard, J.C. Mars, 87:345

Mount Rainier

Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data, J.K. Crowley, B.E. Hubbard, J.C. Mars, 87:345

Mount Shasta
Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data, J.K. Crowley, B.E. Hubbard, J.C. Mars, 87:345

Mt. Rainier
Spatial relationships between snow contaminant content, grain size, and surface temperature from multispectral images of Mt. Rainier, Washington (USA), J.E. Kay, A.R. Gillespie, G.B. Hansen, E.C. Pettit, 86:216

Multiangle
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243

Multiangular airborne imagery
Canopy attributes of desert grassland and transition communities derived from multiangular airborne imagery, M.J. Chopping, A. Rango, K.M. Havstad, F.R. Schiebe, J.C. Ritchie, T.J. Schmugge, A.N. French, L. Su, L. McKee, M.R. Davis, 85:339

Multi-angular optical remote sensing
Multi-angular optical remote sensing for assessing vegetation structure and carbon absorption, J.M. Chen, J. Liu, S.G. Leblanc, R. Lacaze, J.-L. Roujean, 84:516

Multi-scale pattern analysis
Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453

Multispectral
Spatial relationships between snow contaminant content, grain size, and surface temperature from multispectral images of Mt. Rainier, Washington (USA), J.E. Kay, A.R. Gillespie, G.B. Hansen, E.C. Pettit, 86:216
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Multispectral imagery
Radiometric characterization of IKONOS multispectral imagery, Mary Pagnutti, Robert E. Ryan, Michelle Kelly, Kara Holekamp, Vicki Zanoni, Kurtis Thome and Stephen Schiller, 88:53

Multi-spectral non-local
A multi-spectral non-local method for retrieval of boundary layer cloud properties from optical remote sensing data, Hironobu Iwabuchi and Tadahiro Hayasaka, 88:294

Multitemporal analyses
Two years of operational use of Subpixel Automatic Navigation of AVHRR scheme: accuracy assessment and validation, N. Pergola, V. Tramutoli, 85:190

Mussels
Effects of urbanization on the aquatic fauna of the Line Creek watershed, Atlanta—a satellite perspective, R.R. Gillies, J. Brim Box, J. Symanzik, E.J. Rodemaker, 86:411

NASA
High spatial resolution satellite observations for validation of MODIS land products: IKONOS observations acquired under the NASA Scientific Data Purchase, Jeffrey T. Morisette, Jaime E. Nickeson, Paul Davis, Yujie Wang, Yuhong Tian, Curtis E. Woodcock, Nikolay Shabanov, Matthew Hansen, Warren B. Cohen, Doug R. Oetter and Robert E. Kennedy, 88:100

National Imagery Interpretability Rating Scale
IKONOS spatial resolution and image interpretability characterization, Robert Ryan, Braxton Baldridge, Robert A. Schowengerdt, Taeyoung Choi, Dennis L. Helder and Slawomir Blonski, 88:37

National Land-Cover Data
Thematic accuracy of the 1992 National Land-Cover Data for the eastern United States: Statistical methodology and regional results, S.V. Stehman, J.D. Wickham, J.H. Smith, L. Yang, 86:500

National Park
National Park vegetation mapping using multitemporal Landsat 7 data and a decision tree classifier, E.C. Brown de Colstoun, M.H. Story, C. Thompson, K. Commisso, T.G. Smith, J.R. Irons, 85:316

NDVI
Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series, M.J. Hill, G.E. Donald, 84:367
Remote sensing estimates of boreal and temperate forest woody biomass: carbon pools, sources, and sinks, J. Dong, R.K. Kaufmann, R.B. Myneni, C.J. Tucker, P.E. Kauppi, J. Liski, W. Buermann, V. Alexeyev, M.K. Hughes, 84:393
Calibration of remotely sensed, coarse resolution NDVI to CO_2 fluxes in a sagebrush–steppe ecosystem, B.K. Wylie, D.A. Johnson, E. Laca, N.Z. Saliendra, T.G. Gilmanov, B.C. Reed, L.L. Tieszen, B.B. Worstell, 85:243

Decomposition of vegetation cover into woody and herbaceous components using AVHRR NDVI time series, H. Lu, M.R. Raupach, T.R. McVicar, D.J. Barrett, 86:1
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

Near real time data delivery
Remote sensing applications for precision agriculture: A learning community approach, Santhosh K. Seelan, Soizik Laguette, Grant M. Casady, George A. Seielstad, 88:157

Near-surface soil moisture
Retrieving near-surface soil moisture from microwave radiometric observations: current status and future plans, J.-P. Wigneron, J.-C. Calvet, T. Pellarin, A.A. Van de Griend, M. Berger, P. Ferrazzoli, 85:489

Nenets Autonomous Okrug
Mapping land cover change in a reindeer herding area of the Russian Arctic using Landsat TM and ETM+ imagery and indigenous knowledge, W.G. Rees, M. Williams, P. Vitebsky, 85:441

Net primary productivity
Assessing the impact of urban land development on net primary productivity in the southeastern United States, C. Milesi, C.D. Elvidge, R.R. Nemani, S.W. Running, 86:401

Network
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243

Neural network
Retrieval of canopy biophysical variables from bidirectional reflectance: Using prior information to solve the ill-posed inverse problem, B. Combal, F. Baret, M. Weiss, A. Trubuil, D. Macé, A. Pragnère, R. Myneni, Y. Knyazikhin, L. Wang, 84:1

Neural networks
Automatic neural classification of ocean colour reflectance spectra at the top of the atmosphere with introduction of expert knowledge, A. Niang, L. Gross, S. Thiria, F. Badran, C. Moulin, 86:257

Nighttime satellite imagery
A scale-adjusted measure of "Urban sprawl" using nighttime satellite imagery, P.C. Sutton, 86:353

Nitrogen
Fluorescence sensing systems: In vivo detection of biophysical variations in field corn due to nitrogen supply, L.A. Corp, J.E. McMurtrey, E.M. Middleton, C.L. Mulchi, E.W. Chappelle, C.S.T. Daughtry, 86:470
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

NOAA-AVHRR
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

NOAA-AVHRR NDVI images
Use of NOAA-AVHRR NDVI images for the estimation of dynamic fire risk in Mediterranean areas, F. Maselli, S. Romanelli, L. Bottai, G. Zipoli, 86:187

NOAA NDVI
The use of time-integrated NOAA NDVI data and rainfall to assess landscape degradation in the arid shrubland of Western Australia, A.McR. Holm, S.W. Cridland, M.L. Roderick, 85:145

Nonnative plants
Mapping nonnative plants using hyperspectral imagery, E. Underwood, S. Ustin, D. DiPietro, 86:150

Nonphotosynthetic vegetation
Mapping forest degradation in the Eastern Amazon from SPOT 4 through spectral mixture models, C. Souza Jr., L. Firestone, L.M. Silva, D. Roberts, 87:494

Normalised difference vegetation index
Geographical weighting as a further refinement to regression modelling: An example focused on the NDVI–rainfall relationship, G.M. Foody, 88:283

Northern Asia
Sensitivity of vegetation indices to atmospheric aerosols: continental-scale observations in Northern Asia, X. Xiao, B. Braswell, Q. Zhang, S. Boles, S. Frolking, B. Moore III, 84:385

Nuclear power station
AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China, D. Tang, D.R. Kester, Z. Wang, J. Lian, H. Kawamura, 84:506

Ocean color
Correction of artifacts in the SeaWiFS atmospheric correction: removing discontinuity in the derived products, M. Wang, 84:603

Ocean colour
Automatic neural classification of ocean colour reflectance spectra at the top of the atmosphere with introduction of expert knowledge, A. Niang, L. Gross, S. Thiria, F. Badran, C. Moulin, 86:257

Ocean currents
Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface, C.G. Gelpi, K.E. Norris, 87:99

Oceanography
Mediterranean Balloon Experiment: ocean wind speed sensing from the stratosphere, using GPS reflections, Estel Cardellach, Giulio Ruffini, David Pino, Antonio Rius, Attila Komjathy and James L. Garrison, 88:351

OCM
Comparison of chlorophyll distributions in the northeastern Arabian Sea and southern Bay of Bengal using IRS-P4 Ocean Color Monitor data, S. Dey, R.P. Singh, 85:424

Onset of greenness
A regional phenology model for detecting onset of greenness in temperate mixed forests, Korea: an application of MODIS leaf area index, S. Kang, S.W. Running, J.-H. Lim, M. Zhao, C.-R. Park, R. Loehman, 86:232

Optical thickness
Comparisons of the mineral dust optical thickness retrieved from Geostationary Meteorological Satellite with ground-based radiometer measurements, K. Masuda, Y. Mano, H. Ishimoto, M. Tokuno, Y. Yoshizaki, N. Okawara, R. Yamagiwa, A. Uchiyama, A. Yamazaki, Y. Tsutsumi, 85:484

OrbView-3
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Panchromatic
IKONOS satellite, imagery, and products, Gene Dial, Howard Bowen, Frank Gerlach, Jacek Grodecki and Rick Oleszczuk, 88:23

Parameterization
A new parameterization of canopy spectral response to incident solar radiation: case study with hyperspectral data from pine dominant forest, Y. Wang, W. Buermann, P. Stenberg, H. Smolander, T. Häme, Y. Tian, J. Hu, Y. Knyazikhin, R.B. Myneni, 85:304

Park City
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Passive microwave
A comparison of 18 winter seasons of in situ and passive microwave-derived snow water equivalent estimates in Western Canada, C. Derksen, A. Walker and B. Goodison, 88:271

Pasture chronosequence
Relationships among soil fertility dynamics and remotely sensed measures across pasture chronosequences in Rondônia, Brazil, I. Numata, J.V. Soares, D.A. Roberts, F.C. Leonidas, O.A. Chadwick, G.T. Batista, 87:446

Pasture
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

P-band SAR data
Airborne P-band SAR applied to the aboveground biomass studies in the Brazilian tropical rainforest, J.R. Santos, C.C. Freitas, L.S. Araujo, L.V. Dutra, J.C. Mura, F.F. Gama, L.S. Soler, S.J.S. Sant'Anna, 87:482

Phenology
A regional phenology model for detecting onset of greenness in temperate mixed forests, Korea: an application of MODIS leaf area index, S. Kang, S.W. Running, J.-H. Lim, M. Zhao, C.-R. Park, R. Loehman, 86:232

Phosphate
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Phosphoria
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Phosphorite
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Photosynthetic tissue area
Estimation of vegetation water content and photosynthetic tissue area from spectral reflectance: a comparison of indices based on liquid water and chlorophyll absorption features, D.A. Sims, J.A. Gamon, 84:526

Phytoplankton
Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea, D. Tang, H. Kawamura, M.-A. Lee, T. Van Dien, 85:475

Pigments
Spectrometric constraint in analysis of benthic diatom biomass using monospecific cultures, V. Méléder, L. Barillé, P. Launeau, V. Carrère and Y. Rincé, 88:386

Plant nutrients
Can phytoplankton community structure be inferred from satellite-derived sea surface temperature anomalies calculated relative to nitrate depletion temperatures?, D. Kamykowski, S.-J. Zentara, 86:444

Plant water content
Validation of a hyperspectral curve-fitting model for the estimation of plant water content of agricultural canopies, C.M. Champagne, K. Staenz, A. Bannari, H. McNairn, J.-C. Deguise, 87:148

PLS
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

Polarization
The polarized emissivity of a wind-roughened sea surface: A Monte Carlo model, Bradley G. Henderson, James Theiler and Pierre Villeneuve, 88:453

POLDER BRDF measurements
Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurements: I. Data quality control and accumulation of information corresponding to the IGBP land cover classes, I. Pokrovsky, O. Pokrovsky, J.-L. Roujean, 87:198

Ponded sea ice
Comparison of aerial video and Landsat 7 data over ponded sea ice, T. Markus, D.J. Cavalieri, M.A. Tschudi, A. Ivanoff, 86:458

Poststratification
Statistical sampling to characterize recent United States land-cover change, S.V. Stehman, T.L. Sohl, T.R. Loveland, 86:517

Potential model
Urbanization pressure and modeling of urban growth: example of the Tunis Metropolitan Area, C. Weber, A. Puissant, 86:341

Precipitation
Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices, L. Ji, A.J. Peters, 87:85

Precision
Statistical sampling to characterize recent United States land-cover change, S.V. Stehman, T.L. Sohl, T.R. Loveland, 86:517

Precision agriculture
Fluorescence sensing systems: In vivo detection of biophysical variations in field corn due to nitrogen supply, L.A. Corp, J.E. McMurtrey, E.M. Middleton, C.L. Mulchi, E.W. Chappelle, C.S.T. Daughtry, 86:470
Remote sensing applications for precision agriculture: A learning community approach, Santhosh K. Seelan, Soizik Laguette, Grant M. Casady, George A. Seielstad, 88:157

Prediction
A comparison of three approaches for predicting C4 species cover of northern mixed grass prairie, A. Davidson, F. Csillag, 86:70

Prediction error
Updating cover type maps using sequential indicator simulation, S. Magnussen, S. de Bruin, 87:161

Primary production
Calibration of remotely sensed, coarse resolution NDVI to CO_2 fluxes in a sagebrush–steppe ecosystem, B.K. Wylie, D.A. Johnson, E. Laca, N.Z. Saliendra, T.G. Gilmanov, B.C. Reed, L.L. Tieszen, B.B. Worstell, 85:243

Principle components
Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*), C.H. Koger, L.M. Bruce, D.R. Shaw, K.N. Reddy, 86:108

Prior information
Retrieval of canopy biophysical variables from bidirectional reflectance: Using prior information to solve the ill-posed inverse problem, B. Combal, F. Baret, M. Weiss, A. Trubuil, D. Macé, A. Pragnère, R. Myneni, Y. Knyazikhin, L. Wang, 84:1

Productivity
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Quantitative remote sensing
A spectral reflectance-based approach to quantification of grassland cover from Landsat TM imagery, Y. Zha, J. Gao, S. Ni, Y. Liu, J. Jiang, Y. Wei, 87:371

Quasi-Newton
Retrieval of canopy biophysical variables from bidirectional reflectance: Using prior information to solve the ill-posed inverse problem, B. Combal, F. Baret, M. Weiss, A. Trubuil, D. Macé, A. Pragnère, R. Myneni, Y. Knyazikhin, L. Wang, 84:1

QuickBird
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Radar
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Mapping urban change in the UK using satellite radar interferometry, W.M.F. Grey, A.J. Luckman, D. Holland, 87:16
Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface, C.G. Gelpi, K.E. Norris, 87:99
Government programs for research and operational uses of commercial remote sensing data, Ronald J. Birk, Thomas Stanley, Gregory I. Snyder, Thomas A. Hennig, Matthew M. Fladeland and Fritz Policelli, 88:3

Radar altimeter
Use of the Topex–Poseidon dual-frequency radar altimeter over land surfaces, F. Papa, B. Legrésy, F. Rémy, 87:136

Radar interferometry
Feasibility of multi-temporal interferometric SAR data for stand-level estimation of boreal forest stem volume, J. Pulliainen, M. Engdahl, M. Hallikainen, 85:397

Radar methods
Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface, C.G. Gelpi, K.E. Norris, 87:99

Radiative temperature map
Satellite-measured growth of the urban heat island of Houston, Texas, D.R. Streutker, 85:282

Radiative transfer
Water content estimation in vegetation with MODIS reflectance data and model inversion methods, P.J. Zarco-Tejada, C.A. Rueda, S.L. Ustin, 85:109
Spectral reflectance of coral reef bottom-types worldwide and implications for coral reef remote sensing, E.J. Hochberg, M.J. Atkinson, S. Andréfouët, 85:159
Retrieving leaf area index using a genetic algorithm with a canopy radiative transfer model, H. Fang, S. Liang, A. Kuusk, 85:257

Radiative transfer models
A method to account for shoot scale clumping in coniferous canopy reflectance models, Sampo Smolander and Pauline Stenberg, 88:363

Radiometric
Retrieving near-surface soil moisture from microwave radiometric observations: current status and future plans, J.-P. Wigneron, J.-C. Calvet, T. Pellarin, A.A. Van de Griend, M. Berger, P. Ferrazzoli, 85:489

Radiometric surface
Estimating subpixel surface temperatures and energy fluxes from the vegetation index–radiometric temperature relationship, W.P. Kustas, J.M. Norman, M.C. Anderson, A.N. French, 85:429

Rainfall
Derivation of a shortwave infrared water stress index from MODIS near- and shortwave infrared data in a semiarid environment, R. Fensholt, I. Sandholt, 87:111
Geographical weighting as a further refinement to regression modelling: An example focused on the NDVI–rainfall relationship, G.M. Foody, 88:283

Rangelands
Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands, P. Hostert, A. Röder, J. Hill, 87:183

Reciprocity
Generalizing the definition of the bi-directional reflectance distribution function, Larry Di Girolamo, 88:479

Red-attack damage
Sensitivity of the thematic mapper enhanced wetness difference index to detect mountain pine beetle red-attack damage, R.S. Skakun, M.A. Wulder, S.E. Franklin, 86:433

Reflectance
Water content estimation in vegetation with MODIS reflectance data and model inversion methods, P.J. Zarco-Tejada, C.A. Rueda, S.L. Ustin, 85:109
Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra, E.J. Hochberg, M.J. Atkinson, 85:174
Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*), C.H. Koger, L.M. Bruce, D.R. Shaw, K.N. Reddy, 86:108
Assimilation method to derive spectral ground reflectance of desert sites from satellite datasets, C. Miesch, F. Cabot, X. Briottet, P. Henry, 87:359

Regression analysis
An improved strategy for regression of biophysical variables and Landsat ETM+ data, W.B. Cohen, T.K. Maiersperger, S.T. Gower, D.P. Turner, 84:561
Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices, L. Ji, A.J. Peters, 87:85

Regression modelling
Geographical weighting as a further refinement to regression modelling: An example focused on the NDVI–rainfall relationship, G.M. Foody, 88:283

Reindeer-herding areas
Mapping land cover change in a reindeer herding area of the Russian Arctic using Landsat TM and ETM+ imagery and indigenous knowledge, W.G. Rees, M. Williams, P. Vitebsky, 85:441

Remote sensing
Lithologic mapping in the Mountain Pass, California area using Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) data, L.C. Rowan, J.C. Mars, 84:350
Remote sensing estimates of boreal and temperate forest woody biomass: carbon pools, sources, and sinks, J. Dong, R.K. Kaufmann, R.B. Myneni, C.J. Tucker, P.E. Kauppi, J. Liski, W. Buermann, V. Alexeyev, M.K. Hughes, 84:393
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422
Mapping vegetation in Yellowstone National Park using spectral feature analysis of AVIRIS data, R.F. Kokaly, D.G. Despain, R.N. Clark, K.E. Livo, 84:437
Monitoring vegetation phenology using MODIS, X. Zhang, M.A. Friedl, C.B. Schaaf, A.H. Strahler, J.C.F. Hodges, F. Gao, B.C. Reed, A. Huete, 84:471
AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China, D. Tang, D.R. Kester, Z. Wang, J. Lian, H. Kawamura, 84:506
Correction of artifacts in the SeaWiFS atmospheric correction: removing discontinuity in the derived products, M. Wang, 84:603
Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1
The use of time-integrated NOAA NDVI data and rainfall to assess landscape degradation in the arid shrubland of Western Australia, A.McR. Holm, S.W. Cridland, M.L. Roderick, 85:145
Spectral reflectance of coral reef bottom-types worldwide and implications for coral reef remote sensing, E.J. Hochberg M.J. Atkinson, S. Andréfouët, 85:159
Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra, E.J. Hochberg, M.J. Atkinson, 85:174
Satellite-measured growth of the urban heat island of Houston, Texas, D.R. Streutker, 85:282
A simple retrieval method for land surface temperature and fraction of water surface determination from satellite microwave brightness temperatures in sub-arctic areas, M. Fily, A. Royer, K. Goïta, C. Prigent, 85:328
Predictive relations of tropical forest biomass from Landsat TM data and their transferability between regions, G.M. Foody, D.S. Boyd, M.E.J. Cutler, 85:463
Remote sensing of aerosols optical thickness over various sites using SeaWiFS or VEGETATION and ground measurements, R. Borde, J. Verdebout, 86:42
Validation of daily MODIS snow cover maps of the Upper Rio Grande River Basin for the 2000–2001 snow year, A.G. Klein, A.C. Barnett, 86:162
Microwave remote sensing of physically buried objects in the Negev Desert: implications for environmental research, J. Daniels, D.G. Blumberg, L.D. Vulfson, A.L. Kotlyar, V. Freiliker, G. Ronen, J. Ben-Asher, 86:243
Automatic neural classification of ocean colour reflectance spectra at the top of the atmosphere with introduction of expert knowledge, A. Niang, L. Gross, S. Thiria, F. Badran, C. Moulin, 86:257
Evaluating environmental influences of zoning in urban ecosystems with remote sensing, J.S. Wilson, M. Clay, E. Martin, D. Stuckey, K. Vedder-Risch, 86:303
Thermal remote sensing of urban climates, J.A. Voogt, T.R. Oke, 86:370
Solar energy assessment using remote sensing technologies, A. Hammer, D. Heinemann, C. Hoyer, R. Kuhlemann, E. Lorenz, R. Müller, H.G. Beyer, 86:423
Can phytoplankton community structure be inferred from satellite-derived sea surface temperature anomalies calculated relative to nitrate depletion temperatures?, D. Kamykowski, S.-J. Zentara, 86:444

Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542
Use of the Topex–Poseidon dual-frequency radar altimeter over land surfaces, F. Papa, B. Legrésy, F. Rémy, 87:136
Characterizing vertical forest structure using small-footprint airborne LiDAR, D.A. Zimble, D.L. Evans, G.C. Carlson, R.C. Parker, S.C. Grado, P.D. Gerard, 87:171
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Estimation of the 2002 Mount Etna eruption cloud radiative forcing from Meteosat-7 data, C. Bertrand, N. Clerbaux, A. Ipe, L. Gonzalez, 87:257
Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data, J.K. Crowley, B.E. Hubbard, J.C. Mars, 87:345
Assimilation method to derive spectral ground reflectance of desert sites from satellite datasets, C. Miesch, F. Cabot, X. Briottet, P. Henry, 87:359
Airborne P-band SAR applied to the aboveground biomass studies in the Brazilian tropical rainforest, J.R. Santos, C.C. Freitas, L.S. Araujo, L.V. Dutra, J.C. Mura, F.F. Gama, L.S. Soler, S.J.S. Sant'Anna, 87:482
The Joint Agency Commercial Imagery Evaluation team: overview and IKONOS joint characterization approach, Vicki Zanoni, Tom Stanley, Robert Ryan, Mary Pagnutti, Braxton Baldridge, Spencer Roylance, Greg Snyder and George Lee, 88:17
IKONOS imagery for the Large Scale Biosphere–Atmosphere Experiment in Amazonia (LBA), George Hurtt, Xiangming Xiao, Michael Keller, Michael Palace, Gregory P. Asner, Rob Braswell, Eduardo S. Brondízio, Manoel Cardoso, Claudio J.R. Carvalho, Matthew G. Fearon, Liane Guild, Steve Hagen, Scott Hetrick, Berrien Moore III, Carlos Nobre, Jane M. Read, Tatiana Sá, Annette Schloss, George Vourlitis and Albertus J. Wickel, 88:111
Extending satellite remote sensing to local scales: land and water resource monitoring using high-resolution imagery, Kali E. Sawaya, Leif G. Olmanson, Nathan J. Heinert, Patrick L. Brezonik and Marvin E. Bauer, 88:144
Remote sensing applications for precision agriculture: A learning community approach, Santhosh K. Seelan, Soizik Laguette, Grant M. Casady, George A. Seielstad, 88:157
A multi-spectral non-local method for retrieval of boundary layer cloud properties from optical remote sensing data, Hironobu Iwabuchi and Tadahiro Hayasaka, 88:294
Snow-cover mapping in forests by constrained linear spectral unmixing of MODIS data, Dagrun Vikhamar and Rune Solberg, 88:309
A method to account for shoot scale clumping in coniferous canopy reflectance models, Sampo Smolander and Pauline Stenberg, 88:363

Remote sensing data

Urbanization pressure and modeling of urban growth: example of the Tunis Metropolitan Area, C. Weber, A. Puissant, 86:341

Remote sensing of forests

Feasibility of multi-temporal interferometric SAR data for stand-level estimation of boreal forest stem volume, J. Pulliainen, M. Engdahl, M. Hallikainen, 85:397

Remote sensing of plant litter

Cellulose absorption index (CAI) to quantify mixed soil–plant litter scenes, P.L. Nagler, Y. Inoue, E.P. Glenn, A.L. Russ, C.S.T. Daughtry, 87:310

Remotely sensed imagery

Continuum-based classification of remotely sensed imagery to describe urban sprawl on a watershed scale, W.B. Clapham Jr., 86:322

Remotely sensed measures

Relationships among soil fertility dynamics and remotely sensed measures across pasture chronosequences in Rondônia, Brazil, I. Numata, J.V. Soares, D.A. Roberts, F.C. Leonidas, O.A. Chadwick, G.T. Batista, 87:446

Resilience

The use of time-integrated NOAA NDVI data and rainfall to assess landscape degradation in the arid shrubland of Western Australia, A.McR. Holm, S.W. Cridland, M.L. Roderick, 85:145

Resource management

IKONOS imagery for resource management: Tree cover, impervious surfaces, and riparian buffer analyses in the mid-Atlantic region, Scott J. Goetz, Robb K. Wright, Andrew J. Smith, Elizabeth Zinecker and Erika Schaub, 88:195

Respiration

Calibration of remotely sensed, coarse resolution NDVI to CO_2 fluxes in a sagebrush–steppe ecosystem, B.K. Wylie, D.A. Johnson, E. Laca, N.Z. Saliendra, T.G. Gilmanov, B.C. Reed, L.L. Tieszen, B.B. Worstell, 85:243

Review

Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1

Rio Grande

Validation of daily MODIS snow cover maps of the Upper Rio Grande River Basin for the 2000–2001 snow year, A.G. Klein, A.C. Barnett, 86:162

Rural
Thermal remote sensing of urban climates, J.A. Voogt, T.R. Oke, 86:370

Russia
Monthly burned area and forest fire carbon emission estimates for the Russian Federation from SPOT VGT, Y.-H. Zhang, M.J. Wooster, O. Tutubalina, G.L.W. Perry, 87:1

Sahel
Derivation of a shortwave infrared water stress index from MODIS near- and shortwave infrared data in a semiarid environment, R. Fensholt, I. Sandholt, 87:111

Sahelian vegetation parameter
Mapping of Sahelian vegetation parameters from ERS scatterometer data with an evolution strategies algorithm, L. Jarlan, P. Mazzega, E. Mougin, F. Lavenu, G. Marty, P.L. Frison, P. Hiernaux, 87:72

Salinity
Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1

Salt mining
Monitoring of slow ground deformation by ERS radar interferometry on the Vauvert salt mine (France) Comparison with ground-based measurement, Daniel Raucoules, Christophe Maisons, Claudie Carnec and Stéphane Le Mouelic, Christine King and Steven Hosford, 88:468

Saltmarsh
Spectral discrimination of vegetation types in a coastal wetland, K.S. Schmidt, A.K. Skidmore, 85:92

Sampling
Statistical sampling to characterize recent United States land-cover change, S.V. Stehman, T.L. Sohl, T.R. Loveland, 86:517

Sand
Capabilities of remote sensors to classify coral, algae, and sand as pure and mixed spectra, E.J. Hochberg, M.J. Atkinson, 85:174

SAR
Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data, W. Wagner, A. Luckman, J. Vietmeier, K. Tansey, H. Balzter, C. Schmullius, M. Davidson, D. Gaveau, M. Gluck, T. Le Toan, S. Quegan, A. Shvidenko, A. Wiesmann, J.J. Yu, 85:125

SAR interferometry
Retrieving crop parameters based on tandem ERS 1/2 interferometric coherence images, Xavier Blaes and Pierre Defourny, 88:374
Monitoring of slow ground deformation by ERS radar interferometry on the Vauvert salt mine (France) Comparison with ground-based measurement, Daniel Raucoules, Christophe Maisons, Claudie Carnec and Stéphane Le Mouelic, Christine King and Steven Hosford, 88:468

Satellite attitude correction
Two years of operational use of Subpixel Automatic Navigation of AVHRR scheme: accuracy assessment and validation, N. Pergola, V. Tramutoli, 85:190

Satellite measurement
Outgoing longwave flux estimation: improvement of angular modelling using spectral information, N. Clerbaux, S. Dewitte, L. Gonzalez, C. Bertrand, B. Nicula, A. Ipe, 85:389
Assimilation method to derive spectral ground reflectance of desert sites from satellite datasets, C. Miesch, F. Cabot, X. Briottet, P. Henry, 87:359

Satellite measurements
Estimation of the 2002 Mount Etna eruption cloud radiative forcing from Meteosat-7 data, C. Bertrand, N. Clerbaux, A. Ipe, L. Gonzalez, 87:257

Satellite methods
Can phytoplankton community structure be inferred from satellite-derived sea surface temperature anomalies calculated relative to nitrate depletion temperatures?, D. Kamykowski, S.-J. Zentara, 86:444
Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface, C.G. Gelpi, K.E. Norris, 87:99

Savanna
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521

Scaling
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243

Scaling up
Estimation of methane emission from West Siberian wetland by scaling technique between NOAA AVHRR and SPOT HRV, W. Takeuchi, M. Tamura, Y. Yasuoka, 85:21

Scanning low frequency microwave radiometer
Structure and influence of tropical river plumes in the Great Barrier Reef: application and performance of an airborne sea surface salinity mapping system, D.M. Burrage, M.L. Heron, J.M. Hacker, J.L. Miller, T.C. Stieglitz, C.R. Steinberg, A. Prytz, 85:204

Scattered fields
Sensitivity analysis of wind vector measurements from ocean reflected GPS signals, Cinzia Zuffada, Tanos Elfouhaily and Stephen Lowe, 88:341

Scatterometer
Assessing snowmelt dynamics with NASA scatterometer (NSCAT) data and a hydrologic process model, U. Hillard, V. Sridhar, D.P. Lettenmaier, K.C. McDonald, 86:52

Scatterometry
Mediterranean Balloon Experiment: ocean wind speed sensing from the stratosphere, using GPS reflections, Estel Cardellach, Giulio Ruffini, David Pino, Antonio Rius, Attila Komjathy and James L. Garrison, 88:351

Sea surface salinity mapping system
Structure and influence of tropical river plumes in the Great Barrier Reef: application and performance of an airborne sea surface salinity mapping system, D.M. Burrage, M.L. Heron, J.M. Hacker, J.L. Miller, T.C. Stieglitz, C.R. Steinberg, A. Prytz, 85:204

Seagrass
Multi-site evaluation of IKONOS data for classification of tropical coral reef environments, Serge Andréfouët, Philip Kramer, Damaris Torres-Pulliza, Karen E. Joyce, Eric J. Hochberg, Rodrigo Garza-Pérez, Peter J. Mumby, Bernhard Riegl, Hiroya Yamano, William H. White, Mayalen Zubia, John C. Brock, Stuart R. Phinn, Abdulla Naseer, Bruce G. Hatcher and Frank E. Muller-Karger, 88:128

Seasonal variations
Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices, L. Ji, A.J. Peters, 87:85

SeaWiFS
Bio-optical properties in waters influenced by the Mississippi River during low flow conditions, E.J. D'Sa, R.L. Miller, 84:538
Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea, D. Tang, H. Kawamura, M.-A. Lee, T. Van Dien, 85:475

Secondary succession
Linear mixture model applied to Amazonian vegetation classification, D. Lu, E. Moran, M. Batistella, 87:456

Sediments
Mapping intertidal estuarine sediment grain size distributions through airborne remote sensing, M.P. Rainey, A.N. Tyler, D.J. Gilvear, R.G. Bryant, P. McDonald, 86:480

Selective logging
Mapping forest degradation in the Eastern Amazon from SPOT 4 through spectral mixture models, C. Souza Jr., L. Firestone, L.M. Silva, D. Roberts, 87:494

Selenium
Mapping mine wastes and analyzing areas affected by selenium-rich water runoff in southeast Idaho using AVIRIS imagery and digital elevation data, J.C. Mars, J.K. Crowley, 84:422

Semi-automated individual tree crown
Stand delineation and composition estimation using semi-automated individual tree crown analysis, D.G. Leckie, F.A. Gougeon, N. Walsworth, D. Paradine, 85:355

Sensor systems
Intercalibration of vegetation indices from different sensor systems, Michael D. Steven, Timothy J. Malthus, Frédéric Baret, Hui Xu and Mark J. Chopping, 88:412

SEVIRI/MSG
Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurements: I. Data quality control and accumulation of information corresponding to the IGBP land cover classes, I. Pokrovsky, O. Pokrovsky, J.-L. Roujean, 87:198
Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurements: II. Comparison of several inversion techniques and uncertainty in albedo estimates, I. Pokrovsky, O. Pokrovsky, J.-L. Roujean, 87:215

SGP97
A simple and fast atmospheric correction for spaceborne remote sensing of surface temperature, A.N. French, J.M. Norman, M.C. Anderson, 87:326

Shade
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521

Shadow
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521

Shorelines
Waterline mapping in flooded vegetation from airborne SAR imagery, M.S. Horritt, D.C. Mason, D.M. Cobby, I.J. Davenport, P.D. Bates, 85:271

Shortwave infrared water stress index (SIWSI)
Derivation of a shortwave infrared water stress index from MODIS near- and shortwave infrared data in a semiarid environment, R. Fensholt, I. Sandholt, 87:111

Shuttle Laser Altimeter (SLA)
Validation of surface height from shuttle radar topography mission using shuttle laser altimeter, G. Sun, K.J. Ranson, V.I. Kharuk and K. Kovacs, 88:401

Shuttle Radar Topography Mission (SRTM)
Validation of surface height from shuttle radar topography mission using shuttle laser altimeter, G. Sun, K.J. Ranson, V.I. Kharuk and K. Kovacs, 88:401

Siberia
Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data, W. Wagner, A. Luckman, J. Vietmeier, K. Tansey, H. Balzter, C. Schmullius, M. Davidson, D. Gaveau, M. Gluck, T. Le Toan, S. Quegan, A. Shvidenko, A. Wiesmann, J.J. Yu, 85:125

Skyradiometer
Comparisons of the mineral dust optical thickness retrieved from Geostationary Meteorological Satellite with ground-based radiometer measurements, K. Masuda, Y. Mano, H. Ishimoto, M. Tokuno, Y. Yoshizaki, N. Okawara, R. Yamagiwa, A. Uchiyama, A. Yamazaki, Y. Tsutsumi, 85:484

Small area estimation
Updating cover type maps using sequential indicator simulation, S. Magnussen, S. de Bruin, 87:161

SMMR
A comparison of 18 winter seasons of in situ and passive microwave-derived snow water equivalent estimates in Western Canada, C. Derksen, A. Walker and B. Goodison, 88:271

Snow
Retrieval of subpixel snow-covered area and grain size from imaging spectrometer data, T.H. Painter, J. Dozier, D.A. Roberts, R.E. Davis, R.O. Green, 85:64
Assessing snowmelt dynamics with NASA scatterometer (NSCAT) data and a hydrologic process model, U. Hillard, V. Sridhar, D.P. Lettenmaier, K.C. McDonald, 86:52
Validation of daily MODIS snow cover maps of the Upper Rio Grande River Basin for the 2000–2001 snow year, A.G. Klein, A.C. Barnett, 86:162

Snow contaminants
Spatial relationships between snow contaminant content, grain size, and surface temperature from multispectral images of Mt. Rainier, Washington (USA), J.E. Kay, A.R. Gillespie, G.B. Hansen, E.C. Pettit, 86:216

Snow grain size
Spatial relationships between snow contaminant content, grain size, and surface temperature from multispectral images of Mt. Rainier, Washington (USA), J.E. Kay, A.R. Gillespie, G.B. Hansen, E.C. Pettit, 86:216

Snow mapping
Snow-cover mapping in forests by constrained linear spectral unmixing of MODIS data, Dagrun Vikhamar and Rune Solberg, 88:309

Snow temperature
Spatial relationships between snow contaminant content, grain size, and surface temperature from multispectral images of Mt. Rainier, Washington (USA), J.E. Kay, A.R. Gillespie, G.B. Hansen, E.C. Pettit, 86:216

Snow water equivalent
A comparison of 18 winter seasons of in situ and passive microwave-derived snow water equivalent estimates in Western Canada, C. Derksen, A. Walker and B. Goodison, 88:271

Soil fertility dynamics
Relationships among soil fertility dynamics and remotely sensed measures across pasture chronosequences in Rondônia, Brazil, I. Numata, J.V. Soares, D.A. Roberts, F.C. Leonidas, O.A. Chadwick, G.T. Batista, 87:446

Soil moisture
Surface soil moisture estimation from the synergistic use of the (multi-incidence and multi-resolution) active microwave ERS Wind Scatterometer and SAR data, M. Zribi, S. Le Hégarat-Mascle, C. Ottlé, B. Kammoun, C. Guerin, 86:30
Derivation of a shortwave infrared water stress index from MODIS near- and shortwave infrared data in a semiarid environment, R. Fensholt, I. Sandholt, 87:111
Retrieving surface soil moisture over a wheat field: Comparison of different methods, M. Pardé, J.-P. Wigneron, A. Chanzy, P. Waldteufel, Y. Kerr, S. Huet, 87:334

Soil moisture estimates
Soil moisture estimates from TRMM Microwave Imager observations over the Southern United States, R. Bindlish, T.J. Jackson, E. Wood, H. Gao, P. Starks, D. Bosch, V. Lakshmi, 85:507

Solar energy
Solar energy assessment using remote sensing technologies, A. Hammer, D. Heinemann, C. Hoyer, R. Kuhlemann, E. Lorenz, R. Müller, H.G. Beyer, 86:423

Sources and sinks
Remote sensing estimates of boreal and temperate forest woody biomass: carbon pools, sources, and sinks, J. Dong, R.K. Kaufmann, R.B. Myneni, C.J. Tucker, P.E. Kauppi, J. Liski, W. Buermann, V. Alexeyev, M.K. Hughes, 84:393

South America
The coregistration, calibration, and interpretation of multi-season JERS-1 SAR data over South America, P. Siqueira, B. Chapman, G. McGarragh, 87:389

South China Sea
AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China, D. Tang, D.R. Kester, Z. Wang, J. Lian, H. Kawamura, 84:506
Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea, D. Tang, H. Kawamura, M.-A. Lee, T. Van Dien, 85:475

South Florida wetlands
Effects of seasonal hydrologic patterns in south Florida wetlands on radar backscatter measured from ERS-2 SAR imagery, Eric S. Kasischke, Kevin B. Smith, Laura L. Bourgeau-Chavez, Edwin A. Romanowicz, Suzy Brunzell and Curtis J. Richardson, 88:423

Southern United States
Soil moisture estimates from TRMM Microwave Imager observations over the Southern United States, R. Bindlish, T.J. Jackson, E. Wood, H. Gao, P. Starks, D. Bosch, V. Lakshmi, 85:507
Assessing the impact of urban land development on net primary productivity in the southeastern United States, C. Milesi, C.D. Elvidge, R.R. Nemani, S.W. Running, 86:401

Soybean
Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*), C.H. Koger, L.M. Bruce, D.R. Shaw, K.N. Reddy, 86:108

Space Imaging
Radiometric characterization of IKONOS multispectral imagery, Mary Pagnutti, Robert E. Ryan, Michelle Kelly, Kara Holekamp, Vicki Zanoni, Kurtis Thome and Stephen Schiller, 88:53
IKONOS geometric characterization, Dennis Helder, Michael Coan, Kevin Patrick and Peter Gaska, 88:69

Spatial autocorrelation
Updating cover type maps using sequential indicator simulation, S. Magnussen, S. de Bruin, 87:161

Spatial heterogeneity
IKONOS imagery for the Large Scale Biosphere–Atmosphere Experiment in Amazonia (LBA), George Hurtt, Xiangming Xiao, Michael Keller, Michael Palace, Gregory P. Asner, Rob Braswell, Eduardo S. Brondízio, Manoel Cardoso, Claudio J.R. Carvalho, Matthew G. Fearon, Liane Guild, Steve Hagen, Scott Hetrick, Berrien Moore III, Carlos Nobre, Jane M. Read, Tatiana Sá, Annette Schloss, George Vourlitis and Albertus J. Wickel, 88:111

Spatial metrics
The spatiotemporal form of urban growth: measurement, analysis and modeling, M. Herold, N.C. Goldstein, K.C. Clarke, 86:286

Spatial patterns
Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series, M.J. Hill, G.E. Donald, 84:367

Spatially enhanced broadband array spectrograph system
SEBASS hyperspectral thermal infrared data: surface emissivity measurement and mineral mapping, R.G. Vaughan, W.M. Calvin, J.V. Taranik, 85:48

Species diversity
Classifying successional forests using Landsat spectral properties and ecological characteristics in eastern Amazônia, I.C.G. Vieira, A.S. de Almeida, E.A. Davidson, T.A. Stone, C.J. Reis de Carvalho, J.B. Guerrero, 87:470

Spectra
A new parameterization of canopy spectral response to incident solar radiation: case study with hyperspectral data from pine dominant forest, Y. Wang, W. Buermann, P. Stenberg, H. Smolander, T. Häme, Y. Tian, J. Hu, Y. Knyazikhin, R.B. Myneni, 85:304

Spectra mixture analysis
The effects of vegetation phenology on endmember selection and species mapping in southern California chaparral, P.E. Dennison, D.A. Roberts, 87:295

Spectral feature analysis
Mapping vegetation in Yellowstone National Park using spectral feature analysis of AVIRIS data, R.F. Kokaly, D.G. Despain, R.N. Clark, K.E. Livo, 84:437

Spectral mixture analysis
Estimating impervious surface distribution by spectral mixture analysis, C. Wu, A.T. Murray, 84:493
Estimation of methane emission from West Siberian wetland by scaling technique between NOAA AVHRR and SPOT HRV, W. Takeuchi, M. Tamura, Y. Yasuoka, 85:21

Endmember selection for multiple endmember spectral mixture analysis using endmember average RMSE, P.E. Dennison, D.A. Roberts, 87:123
Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands, P. Hostert, A. Röder, J. Hill, 87:183
Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507
High spatial resolution spectral mixture analysis of urban reflectance, Christopher Small, 88:170

Spectral mixture model
Snow-cover mapping in forests by constrained linear spectral unmixing of MODIS data, Dagrun Vikhamar and Rune Solberg, 88:309

Spectral reflectance
Estimation of vegetation water content and photosynthetic tissue area from spectral reflectance: a comparison of indices based on liquid water and chlorophyll absorption features, D.A. Sims, J.A. Gamon, 84:526
Comparison of two hyperspectral imaging and two laser-induced fluorescence instruments for the detection of zinc stress and chlorophyll concentration in bahia grass (*Paspalum notatum* Flugge.), A.C. Schuerger, G.A. Capelle, J.A. Di Benedetto, C. Mao, C.N. Thai, M.D. Evans, J.T. Richards, T.A. Blank, E.C. Stryjewski, 84:572
Spectral reflectance of coral reef bottom-types worldwide and implications for coral reef remote sensing, E.J. Hochberg, M.J. Atkinson, S. Andréfouët, 85:159
A spectral reflectance-based approach to quantification of grassland cover from Landsat TM imagery, Y. Zha, J. Gao, S. Ni, Y. Liu, J. Jiang, Y. Wei, 87:371

Spectroradiometric measurements
Intercalibration of vegetation indices from different sensor systems, Michael D. Steven, Timothy J. Malthus, Frédéric Baret, Hui Xu and Mark J. Chopping, 88:412

Spectroradiometry
Spectrometric constraint in analysis of benthic diatom biomass using monospecific cultures, V. Méléder, L. Barillé, P. Launeau, V. Carrère and Y. Rincé, 88:386

SPOT images
An interpolation procedure for generalizing a look-up table inversion method, J.P. Gastellu-Etchegorry, F. Gascon, P. Estève, 87:55

SPOT VGT
Monthly burned area and forest fire carbon emission estimates for the Russian Federation from SPOT VGT, Y.-H. Zhang, M.J. Wooster, O. Tutubalina, G.L.W. Perry, 87:1

SPOT-4 VEGETATION sensor
Sensitivity of vegetation indices to atmospheric aerosols: continental-scale observations in Northern Asia, X. Xiao, B. Braswell, Q. Zhang, S. Boles, S. Frolking, B. Moore III, 84:385

Sprawl
Development of a geospatial model to quantify, describe and map urban growth, E. Hoffhine Wilson, J.D. Hurd, D.L. Civco, M.P. Prisloe, C. Arnold, 86:275

Sprawl Line
A scale-adjusted measure of "Urban sprawl" using night-time satellite imagery, P.C. Sutton, 86:353

SSM/I
Near concurrent MIR, SSM/T-2, and SSM/I observations over snow-covered surfaces, J.R. Wang, W. Manning, 84:457
A comparison of 18 winter seasons of in situ and passive microwave-derived snow water equivalent estimates in Western Canada, C. Derksen, A. Walker and B. Goodison, 88:271

SSM/T-2
Near concurrent MIR, SSM/T-2, and SSM/I observations over snow-covered surfaces, J.R. Wang, W. Manning, 84:457

SST
The polarized emissivity of a wind-roughened sea surface: A Monte Carlo model, Bradley G. Henderson, James Theiler and Pierre Villeneuve, 88:453

SST cooling
Seasonal SST patterns along the West India shelf inferred from AVHRR, A.J. Luis, H. Kawamura, 86:206

Stand delineation
Stand delineation and composition estimation using semi-automated individual tree crown analysis, D.G. Leckie, F.A. Gougeon, N. Walsworth, D. Paradine, 85:355

Statistical analysis
Spectral discrimination of vegetation types in a coastal wetland, K.S. Schmidt, A.K. Skidmore, 85:92

Stochastic radiative transfer
Effect of foliage spatial heterogeneity in the MODIS LAI and FPAR algorithm over broadleaf forests, N.V. Shabanov, Y. Wang, W. Buermann, J. Dong, S. Hoffman, G.R. Smith, Y. Tian, Y. Knyazikhin, R.B. Myneni, 85:410

Structural geology
Microwave remote sensing of physically buried objects in the Negev Desert: implications for environmental research, J. Daniels, D.G. Blumberg, L.D. Vulfson, A.L. Kotlyar, V. Freiliker, G. Ronen, J. Ben-Asher, 86:243

Structural scattering index
Detecting vegetation structure using a kernel-based BRDF model, F. Gao, C.B. Schaaf, A.H. Strahler, Y. Jin, X. Li, 86:198

Sub-pixel
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243

Sub-pixel characterization
Gaussian mixture discriminant analysis and sub-pixel land cover characterization in remote sensing, J. Ju, E.D. Kolaczyk, S. Gopal, 84:550

Subpixel surface temperature
Estimating subpixel surface temperatures and energy fluxes from the vegetation index–radiometric temperature relationship, W.P. Kustas, J.M. Norman, M.C. Anderson, A.N. French, 85:429

Subsidence
Monitoring of slow ground deformation by ERS radar interferometry on the Vauvert salt mine (France) Comparison with ground-based measurement, Daniel Raucoules, Christophe Maisons, Claudie Carnec and Stéphane Le Mouelic, Christine King and Steven Hosford, 88:468

Sun photometer measurements
Remote sensing of aerosols optical thickness over various sites using SeaWiFS or VEGETATION and ground measurements, R. Borde, J. Verdebout, 86:42

Sunlit soil effects
Using multidirectional thermography to characterize water status of cotton, D. Luquet, A. Bégué, A. Vidal, P. Clouvel, J. Dauzat, A. Olioso, X.F. Gu, Y. Tao, 84:411

Supervised classification
Automatic land cover analysis for Tenerife by supervised classification using remotely sensed data, J. Keuchel, S. Naumann, M. Heiler, A. Siegmund, 86:530

Support vector machines
Automatic land cover analysis for Tenerife by supervised classification using remotely sensed data, J. Keuchel, S. Naumann, M. Heiler, A. Siegmund, 86:530

Surface albedo
Development of an operational procedure to estimate surface albedo from the SEVIRI/MSG observing system by using POLDER BRDF measurements: I. Data quality control and accumulation of information corresponding to the IGBP land cover classes, I. Pokrovsky, O. Pokrovsky, J.-L. Roujean, 87:198

Surface canopy cover
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177

Surface canopy height
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177

Surface emissivity
SEBASS hyperspectral thermal infrared data: surface emissivity measurement and mineral mapping, R.G. Vaughan, W.M. Calvin, J.V. Taranik, 85:48

Surface temperature
Validation of temperature-emissivity separation and split-window methods from TIMS data and ground measurements, C. Coll, V. Caselles, E. Valor, E. Rubio, 85:232

Surface water
A simple retrieval method for land surface temperature and fraction of water surface determination from satellite microwave brightness temperatures in sub-arctic areas, M. Fily, A. Royer, K. Goïta, C. Prigent, 85:328

Surface waves
Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface, C.G. Gelpi, K.E. Norris, 87:99

SVIs
Retrieval of leaf area index in different vegetation types using high resolution satellite data, R. Colombo, D. Bellingeri, D. Fasolini, C.M. Marino, 86:120

Synthetic aperture radar
Waterline mapping in flooded vegetation from airborne SAR imagery, M.S. Horritt, D.C. Mason, D.M. Cobby, I.J. Davenport, P.D. Bates, 85:271
Estimated surface-wave contributions to radar Doppler velocity measurements of the ocean surface, C.G. Gelpi, K.E. Norris, 87:99

Tandem coherence
Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data, W. Wagner, A. Luckman, J. Vietmeier, K. Tansey, H. Balzter, C. Schmullius, M. Davidson, D. Gaveau, M. Gluck, T. Le Toan, S. Quegan, A. Shvidenko, A. Wiesmann, J.J. Yu, 85:125

Tapajós River
Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507

Tasseled cap
Sensitivity of the thematic mapper enhanced wetness difference index to detect mountain pine beetle red-attack damage, R.S. Skakun, M.A. Wulder, S.E. Franklin, 86:433

Technology adoption
Remote sensing applications for precision agriculture: A learning community approach, Santhosh K. Seelan, Soizik Laguette, Grant M. Casady, George A. Seielstad, 88:157

Temperature
A simple retrieval method for land surface temperature and fraction of water surface determination from satellite microwave brightness temperatures in sub-arctic areas, M. Fily, A. Royer, K. Goïta, C. Prigent, 85:328

Temporal variation
Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series, M.J. Hill, G.E. Donald, 84:367

Tenerife
Automatic land cover analysis for Tenerife by supervised classification using remotely sensed data, J. Keuchel, S. Naumann, M. Heiler, A. Siegmund, 86:530

TERRA
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243

Textural image classification
Towards a spatial CO_2 budget of a metropolitan region based on textural image classification and flux measurements, H. Soegaard, L. Møller-Jensen, 87:283

Texture analysis
Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507

Texture indices
Retrieval of leaf area index in different vegetation types using high resolution satellite data, R. Colombo, D. Bellingeri, D. Fasolini, C.M. Marino, 86:120

Thematic accuracy
Thematic accuracy of the 1992 National Land-Cover Data for the eastern United States: Statistical methodology and regional results, S.V. Stehman, J.D. Wickham, J.H. Smith, L. Yang, 86:500

Thematic Mapper image
Linear mixture model applied to Amazonian vegetation classification, D. Lu, E. Moran, M. Batistella, 87:456

Thermal infrared
Using multidirectional thermography to characterize water status of cotton, D. Luquet, A. Bégué, A. Vidal, P. Clouvel, J. Dauzat, A. Olioso, X.F. Gu, Y. Tao, 84:411
Validation of temperature-emissivity separation and split-window methods from TIMS data and ground measurements, C. Coll, V. Caselles, E. Valor, E. Rubio, 85:232
A simple and fast atmospheric correction for spaceborne remote sensing of surface temperature, A.N. French, J.M. Norman, M.C. Anderson, 87:326
The polarized emissivity of a wind-roughened sea surface: A Monte Carlo model, Bradley G. Henderson, James Theiler and Pierre Villeneuve, 88:453

Thermal plume
AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China, D. Tang, D.R. Kester, Z. Wang, J. Lian, H. Kawamura, 84:506

Three Channel Vegetation Index
Detecting contamination-induced tree stress within the Chernobyl exclusion zone, C. Davids, A.N. Tyler, 85:30

TIGR
A simple and fast atmospheric correction for spaceborne remote sensing of surface temperature, A.N. French, J.M. Norman, M.C. Anderson, 87:326

Time series
Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series, M.J. Hill, G.E. Donald, 84:367

TM imagery
A spectral reflectance-based approach to quantification of grassland cover from Landsat TM imagery, Y. Zha, J. Gao, S. Ni, Y. Liu, J. Jiang, Y. Wei, 87:371

Tocantins
Agricultural land-use change in Brazilian Amazônia between 1980 and 1995: Evidence from integrated satellite and census data, J.A. Cardille, J.A. Foley, 87:551

Topex–Poseidon
Use of the Topex–Poseidon dual-frequency radar altimeter over land surfaces, F. Papa, B. Legrésy, F. Rémy, 87:136

Topography
The topographic normalization of hyperspectral data: implications for the selection of spectral end members and lithologic mapping, J. Feng, B. Rivard, A. Sánchez-Azofeifa, 85:221

Totora
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Training
Remote sensing applications for precision agriculture: A learning community approach, Santhosh K. Seelan, Soizik Laguette, Grant M. Casady, George A. Seielstad, 88:157

Transition communities
Canopy attributes of desert grassland and transition communities derived from multiangular airborne imagery, M.J. Chopping, A. Rango, K.M. Havstad, F.R. Schiebe, J.C. Ritchie, T.J. Schmugge, A.N. French, L. Su, L. McKee, M.R. Davis, 85:339

Tree cover
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177

Tree height
Modeling airborne laser scanning data for the spatial generation of critical forest parameters in fire behavior modeling, D. Riaño, E. Meier, B. Allgöwer, E. Chuvieco, S.L. Ustin, 86:177
Validation of surface height from shuttle radar topography mission using shuttle laser altimeter, G. Sun, K.J. Ranson, V.I. Kharuk and K. Kovacs, 88:401

Tree litter
Cellulose absorption index (CAI) to quantify mixed soil–plant litter scenes, P.L. Nagler, Y. Inoue, E.P. Glenn, A.L. Russ, C.S.T. Daughtry, 87:310

Tree measurement
Characterizing vertical forest structure using small-footprint airborne LiDAR, D.A. Zimble, D.L. Evans, G.C. Carlson, R.C. Parker, S.C. Grado, P.D. Gerard, 87:171

TRMM Microwave Imager
Soil moisture estimates from TRMM Microwave Imager observations over the Southern United States, R. Bindlish, T.J. Jackson, E. Wood, H. Gao, P. Starks, D. Bosch, V. Lakshmi, 85:507

Tropical forest
Scale dependence of biophysical structure in deforested areas bordering the Tapajós National Forest, Central Amazon, G.P. Asner, M.M.C. Bustamante, A.R. Townsend, 87:507
Canopy shadow in IKONOS satellite observations of tropical forests and savannas, G.P. Asner, A.S. Warner, 87:521

Tropical rain forest
Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453
Airborne P-band SAR applied to the aboveground biomass studies in the Brazilian tropical rainforest, J.R. Santos, C.C. Freitas, L.S. Araujo, L.V. Dutra, J.C. Mura, F.F. Gama, L.S. Soler, S.J.S. Sant'Anna, 87:482

Tropical rivers
A remote sensing/GIS-based physical template to understand the biogeochemistry of the Ji-Paraná river basin (Western Amazônia), M.V.R. Ballester, D.d.C. Victoria, A.V. Krusche, R. Coburn, R.L. Victoria, J.E. Richey, M.G. Logsdon, E. Mayorga, E. Matricardi, 87:429

Two Terms Local Variance
Comparing and classifying one-dimensional spatial patterns: an application to laser altimeter profiles, S. Ollier, D. Chessel, P. Couteron, R. Pélissier, J. Thioulouse, 85:453

Unmixing
A multivariable approach for mapping sub-pixel land cover distributions using MISR and MODIS: Application in the Brazilian Amazon region, B.H. Braswell, S.C. Hagen, S.E. Frolking, W.A. Salas, 87:243
Snow-cover mapping in forests by constrained linear spectral unmixing of MODIS data, Dagrun Vikhamar and Rune Solberg, 88:309

Upwelling
Seasonal SST patterns along the West India shelf inferred from AVHRR, A.J. Luis, H. Kawamura, 86:206

Urban climate
Towards a spatial CO_2 budget of a metropolitan region based on textural image classification and flux measurements, H. Soegaard, L. Møller-Jensen, 87:283

Urban climates
Thermal remote sensing of urban climates, J.A. Voogt, T.R. Oke, 86:370

Urban ecosystem
Towards a spatial CO_2 budget of a metropolitan region based on textural image classification and flux measurements, H. Soegaard, L. Møller-Jensen, 87:283

Urban ecosystems
Evaluating environmental influences of zoning in urban ecosystems with remote sensing, J.S. Wilson, M. Clay, E. Martin, D. Stuckey, K. Vedder-Risch, 86:303

Urban environment
Satellite and ground-based microclimate and hydrologic analyses coupled with a regional urban growth model, S.T. Arthur-Hartranft, T.N. Carlson, K.C. Clarke, 86:385

Urban growth
Development of a geospatial model to quantify, describe and map urban growth, E. Hoffhine Wilson, J.D. Hurd, D.L. Civco, M.P. Prisloe, C. Arnold, 86:275
The spatiotemporal form of urban growth: measurement, analysis and modeling, M. Herold, N.C. Goldstein, K.C. Clarke, 86:286
Urbanization pressure and modeling of urban growth: example of the Tunis Metropolitan Area, C. Weber, A. Puissant, 86:341

Urban heat island
Satellite-measured growth of the urban heat island of Houston, Texas, D.R. Streutker, 85:282

Urban land cover
Estimating impervious surface distribution by spectral mixture analysis, C. Wu, A.T. Murray, 84:493

Urban reflectance
High spatial resolution spectral mixture analysis of urban reflectance, Christopher Small, 88:170

Urban
Mapping urban change in the UK using satellite radar interferometry, W.M.F. Grey, A.J. Luckman, D. Holland, 87:16

Urban sprawl
Continuum-based classification of remotely sensed imagery to describe urban sprawl on a watershed scale, W.B. Clapham Jr., 86:322
A scale-adjusted measure of "Urban sprawl" using nighttime satellite imagery, P.C. Sutton, 86:353

Urbanization
Assessing the impact of urban land development on net primary productivity in the southeastern United States, C. Milesi, C.D. Elvidge, R.R. Nemani, S.W. Running, 86:401
Effects of urbanization on the aquatic fauna of the Line Creek watershed, Atlanta—a satellite perspective, R.R. Gillies, J. Brim Box, J. Symanzik, E.J. Rodemaker, 86:411

V–I–S
Estimating impervious surface distribution by spectral mixture analysis, C. Wu, A.T. Murray, 84:493

Validation
Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products, Warren B. Cohen, Thomas K. Maiersperger, Zhiqiang Yang, Stith T. Gower, David P. Turner, William D. Ritts, Mercedes Berterretche and Steven W. Running, 88:233
Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation, David P. Turner, William D. Ritts, Warren B. Cohen, Stith T. Gower, Maosheng Zhao, Steve W. Running, Steven C. Wofsy, Shawn Urbanski, Allison L. Dunn and J.W. Munger, 88:256

Vegetation
Mapping vegetation in Yellowstone National Park using spectral feature analysis of AVIRIS data, R.F. Kokaly, D.G. Despain, R.N. Clark, K.E. Livo, 84:437
Waterline mapping in flooded vegetation from airborne SAR imagery, M.S. Horritt, D.C. Mason, D.M. Cobby, I.J. Davenport, P.D. Bates, 85:271
Mapping land cover change in a reindeer herding area of the Russian Arctic using Landsat TM and ETM+ imagery and indigenous knowledge, W.G. Rees, M. Williams, P. Vitebsky, 85:441
Simulation of hyperspectral and directional radiance images using coupled biophysical and atmospheric radiative transfer models, W. Verhoef, H. Bach, 87:23
Response of seasonal vegetation development to climatic variations in eastern central Asia, F. Yu, K.P. Price, J. Ellis, P. Shi, 87:42
Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices, L. Ji, A.J. Peters, 87:85
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Vegetation canopy
A new parameterization of canopy spectral response to incident solar radiation: case study with hyperspectral

data from pine dominant forest, Y. Wang, W. Buermann, P. Stenberg, H. Smolander, T. Häme, Y. Tian, J. Hu, Y. Knyazikhin, R.B. Myneni, 85:304

Vegetation canopy model
A method to account for shoot scale clumping in coniferous canopy reflectance models, Sampo Smolander and Pauline Stenberg, 88:363

Vegetation dynamics
Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands, P. Hostert, A. Röder, J. Hill, 87:183

Vegetation index
Estimating subpixel surface temperatures and energy fluxes from the vegetation index–radiometric temperature relationship, W.P. Kustas, J.M. Norman, M.C. Anderson, A.N. French, 85:429
Derivation of a shortwave infrared water stress index from MODIS near- and shortwave infrared data in a semiarid environment, R. Fensholt, I. Sandholt, 87:111
Seasonal landscape and spectral vegetation index dynamics in the Brazilian Cerrado: An analysis within the Large-Scale Biosphere–Atmosphere Experiment in Amazônia (LBA), L.G. Ferreira, H. Yoshioka, A. Huete, E.E. Sano, 87:534
Intercalibration of vegetation indices from different sensor systems, Michael D. Steven, Timothy J. Malthus, Frédéric Baret, Hui Xu and Mark J. Chopping, 88:412

Vegetation indices
Sensitivity of vegetation indices to atmospheric aerosols: continental-scale observations in Northern Asia, X. Xiao, B. Braswell, Q. Zhang, S. Boles, S. Frolking, B. Moore III, 84:385
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Vegetation mapping
Endmember selection for multiple endmember spectral mixture analysis using endmember average RMSE, P.E. Dennison, D.A. Roberts, 87:123
The effects of vegetation phenology on endmember selection and species mapping in southern California chaparral, P.E. Dennison, D.A. Roberts, 87:295

Vegetation phenology
Monitoring vegetation phenology using MODIS, X. Zhang, M.A. Friedl, C.B. Schaaf, A.H. Strahler, J.C.F. Hodges, F. Gao, B.C. Reed, A. Huete, 84:471
The effects of vegetation phenology on endmember selection and species mapping in southern California chaparral, P.E. Dennison, D.A. Roberts, 87:295

Vegetation remote sensing
Effect of foliage spatial heterogeneity in the MODIS LAI and FPAR algorithm over broadleaf forests, N.V. Shabanov, Y. Wang, W. Buermann, J. Dong, S. Hoffman, G.R. Smith, Y. Tian, Y. Knyazikhin, R.B. Myneni, 85:410

Vegetation structure
Multi-angular optical remote sensing for assessing vegetation structure and carbon absorption, J.M. Chen, J. Liu, S.G. Leblanc, R. Lacaze, J.-L. Roujean, 84:516
Detecting vegetation structure using a kernel-based BRDF model, F. Gao, C.B. Schaaf, A.H. Strahler, Y. Jin, X. Li, 86:198

Vegetation water content
Estimation of vegetation water content and photosynthetic tissue area from spectral reflectance: a comparison of indices based on liquid water and chlorophyll absorption features, D.A. Sims, J.A. Gamon, 84:526

Videography
Remote sensing of soil salinity: potentials and constraints, G.I. Metternicht, J.A. Zinck, 85:1

Visible/near-infrared spectral bands
Performance of the MISR LAI and FPAR algorithm: a case study in Africa, Jiannan Hu, Bin Tan, Nikolay Shabanov, Kathleen A. Crean, John V. Martonchik, David J. Diner, Yuri Knyazikhin and Ranga B. Myneni, 88:324

Volcanic hazards
Analysis of potential debris flow source areas on Mount Shasta, California, by using airborne and satellite remote sensing data, J.K. Crowley, B.E. Hubbard, J.C. Mars, 87:345

Volcanoes
Estimation of the 2002 Mount Etna eruption cloud radiative forcing from Meteosat-7 data, C. Bertrand, N. Clerbaux, A. Ipe, L. Gonzalez, 87:257

VV polarization
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477

Water content
Water content estimation in vegetation with MODIS reflectance data and model inversion methods, P.J. Zarco-Tejada, C.A. Rueda, S.L. Ustin, 85:109

Water status
Using multidirectional thermography to characterize water status of cotton, D. Luquet, A. Bégué, A. Vidal, P. Clouvel, J. Dauzat, A. Olioso, X.F. Gu, Y. Tao, 84:411

Water temperature
AVHRR satellite remote sensing and shipboard measurements of the thermal plume from the Daya Bay, nuclear power station, China, D. Tang, D.R. Kester, Z. Wang, J. Lian, H. Kawamura, 84:506

Watershed scale
Continuum-based classification of remotely sensed imagery to describe urban sprawl on a watershed scale, W.B. Clapham Jr., 86:322

Wave propagation
Microwave remote sensing of physically buried objects in the Negev Desert: implications for environmental research, J. Daniels, D.G. Blumberg, L.D. Vulfson, A.L. Kotlyar, V. Freiliker, G. Ronen, J. Ben-Asher, 86:243

Wavelength band selection
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

Wavelet
Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*), C.H. Koger, L.M. Bruce, D.R. Shaw, K.N. Reddy, 86:108

Weeds
Wavelet analysis of hyperspectral reflectance data for detecting pitted morningglory (*Ipomoea lacunosa*) in soybean (*Glycine max*), C.H. Koger, L.M. Bruce, D.R. Shaw, K.N. Reddy, 86:108

West Siberia
Estimation of methane emission from West Siberian wetland by scaling technique between NOAA AVHRR and SPOT HRV, W. Takeuchi, M. Tamura, Y. Yasuoka, 85:21

Wetland
Estimation of methane emission from West Siberian wetland by scaling technique between NOAA AVHRR and SPOT HRV, W. Takeuchi, M. Tamura, Y. Yasuoka, 85:21

Wetland inundation
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Wetland mapping
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Wetland remote sensing
Dual-season mapping of wetland inundation and vegetation for the central Amazon basin, L.L. Hess, J.M. Melack, E.M.L.M. Novo, C.C.F. Barbosa, M. Gastil, 87:404

Wetlands
Biomass quantification of Andean wetland forages using ERS satellite SAR data for optimizing livestock management, S. Moreau, T. Le Toan, 84:477
Waterline mapping in flooded vegetation from airborne SAR imagery, M.S. Horritt, D.C. Mason, D.M. Cobby, I.J. Davenport, P.D. Bates, 85:271
Assessing the biomass dynamics of Andean *bofedal* and *totora* high-protein wetland grasses from NOAA/AVHRR, S. Moreau, R. Bosseno, X.F. Gu, F. Baret, 85:516

Wheat field
Retrieving surface soil moisture over a wheat field: Comparison of different methods, M. Pardé, J.-P. Wigneron, A. Chanzy, P. Waldteufel, Y. Kerr, S. Huet, 87:334

Wind
Seasonal and spatial distribution of chlorophyll-*a* concentrations and water conditions in the Gulf of Tonkin, South China Sea, D. Tang, H. Kawamura, M.-A. Lee, T. Van Dien, 85:475

Wind vector
Sensitivity analysis of wind vector measurements from ocean reflected GPS signals, Cinzia Zuffada, Tanos Elfouhaily and Stephen Lowe, 88:341

Winter wheat
Reflectance measurement of canopy biomass and nitrogen status in wheat crops using normalized difference vegetation indices and partial least squares regression, P.M. Hansen, J.K. Schjoerring, 86:542

World ocean
Can phytoplankton community structure be inferred from satellite-derived sea surface temperature anomalies calculated relative to nitrate depletion temperatures?, D. Kamykowski, S.-J. Zentara, 86:444

Yellowstone National Park
Mapping vegetation in Yellowstone National Park using spectral feature analysis of AVIRIS data, R.F. Kokaly, D.G. Despain, R.N. Clark, K.E. Livo, 84:437

***Zea mays* L.**
Fluorescence sensing systems: In vivo detection of biophysical variations in field corn due to nitrogen supply, L.A. Corp, J.E. McMurtrey, E.M. Middleton, C.L. Mulchi, E.W. Chappelle, C.S.T. Daughtry, 86:470

Zoning
Evaluating environmental influences of zoning in urban ecosystems with remote sensing, J.S. Wilson, M. Clay, E. Martin, D. Stuckey, K. Vedder-Risch, 86:303